Tables + Accessories for the Government of Canada

Pricing effective January 1, 2025 - Canada

Revised January 10, 2025

E60PQ-14003/071/PQ





think global

THE GLOBAL EDGE

ERGONOMICS IN THE OFFICE

 Full range of ergonomically designed workplace, healthcare and office furniture with competitive pricing and built-in value.

STRENGTH AND STABILITY

- Established in 1966.
- One of North America's largest office furniture manufacturers.
- · Manufacturing and showrooms worldwide.

STRONG LOCAL REPRESENTATION

· Service and expert advice where you are, when you need it!

MANUFACTURING CAPABILITY

- · Vertical integration ensures "start to finish" control.
- · Ongoing research and investment in new, innovative production technology.

QUALITY ASSURANCE

- The quality program is registered to ISO 9001.
- On-site furniture testing facility.
- Products and components are tested to meet or exceed ANSI/BIFMA standards.
- · Products backed by Global's Limited Lifetime Warranty.

ENVIRONMENTAL COMMITMENT

- Continuous development of "earth friendly" programs.
- One of the first molded foam manufacturers to create ozone-friendly, CFC and HFC-free processes.
- Many seat and back pans are made from recyclable plastics and wood waste, enabling little waste and cost effective products.

TABLE OF CONTENTS

WORKPLACE	
TABLES - CAFÉ, MEETING & CONFERENCE	REFI
Swap16	Finis
Zira boardroom tables5	Term
	Lifeti
TABLES - TRAINING	Index
Bungee44	
Junction56	
TABLES - RECEPTION & OCCASIONAL	
Citi64	
Cylinder and cube occasional tables65	
River+	
Sirena69	
Soda70	
Wind71	
PRODUCTIVITY SOLUTIONS by Global	
Keyboard trays80	
Manual height adjustable tables75	
Monitor arms78	
Newland height adjustable base92	
Newland pedestals93	

Office accessories90

Power/data.....83

Productivity Solutions74

REFERENCE	
Finishes	94
Terms and Conditions	97
Lifetime Warranty	100
Index	101

TABLE OF CONTENTS

EDUCATION


CAFETERIA TABLES ACCESSORIES Keyboard mechanisms81 Swap16 Keyboard trays80 **CLASSROOM + LAB TABLES** Monitor arms......78 Office accessories90 Bungee44 Junction......56 Power solutions......83 **LOUNGE TABLES** Citi......64 Sirena 69 Swap16 Wind.....71 **MEETING + COLLABORATIVE TABLES** Bungee44 Swap16 Zira......5

MOBILE TABLES

Bungee44

Junction......56


tables café, meeting and conference



TOP AND BASE FINISHES

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

BASE TRIM FINISHES



TOP THICKNESS/EDGE DETAIL




C3 1.5" top, standard flat edge

BASES

- 2 doors on base for wire management access from both sides.
- Because of base sizes, custom width less than 96" cannot be accommodated.

- 96" tops are standard in one piece. All tops 120", 144" and 168" tops are standard in two equal size pieces. Woodgrain laminate finishes may NOT align where the two tops join. Tops 192" and larger are standard in 3 equal pieces.
- 96" tops are standard with **two bases**.
- Tops 120", 144" and 168" are standard with three bases.
- Tops 169" to 288" and larger are standard with four bases.
- Five top shapes: boat shaped, bow end, rectangular, racetrack and wedge.



POWER BLOCK OPTIONS AND CUT-OUT LOCATIONS

PRTMCD602B PRTMCD602T PRTMCS401B PRTMCD602W PRTMCS401T PRTMCD622B PRTMCS401W PRTMCD622T T1 T2 T3 PRTMCS421B PRTMCD622W PRTMCS421T PRTMCD642B PRTMCS421W PRTMCD642T PRTMCD642W

• For **Square, Media** and **Collaborative Tables,** please refer to the electronic Zira Design Guide found on the Global website under Brochures.

CUT-OUTS

- Boardroom and collaborative tables offer optional cut-outs for in-surface mounted power modules in three standard locations - left, center or right (R1, R2, R3 or T1, T2, T3 as per above grid) for all table shapes excluding square boardroom tables. Add \$91 for each cut-out.
- Cut-out options for **square boardroom tables** in centered position only R2 or T2. Add \$91.
- Cut-out options for media tables in position 1 only R1 or T1. Add \$91.
- Cut-outs may be placed at non-standard locations. Please submit a NON-STANDARD CUT-OUT request form with your order. Forms can be found on the Global Dealer Center under "Specials".
- Available power modules are listed on pages 83-85.
- · Be sure to specify matching power module with corresponding cut-out codes (as per above grid). Cut-out size(s) and orientation(s) are specific to the power module(s).
- Refer to Zira Boardroom Design Guide online for more information.

TABLE NOTES - ESTIMATED CAPACITY

• Use the following to determine the size of a round table and the number of chairs needed for a conference area. All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

Top Size	Rectangular	Bow End	Boat	Racetrack
48 x 96	6-8	6-8	6-8	6-8
48 x 120	8-10	8-10	8-10	8-10
48 x 144	10-12	10-12	10-12	10-12
48 x 168	12-14	12-14	12-14	12-14
48 x 192	14-16	14-16	14-16	14-16
48 x 216	16-18	16-18	16-18	16-18
48 x 240	18-20	18-20	18-20	18-20
48 x 264	20-22	20-22	20-22	20-22
48 x 288	22-24	22-24	22-24	22-24

BOARDROOM TABLES

Boardroom Table - Square

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
	W x D x H (1.5" TOP)			
Z3636SQ (HP)	36 x 36 x 30	129	10	\$3025
Z4242SQ (HP)	42 x 42 x 30	165.5	13.5	\$3518
Z4848SQ (HP)	48 x 48 x 30	190	14.25	\$3905
Z5454SQ (HP)	54 x 54 x 30	262	21.25	\$4448
Z6060SQ (HP)	60 x 60 x 30	300	22.75	\$4871

Square table includes one base with wire access doors on each side of base. Shipped easy to assemble in 2 cartons.



Boardroom Table - Boat Shaped

Z4896BE (HP)	96 x 48 x 30	342	22	\$4513


Boat shaped table includes two bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 3 cartons.



Boardroom Table - Boat Shaped

Z6096	BE (HP)	96 x 60 x 30	432	35.5	\$8565

Boat shaped table includes two bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 3 cartons.



Boardroom Table - Boat Shaped

Z48120BE (HP)	120 x 48 x 30	452	28.3	\$6316
Z48144BE (HP)	144 x 48 x 30	502	30.5	\$6601
Z48168BE (HP)	168 x 48 x 30	557	37.25	\$8365

Boat shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Z48144BE and Z48120BE shipped easy to assemble in 4 cartons. Z48168BE shipped easy to assemble in 5 cartons.

Required specifications	Optional specifications	Accessories	
Top finish	Cut-out for power block	Power block	
Edge detail			
Base finish			
Rase trim finish			

DUANDNUU	INI IADLES	
		,

Boardroom	Table -	Roat 9	Shaned
Dualuluuli	ı lavic -	· Dual v	onancu


MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
	W x D x H (1.5" TOP)			
Z60120BE (HP)	120 x 60 x 30	599	48.5	\$12629
Z60144BE (HP)	144 x 60 x 30	664.65	53.25	\$13738
Z60168BE (HP)	168 x 60 x 30	741.3	58	\$14994

Boat shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 5 cartons.

Boardroom Table - Boat Shaped

Z48192BE (HP)	192 x 48 x 30	688	45.75	\$10279	
Z48216BE (HP)	216 x 48 x 30	746	48.75	\$10904	
Z48240BE (HP)	240 x 48 x 30	803	51.75	\$11692	
Z48264BE (HP)	264 x 48 x 30	855	54.75	\$12476	
Z48288BE (HP)	288 x 48 x 30	906	57.75	\$12706	

Boat shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.



Boardroom Table - Boat Shaped

Z60192BE (HP)	192 x 60 x 30	912.45	71.25	\$18589	
Z60216BE (HP)	216 x 60 x 30	980.7	76	\$19815	
Z60240BE (HP)	240 x 60 x 30	1062.6	81	\$20878	
Z60264BE (HP)	264 x 60 x 30	1129.8	85.75	\$21911	
Z60288BE (HP)	288 x 60 x 30	1198.05	90.5	\$23366	

Boat shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.



Boardroom Table - Racetrack

Z4896RTE (HP)	96 x 48 x 30	336	22	\$4413



Boardroom Table - Racetrack

Racetrack shaped table includes two bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 3 cartons.

Z48120RTE (HP)	120 x 48 x 30	453	28.3	\$6009
Z48144RTE (HP)	144 x 48 x 30	506	30.5	\$6563
Z48168RTE (HP)	168 x 48 x 30	563	37.25	\$8406

Racetrack shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Z48144RTE and Z48120RTE shipped easy to assemble in 4 cartons. Z48168RTE shipped easy to assemble in 5 cartons.

Required	specifications
Top finish	

Optional specifications Cut-out for power block

Accessories Power block

Edge detail Base finish


Base trim finish



Boardroom Table - Racetrack

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
	W x D x H (1.5" TOP)			
Z60120RTE (HP)	120 x 60 x 30	585.9	48.5	\$12629
Z60144RTE (HP)	144 x 60 x 30	656.25	53.25	\$13738
Z60168RTE (HP)	168 x 60 x 30	737.1	58	\$14994


Racetrack shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 5 cartons.



Boardroom Table - Racetrack

Z48192RTE (HP)	192 x 48 x 30	689	45.75	\$10318	
Z48216RTE (HP)	216 x 48 x 30	749	48.75	\$10945	
Z48240RTE (HP)	240 x 48 x 30	809	51.75	\$11732	
Z48264RTE (HP)	264 x 48 x 30	862	54.75	\$12518	
Z48288RTE (HP)	288 x 48 x 30	917	57.75	\$12748	


Racetrack shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.



Boardroom Table - Racetrack

Z60192RTE (HP)	192 x 60 x 30	901.95	71.25	\$18589	
Z60216RTE (HP)	216 x 60 x 30	972.3	76	\$19815	
Z60240RTE (HP)	240 x 60 x 30	1057.35	81	\$20878	
Z60264RTE (HP)	264 x 60 x 30	1127.7	85.75	\$21911	
Z60288RTE (HP)	288 x 60 x 30	1198.05	90.5	\$23366	


Racetrack shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.



Boardroom Table - Rectangular

Z4896REE (HP) 96 x	x 48 x 30 356	22 \$4497	
--------------------	---------------	------------------	--


Rectangular shaped table includes two bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 3 cartons.



Boardroom Table - Rectangular

Z48120REE (HP)	120 x 48 x 30	472	28.3	\$5994	
Z48144REE (HP)	144 x 48 x 30	525	30.5	\$6571	
Z48168REE (HP)	168 x 48 x 30	583	37.25	\$8305	

Rectangular shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Z48144REE and Z48120REE shipped easy to asssemble in 4 cartons. Z48168REE shipped easy to assemble in 5 cartons.



Boardroom Table - Rectangular

Z60120REE (HP)	120 x 60 x 30	618	48.5	\$11712
Z60144REE (HP)	144 x 60 x 30	688	53.25	\$12759
Z60168REE (HP)	168 x 60 x 30	769	58	\$13928


Rectangular shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to asssemble in 5 cartons.

Required specifications	Optional specifications	Accessories	
Top finish	Cut-out for power block	Power block	
Edge detail			
Base finish			
Base trim finish			

Boardroom Table - Rectangular

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
	W x D x H (1.5" TOP)			
Z48192REE (HP)	192 x 48 x 30	708	45.75	\$10221
Z48216REE (HP)	216 x 48 x 30	768	48.75	\$10845
Z48240REE (HP)	240 x 48 x 30	828	51.75	\$11632
Z48264REE (HP)	264 x 48 x 30	882	54.75	\$12418
Z48288REE (HP)	288 x 48 x 30	936	57.75	\$12648

Rectangular shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.



Boardroom Table - Rectangular

Z60192REE (HP)	192 x 60 x 30	941.85	71.25	\$12648	
Z60216REE (HP)	216 x 60 x 30	1003.8	76	\$18415	
Z60240REE (HP)	240 x 60 x 30	1088.85	81	\$19414	
Z60264REE (HP)	264 x 60 x 30	1159.2	85.75	\$20382	
Z60288REE (HP)	288 x 60 x 30	1229.55	90.5	\$21730	


Rectangular shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.



Boardroom Table - Bow End

Z4896BW (HP)	96 x 48 x 30	329	22	\$4623
Z-1030DVV (111 /	30 X TO X 30	323	~~	9702J


Bow end table includes two bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 3 cartons.



Boardroom Table - Bow End

Z48120BW (HP)	120 x 48 x 30	476	28.3	\$6084	
Z48144BW (HP)	144 x 48 x 30	513	30.5	\$6664	
Z48168BW (HP)	168 x 48 x 30	573	37.25	\$8336	


Bow end table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Z48144BW and Z48120BW shipped easy to assemble in 4 cartons. Z48168BW shipped easy to assemble in 5 cartons.



Boardroom Table - Bow End

Z60120BW (HP)	120 x 60 x 30	602	48.5	\$12629
Z60144BW (HP)	144 x 60 x 30	673	53.25	\$13738
Z60168BW (HP)	168 x 60 x 30	753	58	\$14994

Bow end table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 5 cartons.




Boardroom Table - Bow End

Z48192BW (HP)	192 x 48 x 30	698	45.75	\$10250	
Z48216BW (HP)	216 x 48 x 30	758	48.75	\$10875	
Z48240BW (HP)	240 x 48 x 30	818	51.75	\$11662	
Z48264BW (HP)	264 x 48 x 30	872	54.75	\$12448	
Z48288BW (HP)	288 x 48 x 30	926	57.75	\$12678	

Bow end table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.

Required specifications	Optional specifications	Accessories	
Top finish	Cut-out for power block	Power block	
Edge detail			
Base finish			
Base trim finish			



Boardroom Table - Bow End

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
	W x D x H (1.5" TOP)			
Z60192BW (HP)	192 x 60 x 30	917.7	71.25	\$18589
Z60216BW (HP)	216 x 60 x 30	988.05	76	\$19815
Z60240BW (HP)	240 x 60 x 30	1073.1	81	\$20878
Z60264BW (HP)	264 x 60 x 30	1143.45	85.75	\$21911
Z60288BW (HP)	288 x 60 x 30	1213.8	90.5	\$23366


Bow end table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.

/ *

Boardroom Table - Wedge

Z60120WE (HP)	120 x 60 x 30	544.95	36.5	\$12629
Z60144WE (HP)	144 x 60 x 30	603.75	39.5	\$13738
Z60168WE (HP)	168 x 60 x 30	673.05	42.5	\$14994

Wedge table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Wedge tapers from 60"W to 48"W. Shipped easy to assemble in 5 cartons.



Boardroom Table - Wedge

Z60192WE (HP)	192 x 60 x 30	824.25	63.75	\$18589	
Z60216WE (HP)	216 x 60 x 30	884.1	68.25	\$19815	
Z60240WE (HP)	240 x 60 x 30	948.15	73	\$20878	
Z60264WE (HP)	264 x 60 x 30	1006.95	77.5	\$21911	
Z60288WE (HP)	288 x 60 x 30	1065.75	82	\$23366	

Wedge table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Wedge tapers from 60"W to 48"W. Shipped easy to assemble in 7 cartons.

MEDIA TABLES



Media Table - D Island

Z4860DMIL (HP)	60 x 48 x 30	267	17.75	\$5178	
Z4872DMIL (HP)	72 x 48 x 30	298.2	19.75	\$5634	
Z4884DMIL (HP)	84 x 48 x 30	326.55	21.5	\$6080	
Z4896DMIL (HP)	96 x 48 x 30	347.55	23.5	\$6523	

D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.



Media Table - D Island

Z6060DMIL (HP)	60 x 60 x 30	323.92	23.25	\$6240	
Z6072DMIL (HP)	72 x 60 x 30	359.1	25.75	\$6787	
Z6084DMIL (HP)	84 x 60 x 30	397.95	28	\$7351	
Z6096DMIL (HP)	96 x 60 x 30	433.65	30.5	\$7880	

D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.

Required	specifications
Top finish	

Optional specifications
Cut-out for power block

Accessories

Edge detail Base finish Base trim finish Power block

BOAKDKOOM IABLES	
	_



Media Table - Wedge

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP	
	W x D x H (1.5" TOP)				
Z6060WMIL (HP)	60 x 60 x 30	306.6	20.75	\$6240	
Z6072WMIL (HP)	72 x 60 x 30	338.1	23	\$6787	
Z6084WMIL (HP)	84 x 60 x 30	374.85	25.5	\$7351	
Z6096WMIL (HP)	96 x 60 x 30	407.4	28	\$7880	

Wedge media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60"W to 48"W. Shipped easy to assemble in 3 cartons.

^

Media Table - Rectangular Island

Z4860RMIL (HP)	60 x 48 x 30	279.3	17.75	\$4818
Z4872RMIL (HP)	72 x 48 x 30	307.65	19.75	\$5250
Z4884RMIL (HP)	84 x 48 x 30	337.05	21.5	\$5664
Z4896RMIL (HP)	96 x 48 x 30	357	23.5	\$6082

Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.



Media Table - Rectangular Island

Z6060RMIL (HP)	60 x 60 x 30	339.15	23.25	\$5803
Z6072RMIL (HP)	72 x 60 x 30	373.8	25.75	\$6317
Z6084RMIL (HP)	84 x 60 x 30	414.75	28	\$6843
Z6096RMIL (HP)	96 x 60 x 30	449.4	30.5	\$7339

Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.



Media Table - D Island, 36.5"H

Z4860DMIM (HP)	60 x 48 x 36.5	291.9	19.25	\$5590	
Z4872DMIM (HP)	72 x 48 x 36.5	321.3	21.25	\$6053	
Z4884DMIM (HP)	84 x 48 x 36.5	349.65	23	\$6499	
Z4896DMIM (HP)	96 x 48 x 36.5	370.65	25	\$6939	

D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.



Media Table - D Island, 36.5"H

Z6060DMIM (HP)	60 x 60 x 36.5	352.27	25.5	\$6654
Z6072DMIM (HP)	72 x 60 x 36.5	386.4	27.75	\$7201
Z6084DMIM (HP)	84 x 60 x 36.5	426.3	30.25	\$7765
Z6096DMIM (HP)	96 x 60 x 36.5	462	32.75	\$8291

D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.

Required specification
Top finish
Edge detail

Base finish Base trim finish

optional s	speciii	cauc
Cut-out for	power	block

Ac	cess	orie
		00

Power block



Media Table - Wedge, 36.5"H

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
	W x D x H (1.5" TOP)			
Z6060WMIM (HP)	60 x 60 x 36.5	331.8	22.25	\$6654
Z6072WMIM (HP)	72 x 60 x 36.5	364.35	24.75	\$7201
Z6084WMIM (HP)	84 x 60 x 36.5	424.2	27	\$7765
Z6096WMIM (HP)	96 x 60 x 36.5	432.6	29.5	\$8291

Wedge media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60"W to 48"W. Shipped easy to assemble in 3 cartons.

Media Table - Rectangular Island, 36.5"H

Z4860RMIM (HP)	60 x 48 x 36.5	301.35	19.25	\$5195	
Z4872RMIM (HP)	72 x 48 x 36.5	330.75	21.25	\$5628	
Z4884RMIM (HP)	84 x 48 x 36.5	360.15	23	\$6044	
Z4896RMIM (HP)	96 x 48 x 36.5	380.1	25	\$6460	

Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.



Media Table - Rectangular Island, 36.5"H

Z6060RMIM (HP)	60 x 60 x 36.5	367.5	25.5	\$6177	
Z6072RMIM (HP)	72 x 60 x 36.5	402.15	27.75	\$6689	
Z6084RMIM (HP)	84 x 60 x 36.5	442.05	30.25	\$7216	
Z6096RMIM (HP)	96 x 60 x 36.5	477.75	32.75	\$7711	

Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.



Media Table - D Island, 42.5"H

Z4860DMIH (HP)	60 x 48 x 42.5	312.9	20.75	\$5904	
Z4872DMIH (HP)	72 x 48 x 42.5	342.3	22.75	\$6367	
Z4884DMIH (HP)	84 x 48 x 42.5	371.7	24.5	\$6812	
Z4896DMIH (HP)	96 x 48 x 42.5	391.65	26.5	\$7252	

D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.



Media Table - D Island, 42.5"H

Z6060DMIH (HP)	60 x 60 x 42.5	378	27.5	\$6968	
Z6072DMIH (HP)	72 x 60 x 42.5	413.7	30	\$7514	
Z6084DMIH (HP)	84 x 60 x 42.5	453.6	32.5	\$8078	
Z6096DMIH (HP)	96 x 60 x 42.5	488.25	35	\$8606	

D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.

Required specifications	Optional specifications	Accessories
Top finish	Cut-out for power block	Power block
Edge detail		
Base finish		
Base trim finish		



Media Table - Wedge, 42.5"H

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
	W x D x H (1.5" TOP)			
Z6060WMIH (HP)	60 x 60 x 42.5	355	24	\$6968
Z6072WMIH (HP)	72 x 60 x 42.5	387	26.25	\$7514
Z6084WMIH (HP)	84 x 60 x 42.5	424	28.75	\$8078
Z6096WMIH (HP)	96 x 60 x 42.5	457	31.25	\$8606

Wedge media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60"W to 48"W. Shipped easy to assemble in 3 cartons.

Media Table - Rectangular Island, 42.5"H

Z4860RMIH (HP)	60 x 48 x 42.5	324	20.75	\$5480
Z4872RMIH (HP)	72 x 48 x 42.5	353	22.75	\$5912
Z4884RMIH (HP)	84 x 48 x 42.5	382	24.5	\$6329
74896RMIH (HP)	96 x 48 x 42 5	402	26.5	\$6747

Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.



Media Table - Rectangular Island, 42.5"H

Z6060RMIH (HP) 60 x 60 x 42.5 394 27.5 \$6462 Z6072RMIH (HP) 72 x 60 x 42.5 429 30 \$6974 Z6084RMIH (HP) 84 x 60 x 42.5 469 32.5 \$7501 Z6096RMIH (HP) 96 x 60 x 42.5 504 \$7997

Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.



Metal Base Cover for Media Tables

				LIST PRICE	
Z48BEC	22.5 x 12.2 x 4.3	5	1.5	\$513	
Z60BEC	34.5 x 12.2 x 4.3	6	2	\$561	

For use on Zira media tables. Can also be used on any Zira boardroom table of corresponding width. Acts as a cap at the upper part of a base to hide any wire or power block that may be visible to users. Available in Black or Silver finish. Shipped easy to assemble in 1 carton.



Colla	aborat	ive Ta	ble, 3	30"H
-------	--------	--------	--------	------

	W x D x H (1.5" TOP)			
Z367229BT (HP)	72 x 36 x 30	237	13	\$2834
Z368429BT (HP)	84 x 36 x 30	263	14.75	\$3302
Z369629BT (HP)	96 x 36 x 30	289	16.5	\$3613

Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.

Required specifications	Optional specifications	Accessories	
Top finish	Cut-out for power block	Power block	
Edge detail			
Base finish			
Base trim finish			

ZIRA TM BOARD	
Collaborative Table, 30"H	\ I
	Ì

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
	W x D x H (1.5" TOP)			
Z487229BT (HP)	72 x 48 x 30	302	14	\$3604
Z488429BT (HP)	84 x 48 x 30	335	15.75	\$3954
Z489629BT (HP)	96 x 48 x 30	360	17.5	\$4342

Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.

Z367236BT (HP)	72 x 36 x 36.5	249	13.25	\$2914
Z368436BT (HP)	84 x 36 x 36.5	275	15	\$3383
Z369636BT (HP)	96 x 36 x 36.5	301	16.75	\$3702

Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.

Z487236BT (HP)	72 x 48 x 36.5	319	14.5	\$3714
Z488436BT (HP)	84 x 48 x 36.5	351	16.25	\$4064
Z489636BT (HP)	96 x 48 x 36.5	376	18	\$4453

Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.

Z367242BT (HP)	72 x 36 x 42.5	283	14.25	\$3187
Z368442BT (HP)	84 x 36 x 42.5	312	16	\$3686
Z369642BT (HP)	96 x 36 x 42.5	342	18	\$4034


Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.

Z487242BT (HP)	72 x 48 x 42.5	356	15.5	\$4010
Z488442BT (HP)	84 x 48 x 42.5	392	17.5	\$4392
Z489642BT (HP)	96 x 48 x 42.5	421	19.25	\$4807


Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.

Collaborative Table, 36.5"H

Collaborative Table, 36.5"H



Collaborative Table, 42.5"H



Collaborative Table, 42.5"H

Required specifications Optional specifications Accessories Top finish Cut-out for power block Power block Edge detail Base finish Base trim finish





Visual Board³

Angled visual board with paper pad on one side and dry erase board on the opposite side. Unique push handles are standard. Locking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buffets. Shipped easy to assemble in 2 cartons.

Z48182	9BO 48 >	(18 x 29	135	18	\$1514	\$234
Z36182	9BO 36 >	(18 x 29	112	14	\$1244	\$174


Buffet features one fixed height adjustable shelf. Top is recessed within side and end panels to act as a tray. Decorative aluminum trim is standard on the lip of each shelf. Shipped assembled in 1 carton.

Z481829BD	48 x 18 x 29	148	18	\$1524	\$234	
Z361829BD	36 x 18 x 29	119	14	\$1278	\$174	


Buffet features two doors with lock and one fixed height adjustable shelf. Top is recessed within side and end panels to act as a tray. Shipped assembled in 1 carton.

\$351	\$2283	27	211	72 x 18 x 29	Z721829BU
\$293	\$2079	22.5	163	60 x 18 x 29	Z601829BU

Buffet features three separate compartments. The two outer compartments come standard with locking doors and each features one fixed height adjustable shelf. The center compartment is open with one fixed height adjustable shelf. Decorative aluminum trim is standard on the lip of the open shelf. Top is recessed within side and end panels to act as a tray. Shipped assembled in 1 carton.



Buffet with Doors**



Buffet with Doors**

Required specifications Top finish (not Z361872VB)


Base finish Base trim finish Push bar finish*

Handles**


HP laminate



Global's Swap collection is a comprehensive offering including laptop tables, casual meeting tables, café tables, huddle tables and more. Suitable for a variety of applications: break rooms, dedicated/enclosed meeting rooms, casual/open area meeting spaces (lounge, seated, counter and bar height options), and private office (accommodate smaller 3-4 person discussions). Tops and bases are sold separately for ease of specification. Mix and match capabilities to create spaces for multi-purpose use. Choose your top, choose your base. Create the combination you desire for the way you want to work.



Top shapes



Square base

Features and Benefits

- Tops are available in four materials to help perfect your interior design: high pressure laminate, veneer and solid surface.
- High pressure laminate tops are 1 ¹/¹6″ thick with 2mm flat edge or 1 ³/¹6″ thick with knife edge profile. Tops with flat edge have a 45 lb. density particle board core; tops with knife edge have a MDF core.
- **Veneer** tops are 1 ³/₁₆" thick overall with matching flat edge or knife edge.
- Solid surface tops are 1 ¹/₄"
 thick with a plywood or particle board melamine subtop depending on size, available with flat edge or knife edge.
- Bases are constructed of a solid steel metal plate and cover - round or square.
- Power block cut-outs are available on most tables.
- 6 heights:
 Coffee table height at 16"H.
 End table height at 22"H.
 Lounge height at 27"H.
 Seated height at 29"H.
 Counter height at 36"H.
 Bar height at 41.5"H.

GENERAL INFORMATION

- Swap is a series of tables for use in casual meeting spaces, lounges, café areas and more.
- The right proportions, flawless surfaces and a solid foundation is sure to become your favorite table series to spec.
- Finish palette coordinates with most Global laminate and veneer casegoods series as well as a variety of solid surface options to choose from - tables can stand-alone or blend with other solutions.
- Each component is packed individually. Bases are shipped assembled, 1 per carton. Easy to assemble.
- For environmental certications, please visit globalfurnituregroup.com.

WORKSURFACES

- High pressure laminate, veneer and solid surface.
- High pressure laminate tops are 1 1/16" thick with 2mm flat edge or 1 3/16" thick with knife edge. $1^{1}/_{16}$ " thick tops have a 45 lb. density particle board core and the 2mm flat edge finish can be specified to match or complement the top surface. 1 ³/₁₆" thick tops have an MDF core and the knife edge finish will match top surface. Models ending in (LK) indicate high pressure laminate with knife edge.
- **Veneer** tops are 1 ³/₁₆" thick overall with choice of edge detail flat edge or knife edge. Edge finish will correspond to surface finish. When flat edge, core material is 45 lb. density particle board; when knife edge, core material is MDF. Models ending in (V) indicate veneer.
- Solid surface tops are 1 1/4" thick overall with choice of edge detail flat edge or knife edge. Solid surface material is 0.5" thick with built up edge profile over a particle board or plywood subtop depending on overall top size. Models ending in (SF) indicate solid surface with flat edge; models ending in (SK) indicate solid surface with knife edge.
- Please see model # for pricing and availability of various material and edge options.
- Refer to page 18 or globalfurnituregroup.com for available finish options.
- · While not all sizes are available in all materials:
- Worksurfaces of 96" or less in length are standard in one piece (1 carton).
- Worksurfaces 120" to 144" in length are standard in two pieces (2 cartons).
- Worksurfaces 96", 120" and 144" x 48" include support channels.

BASES

- Caution: to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified. Top plates and base plates vary by base size and will only work with table shape sizes as referenced on the following pages.
- · Bases are constructed of a round or square solid steel metal plate for counter balance, covered with a finished steel shroud, affixed with four bolts to a cold rolled steel tube
- GRB14H25 attaches to tops with a 6" x 6" steel plate, welded to a 1.5" diameter steel tube, bolted to a 0.5" thick solid steel counter balance. Not to be used on tops greater than 22" x 22" in size.
- GSB13H25 and GSOB13H25 attach to tops with a 6"x 6" steel plate, welded to a 1.5" diameter steel tube, bolted to a 0.5" thick solid steel counter balance. Not to be used on tops greater than 22" x 22" in size.
- GRB22H15, GRB22H21, GRB22H26, GRB22, GRB22H35, GRB22H41, GSB19H15, GSB19H21, GSB19H26, GSB19, GSB19H35 and GSB19H41 attach to tops with a 6"x 6" steel plate, welded to a 3" diameter steel tube, bolted to a 0.5" thick solid steel counter balance.
- Top plate and base plate of GRB22 and GSB19 models in all heights, have passthrough cut-outs to accomodate a single port simplex or dual USB module to deliver power or USB charging to the surface. This allows the module to be mounted directly above the base and to pass the unit's cord through the base column resulting in the cord and plug head exiting from the bottom of the base for plugging into a floor or wall mount power source.
- GRB28, GRB34, GSB23 and GSB28 attach to tops with an 11" x 11" steel plate, welded to a 4" diameter steel tube, bolted to a 0.375" thick solid steel counter balance.
- Bases are available PAINTED in "Sandtex" finish for extra durability. Also available in plated finishes (see page 18) at an upcharge and with an extended lead time. Please see model # for pricing.
- All bases come with six height adjustable glides with 0.75" of adjustability.
- Round bases available in 22", 28" and 34" dia.
- Square bases available in 18.5", 22.5" and 28.5".

1. SPECIFY MODEL NUMBER

2. SPECIFY FINISH

A B/I\A/

Laminate finishes (high pressure laminate	ate	lamina	pressure	(high	finishes	_aminate
---	-----	--------	----------	-------	----------	----------

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

Veneer finishes (applicable for models ending in V only):

Almond Charny

AIVIVV	Almona Cherry	LIVV	Latte
ACW	Amber Cherry	MHW	Mahogany on Walnut
BTW	Biscotti	MPW	Natural Maple
CAW	Cocoa Walnut	MTW	Milestone
CRW	Coral	NLW	Natural Walnut
DCW	Dark Cherry	RCW	Red Cherry
DWW	Dark Walnut	ULW	Umber Walnut
EWW	Espresso	VNW	Vintage Cherry
EVW	Evening Oak	WLW	Walnut
GRW	Grey on Oak	WMW	White Maple
HAW	Hazelnut	wcw	Warm Cherry
JAW	Java		

I T\A/

Solid surface (applicable for models ending in SF or SK only):

Grade 1		Grade 2	
SWH	Designer White	SBT	Beige Tempest
		SBX	Black Onyx Mirage
		SFW	Frosty White Mirage
		SHS	Hot Stone
		SMG	Milk Glass Spectra
		SNM	Northern Melange

Bases (paint finishes):

IBL	ыаск	IIII	INK
TBZ	Buzz Blue	TKA	Kalua
TCC	Cactus	TLA	Latte
TCR	Carrot	TMO	Mocha
TIV	Cloud	TNE	Nevada
TDW	Designer White	TSN	Sand
TDJ	Dijon	TSR	Scarlet
TEG	Eggplant	TSH	Shadow
TF0	Fog	TOA	Toast
TFR	Frost	TTU	Tungsten

Bases (plated finishes - upcharge applies):

AC0	Antique Copper	CHM	Chrome
BCH	Brushed Chrome	SBR	Satin Brass

3. SPECIFY EDGE PROFILE (where applicable)

- Thermally fused laminate and high pressure with flat edge tops:
- Flat edge (FE) default profile
- 3" radiused corners (R3) optional for square and rectangular tops, upcharge applies
- High pressure laminate tops (models ending in **LK**):
- Knife edge only
- 3" radiused corners available by quote request only
- Veneer tops (models ending in V):
- Flat edge (FE) default profile
- Knife edge (KS) optional
- 3" radiused corners available by quote request only

- Solid surface tops (models ending is SF):
- Flat edge (FE) default profile
- 3" radiused corners (R3) optional for square and rectangular tops, upcharge applies
- Solid surface tops (models ending is SK):
- Knife edge (KS) default profile
- Knife edge with 3" radiused corners (KR) optional for square and rectangular tops, upcharge applies

4. SPECIFY EDGE FINISH

Edge finish only applicable for high pressure tops with flat edge (FE)

AAE	Absolute Acajou	CGY	Custom Grey	NML	Noce Medio
ASE	Asian Night	DEE	Dark Espresso	QTM	Quarter Mahogany
ACE	Avant Cherry	DWE	Designer White	SAR	Scarlet
AHE	Avant Honey	DJN	Dijon	SHW	Shadow
BLK	Black	FAS	Fashionista	SBY	Sheer Beauty
BZD	Blizzard	FCL	First Class	SDT	Stonedust
BRC	Brushed Cobalt	FOG	Fog	SOG	Storm Grey
BZB	Buzz Blue	LAB	Latte	WHE	Walnut Heights
CCT	Cactus	NBL	Noce Biondo	CBE	White Chocolate
CRO	Carrot	NGL	Noce Grigio	WCE	Winter Cherry
CME	Clear Maple	NEL	Noce Leggero		

5. SPECIFY OPTIONS

POWER BLOCKS AND CUT-OUTS LOCATIONS

- A power block delivers power/data to the table surface.
- Power block modules are ordered separately.
- Not all power block locations are available on all table sizes. Please refer to the top/base chart on the following pages for more information.
- To purchase a power block, you must specify the power block cut-out location when ordering the top and order the power block separately.
- Optional cut-out available in standard worksurface locations (left, center or right) for all table shapes.
- Example: Order a R1 or T1. Add \$91 for each cut-out.
- Cut-outs may be placed at non-standard locations. Please contact Customer Service.
- Select power block option from Productivity Solutions pages 83-85.
- Custom locations or cut-outs available (drawing required). Add \$132.

POWER BLOCK OPTIONS AND CUT-OUT LOCATIONS

(Power modules and blocks can be found in the Productivity Solutions section of the price list)

PRTMCS401B PRTMCS401T PRTMCS401W PRTMCS421B PRTMCS421T PRTMCS421W



PRTMCD602B PRTMCD602T PRTMCD602W PRTMCD622B PRTMCD622T PRTMCD622W PRTMCD642B PRTMCD642T PRTMCD642W



- Match power block desired with cut-out code and location from above grid.
- Example: If power block module # PRTMC401B is required in the center position, specify cut-out option R2 when specifying the top.

SPECIFICATIONS

• Required and optional specifications marked with an * on the pricelist pages with products are applicable to only those products which have the * symbol beside the product name.

TABLE NOTES - ESTIMATED CAPACITY

- Use the following to determine the size of a table and the number of chairs needed for a conference area.
- All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

		NO	WIDEN OF CHAINS		
Top Size	Round	Square	Rectangular	Boat	Racetrack
30 x 30	3	4	N/A	N/A	N/A
30 x 36	N/A	N/A	4	N/A	N/A
30 x 42	N/A	N/A	4	N/A	N/A
36 x 36	4	4	N/A	N/A	N/A
36 x 42	N/A	N/A	4	N/A	N/A
42 x 42	4	4	N/A	N/A	N/A
48 x 48	4	4	N/A	N/A	N/A
54 x 54	5	6	N/A	N/A	N/A
60 x 60	5	6	N/A	N/A	N/A
30 x 60	N/A	N/A	4-6	4-6	4-6
30 x 66	N/A	N/A	4-6	4-6	4-6
36 x 60	N/A	N/A	4-6	4-6	4-6
36 x 66	N/A	N/A	4-6	4-6	4-6
36 x 72	N/A	N/A	4-6	4-6	4-6
36 x 84	N/A	N/A	4-6	4-6	4-6
36 x 96	N/A	N/A	6-8	6-8	6-8
48 x 84	N/A	N/A	6-8	6-8	6-8
48 x 96	N/A	N/A	6-8	6-8	6-8
48 x 120	N/A	N/A	8-10	8-10	8-10
48 x 144	N/A	N/A	10-12	10-12	10-12

NUMBER OF CHAIRS

		APPLICA	BLE BASE C	PTIONS FO	R CORRESPO	ONDING TO	P					POWER MGMT OPTIONS
		Lounge H	eight 27″H	Seated He	ight 28.5"H	Counter H	eight 36″H	Bar Heig	ht 41.5"H			
Table Shape/Size	Top#	Round base 22"	Square base 18.5"	Round base 22", 28", 34"	Square base 185",225",285"	Round base 22"	Square base 18.5"	Round base 22"	Square base 18.5"	Base Qty.	# top pieces	Grommet and Power Block Cut-outs Available
Round O		Nomi	inal base pla	ate dimensi	on indicated	by 4th and	5th charact	ers in base ı	nodel numb	ers	<u> </u>	
24" diameter top	GRBTP24_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
30" diameter top	GRBTP30_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36" diameter top	GRBTP36_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42" diameter top	GRBTP42_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
48" diameter top	GRBTP48_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
54" diameter top	GRBTP54_	N/A	N/A	GRB34	GSB28	N/A	N/A	N/A	N/A	1	1	None
60" diameter top	GRBTP60_	N/A	N/A	GRB34	GSB28	N/A	N/A	N/A	N/A	1	1	None
Square												
24" square top	GSBTP24_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
30" square top	GSBTP30_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36" square top	GSBTP36_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42" square top	GSBTP42_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
Rectangular [
30x24 Rectangular	GSBTP2430_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36x24 Rectangular	GSBTP2436_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36x30 Rectangular	GSBTP3036_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42x30 Rectangular	GSBTP3042_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
42x36 Rectangular	GSBTP3642_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
60x30 Rectangular	GRT5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
60x36 Rectangular	GRT5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Rectangular	GRT5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: R2, T2, FOG2
66x36 Rectangular	GRT5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x36 Rectangular	GRT6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Rectangular	GRT7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x36 Rectangular	GRT8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/ Center/Right:
96x42 Rectangular	GRT8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	R1/2/3, T1/2/3,
96x48 Rectangular	GRT8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	F0G1/2/3
120x48 Rectangular	GRT10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	Both ends: R1, R2, T1, T2,
144x48 Rectangular	GRT12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	FOG1, FOG3

		APPLICA	BLE BASE 0	PTIONS FO	R CORRESPO	ONDING TO	P					POWER MGMT OPTIONS
Table Shape/Size	Top#	Round base 22"	Square base 18.5"	Round base 22", 28", 34"	Square base 185",225",285"	Round base 22"	Square base 18.5"	Bar Heig Round base 22"	Square base 18.5"	Base Qty.	# top pieces	Grommet and Power Block Cut-outs Available
Racetrack C	<u> </u>	Nom	inal base nl	ate dimensi	an indicator	l by 1th and	Eth abarast	are in been	madal numb			
60x30 Racetrack	GRC5NTP	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	I
60X36 Racetrack	GRC5TP	GRB22H26	GSB19H26	GRB22	GSB19 GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41 GSB19H41	2	1	
66x30 Racetrack	GRC5NHTP	GRB22H26	GSB19H26	GRB22	GSB19 GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41 GSB19H41	2	1	Center: R2, T2, FOG2
66X36 Racetrack	GRC5HTP	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	1002
72x36 Racetrack	GRC6TP	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Racetrack	GRC7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x36 Racetrack	GRC8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/
96x42 Racetrack	GRC8MTP	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	Center/Right: R1/2/3, T1/2/3,
96x48 Racetrack	GRC8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	F0G1/2/3
120x48 Racetrack	GRC10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	Both ends: R1, R3, T1, T3,
144x48 Racetrack	GRC12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	FOG1, FOG3
Boat Shape												<u> </u>
60x30 Boat shape	GBT5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
60X36 Boat shape	GBT5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Boat shape	GBT5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: R2, T2, FOG2
66X36 Boat shape	GBT5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	1002
72x36 Boat shape	GBT6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Boat shape	GBT7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x36 Boat shape	GBT8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/ Center/Right:
96X42 Boat shape	GBT8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	R1/2/3, T1/2/3, F0G1/2/3
96x48 Boat shape	GBT8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	1001/2/3
120x48 Boat shape	GBT10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	
144x48 Boat shape	GBT12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	

				BLE BASE RESPOND						POWER MGMT OPTIONS
			La _l	ptop Heigh	t 25.6'	″H				
		Round base 14 Centered colu					Square base 12.5" Offset column	Offset column		Power Block
Table Shape/Size	Top #			>	N/A			Base Oty.	# Top pieces	Cut-oute
Square Laptop										
20"x20"	GSBTP20_	GRB14H25	GSB13H25	1	N/A		N/A	1	1	None
22"x22"	GSBTP22_	GRB14H25	GSB13H25	1	N/A		N/A	1	1	None
20"x20"	GSB0TP20_	N/A	N/A	1	N/A		GSOB13H25	1	1	None
22"x22"	GSB0TP22_	N/A	N/A	1	N/A		GSOB13H25	1	1	None
Rectangular Laptop										
16"x20"	GSBTP1620_	GRB14H25	GSB13H25	1	N/A		N/A	1	1	None
16"x22"	GSBTP1622_	GRB14H25	GSB13H25	1	N/A		N/A	1	1	None
16"x20"	GSB0T1620_	N/A	N/A	1	N/A		GSOB13H25	1	1	None
16"x22"	GSB0T1622_	N/A	N/A	1	N/A		GSOB13H25	1	1	None
		АР	PLICABLE BA CORRESPO			OR				POWER MGMT OPTIONS
		Coffee T	able 16"H			e 22″H				
		Round base	Square base 18.5"	Round ba	se	Square bas	se			
Table Shape	Тор#	Ĵ					Base Oty.	# top pi	eces	Power Block Cut-outs available
Round Coffee/End Tabl	es O *Non	ninal base plate d	dimension indicati	ed by 4th and	d 5th ci	haracters in	base model numbers			
24" dia	GRBTP24_	GRB22H15	GSB19H15	GRB22H21	(GSB19H21	1	1		Ω2 only
30" dia	GRBTP30_	GRB22H15	GSB19H15	GRB22H21	(GSB19H21	1	1	-	Ω2 only
36" dia	GRBTP36_	GRB22H15	GSB19H15	GRB22H21	(GSB19H21	1	1		Ω2 only
Square Coffee/End Tab	les 🗆									
24" square	GSBTP24_	GRB22H15	GSB19H15	GRB22H21	(GSB19H21	1	1		Ω2 only
30" square	GSBTP30_	GRB22H15	GSB19H15	GRB22H21		GSB19H21	1	1		22 only
36" square	GSBTP36_	GRB22H15	GSB19H15	GRB22H21	(GSB19H21	1	1		Ω2 only



Required specifications

Top finish

Edge finish (1)

Applicable bases

GRB14H25 - round

GSB13H25 - square

Optional specifications

Grade 2 solid surface (3) 3" radiused corners (4)

Knife edge (2

S SWAP™ TABLES

APTOP TABLE BASES	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
~		WxDxH					
	GRB14H25	14 x - x 24.6	27	3.26	\$633	\$87	\$172
Round Centered Base							
	GSB13H25	12.5 x 12.5 x 24.6	26	3.26	\$653	\$87	\$186
1	<u> </u>	12.3 % 12.3 % 24.0	20	3.20	4033	407	\$100
5" Square Centered Base							
	GSOB13H25	12.5 x 12.5 x 24.6	26	3.26	\$653	\$87	\$186
	GSOBISHES	12.5 X 12.5 X 24.0	20	3.20	\$000	ψ01	\$100
5" Square Offset Base		n. Weighted base for bala n base for attaching to app					
	Upcharge applies on	plated finishes.					

Required specifications
Finish


Optional specifications
Plated finish



Round Tops

Applicable bases to use with above tops: GRB22Hxx round base or GSB19Hxx square base (15", 21", 26", 28" 35" or 40.5"H). Tops feature metal inserts for ease of assembly to base. One base required.

1" - 36"W								
	High pressure I	aminate, flat edge (1)					
	GSBTP24 (HP)	24 x 24 x 1	20	1	\$297	N/A	\$20.60	N/A
	GSBTP30 (HP)	30 x 30 x 1	30	1.5	\$347	N/A	\$23.90	N/A
	GSBTP36 (HP)	36 x 36 x 1	44	2	\$439	N/A	\$30.30	N/A
	High pressure l	aminate, knife edg	е					
	GSBTP24LK	24 x 24 x 1.19	24	2	\$768	N/A	N/A	N/A
	GSBTP30LK	30 x 30 x 1.19	36	3	\$834	N/A	N/A	N/A
	GSBTP36LK	36 x 36 x 1.19	53	4	\$895	N/A	N/A	N/A
	Veneer (2)							
	GSBTP24V	24 x 24 x 1.19	24	2	\$1111	N/A	N/A	\$72
	GSBTP30V	30 x 30 x 1.19	36	3	\$1177	N/A	N/A	\$72
	GSBTP36V	36 x 36 x 1.19	53	4	\$1248	N/A	N/A	\$72
	Solid surface, f	lat edge (3) (4)						
	GSBTP24SF	24 x 24 x 1.25	30	1.2	\$1882	\$176	\$206	N/A
	GSBTP30SF	29.8 x 29.8 x 1.25	47	1.8	\$2323	\$235	\$206	N/A
	GSBTP36SF	36 x 36 x 1.25	68	2.5	\$3024	\$288	\$206	N/A
	Solid surface, k	nife edge (3)(4)						
	GSBTP24SK	24 x 24 x 1.25	30	1.2	\$1942	\$188	\$206	N/A
	GSBTP30SK	29.8 x 29.8 x 1.25	47	1.8	\$2912	\$265	\$206	N/A
\geqslant	GSBTP36SK	36 x 36 x 1.25	68	2.5	\$3606	\$329	\$206	N/A



Square Tops

Applicable bases to use with above tops: GRB22Hxx round base or GSB19Hxx square base (15", 21", 26", 28" 35" or 40.5"H). Tops feature metal inserts for ease of assembly to base. One base required.

Required specifications
Top finish
Edge finish (1)

Optional specifications Knife edge (2) Grade 2 solid surface (3) 3" radiused corners (4) Q2 cut-out for single port module Applicable bases

Round bases: GRB22H15, GRB22H21, GRB22H26, GRB22, GRB22H35, GRB22H41 Square bases: GSB19H15, GSB19H21, GSB19H26, GSB19, GSB19H35, GSB19H41

Accessories

Single port modules

S SWAP[™] TABLES

PS, SMALL	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	GRADE 2	R3 ADD	KS ADD
		WxDxH						
	High pressure l	aminate, flat edç	je ⁽⁴⁾					
	GSBTP2430 (HP)	30 x 24 x 1	20	0.91	\$338	N/A	\$23.50	N/A
	GSBTP2436 (HP)	36 x 24 x 1	24	1.08	\$388	N/A	\$27.10	N/A
	GSBTP3036 (HP)	36 x 30 x 1	31	1.34	\$425	N/A	\$29.70	N/A
	High pressure l	aminate, knife e	dge					
	GSBTP2430LK	30 x 24 x 1.19	24	2.5	\$768	N/A	N/A	N/A
	GSBTP2436LK	36 x 24 x 1.19	29	3	\$895	N/A	N/A	N/A
	GSBTP3036LK	36 x 30 x 1.19	37	3.5	\$942	N/A	N/A	N/A
	Veneer (2)							
	GSBTP2430V	30 x 24 x 1.19	24	2.5	\$1111	N/A	N/A	\$72
	GSBTP2436V	36 x 24 x 1.19	29	3	\$1177	N/A	N/A	\$72
	GSBTP3036V	36 x 30 x 1.19	37	3.5	\$1248	N/A	N/A	\$72
	Solid surface, f	lat edge (3) (4)						
	GSBTP2430SF	24 x 29.8 x 1.2	5 38	1.8	\$2035	\$176	\$206	N/A
	GSBTP2436SF	24 x 36 x 1.25	45	2.1	\$2295	\$223	\$206	N/A
	GSBTP3036SF	29.8 x 36 x 1.2	5 57	2.1	\$2606	\$248	\$206	N/A
	Solid surface, k	rnife edae (3) (4)						
	GSBTP2430SK	24 x 29.8 x 1.2	5 38	1.8	\$2453	\$218	\$206	N/A
	GSBTP2436SK	24 x 36 x 1.25	45	2.1	\$2664	\$271	\$206	N/A
	GSBTP3036SK	29.8 x 36 x 1.2		2.1	\$3006	\$300	\$206	N/A



Rectangular Tops

Applicable bases to use with above tops: GRB22Hxx round base or GSB19Hxx square base (15", 21", 26", 28" 35" or 40.5"H). Tops feature metal inserts for ease of assembly to base. One base required.

BASES FOR TOPS 24" - 36"W	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
	BASE VALID FO	R TOPS ON PAGES 25	- 26 :				
40.5"	GRB22H15	22 x - x 15	47.6	4.69	\$793	\$147	\$211
35"	GRB22H21	22 x - x 21	48.6	6.45	\$793	\$147	\$211
27.5" 26"	GRB22H26	22 x - x 26	55	8.63	\$793	\$147	\$221
26" 21"	GRB22	22 x - x 27.5	55	9.33	\$793	\$147	\$221
15"	GRB22H35	22 x - x 35	57.1	12	\$831	\$164	\$253
<u>↓(U)</u>	GRB22H41	22 x - x 40.5	58.3	14	\$844	\$171	\$259
	GRB22H15 - coff	ee table height	GRB22H26 - lou	nae heiaht	GRB22	: H35 - counter	height
2" Dia Round Bases (1)	GRB22H21 - end	•	GRB22 - seated	0 0	GRB22	. H41 - bar heig	jht
	GSB19H15	18.5 x 18.5 x 15	43.7	3.52	\$857	\$136	\$204
0.5"	GSB19H21	18.5 x 18.5 x 21	44.8	4.84	\$857	\$136	\$204
10.5" 35"	GSB19H26	18.5 x 18.5 x 26	50	5.94	\$857	\$136	\$212
27.5"	GSB19	18.5 x 18.5 x 27	.5 50	6.06	\$857	\$136	\$212
26"	GSB19H35	18.5 x 18.5 x 35	51.8	7.52	\$906	\$151	\$262
21"	GSB19H41	18.5 x 18.5 x 40	5 53.2	8.77	\$937	\$166	\$267
____\	GSB19H15 - coff	ee table height	GSB19H26 - lou	nge height	GSB193	85 - counter he	ight
\sim	GSB19H21 - end	table height	GSB19 - seated	0 0	GSB19H	141 - bar heigl	nt .
18.5" Square Bases (1)		assembled and features	,	•			

Unless otherwise specified, GRB22H26, GSB19H26, GRB22H35, GRB22H41, GSB19H35 and GSB19H41 may only be used on minimum 30"W and 30"D surfaces.

separately). Available in paint and plated finishes as listed on page 18. Upcharge applies on plated finishes.

Required specifications	Optional specifications	Applicable bases	Accessories
Top finish	Knife edge (2) Grade 2 solid surface (3)	Round bases: GRB22H15, GRB22H21,	Single port modules
Edge finish (1)	3" radiused corners (4)	GRB22H26, GRB22, GRB22H35, GRB22H41	
Base finish	Q2 cut-out for single port module	Square bases: GSB19H15, GSB19H21,	
	Base plated finish	GSB19H26, GSB19, GSB19H35, GSB19H41	

							31	VAF	IADLLS
ROUND TOPS, 42" - 48"W	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	GRADE 2	R3 ADD	KS ADD	
		WxDxH							
	High pressure	laminate, flat ed	ge						
	GRBTP42 (HP)	42 x - x 1	44	2.5	\$598	N/A	N/A	N/A	
	GRBTP48 (HP)	48 x - x 1	56	3	\$640	N/A	N/A	N/A	
	High pressure	laminate, knife e	edge						
	GRBTP42LK	42 x - x 1.19	53	5	\$1432	N/A	N/A	N/A	
	GRBTP48LK	48 x - x 1.19	67	6.5	\$1637	N/A	N/A	N/A	
	Veneer (2)								
	GRBTP42V	42 x - x 1.19	53	5	\$1838	N/A	N/A	\$72	
	GRBTP48V	48 x - x 1.19	67	6.5	\$2103	N/A	N/A	\$81	
	Solid surface,	flat edge (3)							
	GRBTP42SF	42 x - x 1.25	73	3.4	\$4029	\$453	N/A	N/A	
	GRBTP48SF	48 x - x 1.25	95	4.3	\$4588	\$576	N/A	N/A	
	Solid surface,	knife edge (3)							
	GRBTP42SK	42 x - x 1.25	73	3.4	\$4242	\$506	N/A	N/A	
	GRBTP48SK	48 x - x 1.25	95	4.3	\$5117	\$641	N/A	N/A	
Round Tops	Applicable ba	ses to use with a	bove tops:	GRB28 roun	d base or GSE	323 square b	ase (28"H).	Tops featu	ıre metal inserts

for ease of assembly to base. One base required.

	ioi ease oi asseiiir	ny to base. One ba	isc requi	icu.				
SQUARE/RECTANGULAR TOPS, 42"W								
	High pressure la	minate, flat edge	(4)					
	GSBTP3042 (HP)	42 x 30 x 1	36	1.55	\$561	N/A	\$39.20	N/A
	GSBTP3642 (HP)	42 x 36 x 1	43	1.86	\$603	N/A	\$42.10	N/A
	GSBTP42 (HP)	42 x 42 x 1	58	2.5	\$598	N/A	\$42.40	N/A
	High pressure la	minate, knife edg	je					
	GSBTP3042LK	42 x 30 x 1.19	43	4	\$1013	N/A	N/A	N/A
	GSBTP3642LK	42 x 36 x 1.19	52	4.5	\$1075	N/A	N/A	N/A
	GSBTP42LK	42 x 42 x 1.19	70	5	\$1120	N/A	N/A	N/A
	Veneer (2)							
	GSBTP3042V	42 x 30 x 1.19	43	4	\$1363	N/A	N/A	\$56
	GSBTP3642V	42 x 36 x 1.19	52	4.5	\$1423	N/A	N/A	\$66
	GSBTP42V	42 x 42 x 1.19	70	5	\$1669	N/A	N/A	\$72
	Solid surface, fla	nt edge (3) (4)						
	GSBTP3042SF	29.8 x 42 x 1.25	66	2.9	\$2736	\$300	\$206	N/A
	GSBTP3642SF	36 x 42 x 1.25	79	2.9	\$3511	\$400	\$206	N/A
	GSBTP42SF	42 x 42 x 1.25	92	3.4	\$3659	\$436	\$206	N/A
	Solid surface, kr	ife edge (3)(4)						
ctangular Tops	GSBTP3042SK	29.8 x 42 x 1.25	66	2.9	\$3205	\$353	\$206	N/A
	GSBTP3642SK	36 x 42 x 1.25	79	2.9	\$4052	\$476	\$206	N/A
\sim	GSBTP42SK	42 x 42 x 1.25	92	3.4	\$4242	\$529	\$206	N/A

Square Tops

Applicable bases to use with above tops: GRB28 round base or GSB23 square base (28"H). Tops feature metal inserts for ease of assembly to base. One base required.

Required specifications	
Top finish	
Edge finish (1)	

Optional specifications
Knife edge (2) Grade 2 solid surface (3) 3" radiused corners (4)

Applicable bases GRB28 - round GSB23 - square

S SWAP™ TABLES

ASES FOR TOPS 42" - 48"W	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
		WxDxH					
\bigcirc	BASES VALID FO	OR TOPS ON PAGE 27:					
	GRB28	28 x - x 27.5	100	15.63	\$1250	\$147	\$372
	seated height						
" Dia Round Base							
$\langle \rangle$	GSB23	22.5 x 22.5 x 27.5	82	9.33	\$1146	\$136	\$235
	seated height						
3" Square Base	'	assembled and features 0.5 priate top(s). Available in p	,	0			

Required Specifications
Finish

Optional Specifications
Plated finish

Optional specifications

Grade 2 solid surface (3)

Base plated finish

Knife edge (2

Required specifications

Top finish

Edge finish (1)

Base finish

Applicable bases

GRB34 - round

GSB28 - square

NGULAR TOPS, 60" - 96"W	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	GRADE 2	R3 ADD	KS ADD
		WxDxH						
	High pressure I	aminate, flat edg	e (4)					
	GRT5NTP (HP)	60 x 30 x 1	46	2.5	\$587	N/A	\$41.40	N/A
	GRT5NHTP (HP)	66 x 30 x 1	56	2.44	\$627	N/A	\$44.30	N/A
	GRT5TP (HP)	60 x 36 x 1	70	6.6	\$660	N/A	\$47.20	N/A
	GRT5HTP (HP)	66 x 36 x 1	79	7.21	\$676	N/A	\$48.10	N/A
	GRT6TP (HP)	72 x 36 x 1	72	8	\$676	N/A	\$48.10	N/A
	GRT7TP (HP)	84 x 36 x 1	85	8.75	\$832	N/A	\$59.10	N/A
	GRT8TP (HP)	96 x 36 x 1	94	9	\$923	N/A	\$64.80	N/A
	High pressure I	aminate, knife ed	lge					
	GRT5NTPLK	60 x 30 x 1.19	55	5	\$1218	N/A	N/A	N/A
	GRT5NHTPLK	66 x 30 x 1.19	67	5.5	\$1330	N/A	N/A	N/A
	GRT5TPLK	60 x 36 x 1.19	84	6	\$1448	N/A	N/A	N/A
	GRT5HTPLK	66 x 36 x 1.19	95	6.5	\$1581	N/A	N/A	N/A
	GRT6TPLK	72 x 36 x 1.19	86	7	\$1719	N/A	N/A	N/A
	GRT7TPLK	84 x 36 x 1.19	102	8	\$1990	N/A	N/A	N/A
	GRT8TPLK	96 x 36 x 1.19	113	9	\$2266	N/A	N/A	N/A
	Veneer (2)							
	GRT5NTPV	60 x 30 x 1.19	55	5	\$1779	N/A	N/A	\$77
	GRT5NHTPV	66 x 30 x 1.19	67	5.5	\$1894	N/A	N/A	\$77
	GRT5TPV	60 x 36 x 1.19	84	6	\$2031	N/A	N/A	\$97
	GRT5HTPV	66 x 36 x 1.19	95	6.5	\$2217	N/A	N/A	\$128
	GRT6TPV	72 x 36 x 1.19	86	7	\$2409	N/A	N/A	\$143
	GRT7TPV	84 x 36 x 1.19	102	8	\$2797	N/A	N/A	\$164
	GRT8TPV	96 x 36 x 1.19	113	9	\$3191	N/A	N/A	\$179
	Solid surface, f	lat edge (3) (4)						
	GRT5NTPSF	60 x 29.8 x 1.25	5 94	3.4	\$4106	\$436	\$206	N/A
	GRT5NHTPSF	66 x 29.8 x 1.25		3.8	\$4406	\$506	\$206	N/A
	GRT5TPSF	60 x 36 x 1.25	113	4.1	\$5465	\$647	\$206	N/A
	GRT5HTPSF	66 x 36 x 1.25	124	4.5	\$5641	\$647	\$206	N/A
	GRT6TPSF	71.8 x 36 x 1.25	5 135	4.9	\$6229	\$706	\$206	N/A
	GRT7TPSF	84 x 36 x 1.25	158	5.7	\$6776	\$853	\$206	N/A
	GRT8TPSF	96 x 36 x 1.25	180	6.5	\$7271	\$894	\$206	N/A
	Solid surface, k	knife edge (3)(4)						
	GRT5NTPSK	60 x 29.8 x 1.25	5 94	3.4	\$4494	\$494	\$206	N/A
	GRT5NHTPSK	66 x 29.8 x 1.25	5 104	3.8	\$4853	\$576	\$206	N/A
	GRT5TPSK	60 x 36 x 1.25	113	4.1	\$6053	\$729	\$206	N/A
	GRT5HTPSK	66 x 36 x 1.25	124	4.5	\$6206	\$741	\$206	N/A
	GRT6TPSK	71.8 x 36 x 1.25	5 135	4.9	\$6876	\$812	\$206	N/A
	GRT7TPSK	84 x 36 x 1.25	158	5.7	\$7429	\$970	\$206	N/A
	GRT8TPSK	96 x 36 x 1.25	180	6.5	\$7911	\$1023	\$206	N/A



Rectangular Tops

Applicable bases to use with above tops - two bases required: GRB22H26, GRB22, GRB22H35, GRB22H41 round bases or GSB19H26, GSB19, GSB19H35, GSB19H41 square bases. Tops feature metal inserts for ease of assembly to base.

|--|

Top finish Edge finish (1)

Optional specifications

Knife edge (2)

Grade 2 solid surface (3) 3" radiused corners (4) Grommet position or power block cut-out Applicable bases (two required)

Round bases: GRB22H26, GRB22, GRB22H35, GRB22H41 Square bases: GSB19H26, GSB19, GSB19H35, GSB19H41

Accessories Power block

						0	
PS, 60" - 96"W	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	KS ADD	
		WxDxH					
	High pressure lam	ninate, flat edge					
	GRC5NTP (HP)	60 x 30 x 1	46	2.5	\$600	N/A	
	GRC5NHTP (HP)	66 x 30 x 1	56	2.44	\$644	N/A	
	GRC5TP (HP)	60 x 36 x 1	70	6.6	\$678	N/A	
	GRC5HTP (HP)	66 x 36 x 1	79	7.21	\$687	N/A	
	GRC6TP (HP)	72 x 36 x 1	72	7.5	\$687	N/A	
	GRC7TP (HP)	84 x 36 x 1	85	8.75	\$844	N/A	
	GRC8TP (HP)	96 x 36 x 1	94	9	\$934	N/A	
	High pressure lan	ninate, knife edge					
	GRC5NTPLK	60 x 30 x 1.19	55	5	\$1673	N/A	
	GRC5NHTPLK	66 x 30 x 1.19	67	5.5	\$1826	N/A	
	GRC5TPLK	60 x 36 x 1.19	84	6	\$1826	N/A	
	GRC5HTPLK	66 x 36 x 1.19	95	6.5	\$1980	N/A	
	GRC6TPLK	72 x 36 x 1.19	86	7	\$2144	N/A	
	GRC7TPLK	84 x 36 x 1.19	102	8	\$2451	N/A	
	GRC8TPLK	96 x 36 x 1.19	113	9	\$2758	N/A	
	Veneer (2)						
	GRC5NTPV	60 x 30 x 1.19	55	5	\$2014	\$271	
	GRC5NHTPV	66 x 30 x 1.19	67	5.5	\$2168	\$292	
	GRC5TPV	60 x 36 x 1.19	84	6	\$2327	\$312	
	GRC5HTPV	66 x 36 x 1.19	95	6.5	\$2540	\$343	
_	GRC6TPV	72 x 36 x 1.19	86	7	\$2758	\$373	
	GRC7TPV	84 x 36 x 1.19	102	8	\$3208	\$435	
	GRC8TPV	96 x 36 x 1.19	113	9	\$3656	\$496	



Applicable bases to use with above tops - <u>two</u> bases required: GRB22H26, GRB22H35, GRB22H31 round bases or GSB19H26, GSB19, GSB19H35, GSB19H41 square bases. Tops feature metal inserts for ease of assembly to base.

Required specifications Top finish Edge finish ⁽¹⁾ Optional specifications
Knife edge ⁽²⁾
Grommet position or power block cut-out

Applicable bases (two required)
Round bases:
GRB22H26, GRB22, GRB22H35, GRB22H41

GSB19H26, GSB19, GSB19H35, GSB19H41

Square bases:

Accessories Power block

S SWAP[™] TABLES

SHAPE TOPS, 60" - 96"W	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	KS ADD
		WxDxH				
	High pressure lan	inate, flat edge				
	GBT5NTP (HP)	60 x 30 x 1	46	2.5	\$600	N/A
	GBT5NHTP (HP)	66 x 30 x 1	56	2.44	\$644	N/A
	GBT5TP (HP)	60 x 36 x 1	70	6.6	\$678	N/A
	GBT5HTP (HP)	66 x 36 x 1	79	7.21	\$687	N/A
	GBT6TP (HP)	72 x 36 x 1	72	7.5	\$687	N/A
	GBT7TP (HP)	84 x 36 x 1	85	8.75	\$844	N/A
	GBT8TP (HP)	96 x 36 x 1	94	9	\$934	N/A
	High pressure lam	ninate, knife edge				
	GBT5NTPLK	60 x 30 x 1.19	55	5	\$1673	N/A
	GBT5NHTPLK	66 x 30 x 1.19	67	5.5	\$1826	N/A
	GBT5TPLK	60 x 36 x 1.19	84	6	\$1826	N/A
	GBT5HTPLK	66 x 36 x 1.19	95	6.5	\$1980	N/A
	GBT6TPLK	72 x 36 x 1.19	86	7	\$2144	N/A
	GBT7TPLK	84 x 36 x 1.19	102	8	\$2451	N/A
	GBT8TPLK	96 x 36 x 1.19	113	9	\$2758	N/A
	Veneer (2)					
	GBT5NTPV	60 x 30 x 1.19	55	5	\$2014	\$271
	GBT5NHTPV	66 x 30 x 1.19	67	5.5	\$2168	\$292
_	GBT5TPV	60 x 36 x 1.19	84	6	\$2327	\$312
	GBT5HTPV	66 x 36 x 1.19	95	6.5	\$2540	\$343
	GBT6TPV	72 x 36 x 1.19	86	7	\$2758	\$373
	GBT7TPV	84 x 36 x 1.19	102	8	\$3208	\$435
	GBT8TPV	96 x 36 x 1.19	113	9	\$3656	\$496



Boat Shape Tops

Applicable bases to use with above tops - two bases required: GRB22H26, GRB22, GRB22H35, GRB22H41 round bases or GSB19H26, GSB19, GSB19H35, GSB19H41 square bases. Tops feature metal inserts for ease of assembly to base.

Applicable bases (two required)

GRB22H26, GRB22, GRB22H35, GRB22H41

GSB19H26, GSB19, GSB19H35, GSB19H41

Round bases:

Square bases:

- GBTxNTP/GBTxNHTP: 30"D across center and 24"D at ends.
- GBTxTP/GBTxHTP: 36"D across center and 28"D at ends.

BASES FOR TOPS 60" - 96"W	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR			
	Order the quant	Order the quantity of bases as indicated by each top size.								
40.5" 35"	GRB22H26	22 x - x 26	55	8.63	\$793	\$147	\$221			
28" 26"	GRB22	22 x - x 27.5	55	9.33	\$793	\$147	\$221			
	GRB22H35	22 x - x 35	57.1	12	\$831	\$164	\$253			
<u>↓(U)</u>	GRB22H41	22 x - x 40.5	58.3	14	\$844	\$171	\$259			
22" Dia Round Bases	GRR22H26 - Jour	nge height GRB22 - seate	d height GR	B22H35 - coun	ter height GRF	822H41 - har l	neight			
EL DIA HOUNA BAGGO		igo noight diibee oodto	a noigne an	DELIIO OOUII	tor noight Gir	PLEITI Buil	loigiit			
40.5" 35" 28" 26"	GSB19H26	18.5 x 18.5 x 26	50	5.94	\$857	\$136	\$212			
	GSB19	18.5 x 18.5 x 27.5	50	6.06	\$857	\$136	\$212			
	GSB19H35	18.5 x 18.5 x 35	51.8	7.52	\$906	\$151	\$262			
	GSB19H41	18.5 x 18.5 x 40.5	53.2	8.77	\$937	\$166	\$267			
	GSB19H26 - lounge height GSB19 - seated height GSB19H35 - counter height GSB19H41 - bar height									
* ~°/	G3D I3NZO - IUUI	ige neignt usbis - seate	u neignt us	D 13033 - Court	ter neight us	13041 - Dai 1	leigill			
18.5" Square Bases	Base comes fully	assembled and features 0.5	" adiustable	alides to level o	on uneven surfac	ces. Screws in	ncluded with h	ase fo		
·	,	opriate top(s). Available in p	•	•						
			•							
	Unless otherwise specified, GRB22H26, GSB19H26, GRB22H35, GSB19H35, GRB22H41 and GSB19H41 may only be used on tables widths of 72" or less.									

Optional specifications


Knife edge (2)

Grommet position or power block cut-out

Accessories Power block

Required specifications
Top finish

Edge finish (1)



RACETRACK TOPS, 96" - 144"W

GRC8MTP (HP)	96 x 42 x 1	128	11.84	\$1744	N/A	N/A	
GRC8WTP (HP)	96 x 48 x 1	190	14	\$1752	N/A	N/A	
High pressure la	minate, flat edge	(2 piece	tops - 3 bas	es required)			
GRC10WTP (HP)	120 x 48 x 1	220	17	\$2196	N/A	N/A	
GRC12WTP (HP)	144 x 48 x 1	262	21	\$2557	N/A	N/A	
High pressure la	aminate, knife edç	je (1 pie	ce top - 2 ba	ses required)			
GRC8MTPLK	96 x 42 x 1.19	154	11	\$3658	N/A	N/A	
GRC8WTPLK	96 x 48 x 1.19	228	12	\$4169	N/A	N/A	
High pressure la	aminate, knife edç	je (2 pie	ce tops - 3 b	ases required)		
GRC10WTPLK	120 x 48 x 1.19	264	15	\$5192	N/A	N/A	
GRC12WTPLK	144 x 48 x 1.19	314	18	\$6215	N/A	N/A	
Veneer (1 piece	top - 2 bases requ	ıired) ⁽²⁾					
GRC8MTPV	96 x 42 x 1.19	154	11	\$4954	N/A	\$455	
GRC8WTPV	96 x 48 x 1.19	228	12	\$5501	N/A	\$506	
	tops - 3 bases red	juired) (2	1)				
Veneer (2 piece			4.5	eczoz	N/A	\$666	
Veneer (2 piece GRC10WTPV	120 x 48 x 1.19	264	15	\$6727	IN/A	4000	



Racetrack Tops

Applicable bases to use with above tops: GRB28 round base or GSB23 square base (28"H). Two bases required for 96"W tops or three bases required for 120" and 144"W tops.

Tops feature metal inserts for ease of assembly to base.

Required specifications

Top finish Edge finish (1) Optional specifications

Knife edge (2)

3" radiused corners (4) Grommet position or power block cut-out Applicable bases (two or three required)

GRB28 - round GSB23 - square Accessories

Power block

96" - 144"W	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	KS ADD
		WxDxH				
	High pressure l	aminate, flat edg	e (1 piece	top - 2 base	s required)	
	GBT8MTP (HP)	96 x 42 x 1	128	11.84	\$1744	N/A
	GBT8WTP (HP)	96 x 48 x 1	190	14	\$1752	N/A
	High processes I	aminate, flat edg	a /2 nia a	tone 2 hoe	oo roquirod)	
	GBT10WTP (HP)	120 x 48 x 1	220	: เบ มร - อ มสร 17	\$2196	N/A
	GBT10WTF (HP)	144 x 48 x 1	262	21	\$2557	N/A
	GDIIZWIF (FF)	144 X 40 X I	202	21	\$200 <i>1</i>	N/A
	High pressure l	aminate, knife e	dge (1 pie	ce top - 2 bas	ses required)	
	GBT8MTPLK	96 x 42 x 1.19	154	11	\$3658	N/A
	GBT8WTPLK	96 x 48 x 1.19	228	12	\$4169	N/A
	High pressure I	aminate, knife e 120 x 48 x 1.19	• •	•	nses required) \$5192	
				15		N/A
	GBT12WTPLK	144 x 48 x 1.19	314	18	\$6215	N/A
	Veneer (1 piece	top - 2 bases re	quired) (2)			
	GBT8MTPV	96 x 42 x 1.19	154	11	\$4954	\$455
	GBT8WTPV	96 x 48 x 1.19	228	12	\$5501	\$506
		tops - 3 bases re				
	GBT10WTPV	120 x 48 x 1.19		15	\$7198	\$666
	GBT12WTPV	144 x 48 x 1.19	314	18	\$8511	\$788

Tops feature metal inserts for ease of assembly to base.

• GBTxMTP: 42"D at center and 33"D at ends.

Base plated finish

• GBTxxWTP: 48"D at center and 38"D at ends.

ASES FOR TOPS 60" - 96"W	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
		WxDxH					
		R TOPS ON PAGES 33-34					
	Order the quant	ity of bases as indicated	by each top	size.			
	GRB28	28 x - x 27.5	100	15.63	\$1250	\$147	\$372
	seated height						
Dia Round Base							
$\langle \rangle$	GSB23	22.5 x 22.5 x 27.5	82	9.33	\$1146	\$136	\$235
	seated height						
' Square Base		assembled and features 0.5 opriate top(s). Available in p					
Required specifications	Optional spec	rifications	Annlicable b	pases (two or the	ree renuired)	Accessories	
Top finish	Knife edge (2)		GRB28 - round		rec requireu/	Power block	

Base finish

			SWAP™ TABLE	S
T.	LIST PRICE	R3 ADD	KS ADD	
	\$660	\$47.20	N/A	
	\$676	\$48.10	N/A	
	\$676	\$48.10	N/A	
	\$906	\$63.30	N/A	
	\$969	\$67.50	N/A	
	\$994	\$69.40	N/A	
	\$1448	N/A	N/A	
	\$1581	N/A	N/A	
	\$1719	N/A	N/A	
	\$1668	N/A	N/A	
	\$1832	N/A	N/A	
	\$1990	N/A	N/A	

\$184


\$199

\$215

\$210

\$230

\$256



Tops feature metal inserts for ease of assembly to base. One dual column base (GDCB36H28) required. Limited cut-out options available for power modules, include E2 or FOG2 only. Power modules corresponding to applicable cut-out codes ordered separetly.

\$2031

\$2217

\$2409

\$2349

\$2573

\$2797

N/A

N/A

N/A

N/A

N/A

N/A

RACETRACK TOPS FOR DUAL COLUMN BASE

RECTANGULAR TOPS FOR DUAL COLUMN BASE

MODEL#

GRTD5TP (HP)

GRTD6TP (HP)

GRTD5HTP (HP)

GRTD5MTP (HP)

GRTD5HMTP (HP)

GRTD6MTP (HP)

GRTD5TPLK

GRTD5HTPLK

GRTD6TPLK

GRTD5MTPLK

GRTD5HMTPLK

GRTD6MTPLK

Veneer (2) **GRTD5TPV**

GRTD5HTPV

GRTD6TPV

GRTD5MTPV

GRTD6MTPV

GRTD5HMTPV

DIMENSIONS

WxDxH

60 x 36 x 1

66 x 36 x 1

72 x 36 x 1

60 x 42 x 1

66 x 42 x 1

72 x 42 x 1

60 x 36 x 1.19

66 x 36 x 1.19

72 x 36 x 1.19

60 x 42 x 1.19

66 x 42 x 1.19

72 x 42 x 1.19

60 x 36 x 1.19

66 x 36 x 1.19

72 x 36 x 1.19

60 x 42 x 1.19

66 x 42 x 1.19

72 x 42 x 1.19

High pressure laminate, flat edge (4)

High pressure laminate, knife edge

WT/LB.

69

75

73

81

89

72

83

90

88

97

107

72

83

90

88

97

107

CUBIC F

6.6

7.21

7.82

7.62

8.32

9.02

6

6.5

7

7

7.5

8

6

6.5

7

7

7.5

8

ninate, flat edge								
60 x 36 x 1	60	6.6	\$678	N/A	N/A			
66 x 36 x 1	69	7.21	\$687	N/A	N/A			
72 x 36 x 1	75	7.82	\$687	N/A	N/A			
60 x 42 x 1	73	7.62	\$906	N/A	N/A			
66 x 42 x 1	81	8.32	\$969	N/A	N/A			
72 x 42 x 1	89	9.02	\$994	N/A	N/A			
High pressure laminate, knife edge								
60 x 36 x 1.19	72	6	\$1995	N/A	N/A			
66 x 36 x 1.19	83	6.5	\$2123	N/A	N/A			
72 x 36 x 1.19	90	7	\$2251	N/A	N/A			
60 x 42 x 1.19	88	7	\$2379	N/A	N/A			
66 x 42 x 1.19	97	7.5	\$2507	N/A	N/A			
72 x 42 x 1.19	107	8	\$2635	N/A	N/A			
60 x 36 x 1.19	72	6	\$2546	N/A	\$230			
66 x 36 x 1.19	83	6.5	\$2682	N/A	\$241			
72 x 36 x 1.19	90	7	\$2819	N/A	\$256			
60 x 42 x 1.19	88	7	\$2955	N/A	\$271			
66 x 42 x 1.19	97	7.5	\$3093	N/A	\$282			
72 x 42 x 1.19	107	8	\$3229	N/A	\$292			
	60 x 36 x 1 66 x 36 x 1 72 x 36 x 1 60 x 42 x 1 66 x 42 x 1 72 x 42 x 1 72 x 42 x 1 73 x 42 x 1 74 x 42 x 1 75 x 42 x 1 76 x 36 x 1.19 77 x 36 x 1.19 78 x 42 x 1.19 79 x 36 x 1.19 70 x 42 x 1.19 70 x 42 x 1.19 71 x 36 x 1.19 72 x 36 x 1.19 72 x 36 x 1.19 73 x 36 x 1.19 74 x 36 x 1.19 75 x 36 x 1.19 76 x 42 x 1.19 77 x 36 x 1.19 78 x 36 x 1.19 79 x 36 x 1.19 70 x 42 x 1.19 70 x 42 x 1.19	66 x 36 x 1 69 72 x 36 x 1 75 60 x 42 x 1 73 66 x 42 x 1 81 72 x 42 x 1 89 1	60 x 36 x 1 60 6.6 66 x 36 x 1 69 7.21 72 x 36 x 1 75 7.82 60 x 42 x 1 73 7.62 66 x 42 x 1 81 8.32 72 x 42 x 1 89 9.02 hinate, knife edge 60 x 36 x 1.19 72 6 66 x 36 x 1.19 83 6.5 72 x 36 x 1.19 90 7 60 x 42 x 1.19 97 7.5 72 x 42 x 1.19 107 8 60 x 36 x 1.19 72 6 66 x 36 x 1.19 97 7.5 72 x 42 x 1.19 97 7.5 72 x 42 x 1.19 107 8	60 x 36 x 1 60 6.6 \$678 66 x 36 x 1 69 7.21 \$687 72 x 36 x 1 75 7.82 \$687 60 x 42 x 1 73 7.62 \$906 66 x 42 x 1 81 8.32 \$969 72 x 42 x 1 89 9.02 \$994 Sinate, knife edge 60 x 36 x 1.19 72 6 \$1995 66 x 36 x 1.19 83 6.5 \$2123 72 x 36 x 1.19 88 7 \$2379 66 x 42 x 1.19 107 8 \$2635 60 x 36 x 1.19 72 6 \$2507 72 x 42 x 1.19 88 7 \$2379 66 x 42 x 1.19 107 8 \$2635 60 x 36 x 1.19 72 6 \$2546 66 x 36 x 1.19 72 6 \$2546 66 x 36 x 1.19 72 7.5 \$2507 72 x 42 x 1.19 83 6.5 \$2635	60 x 36 x 1 60 6.6 \$678 N/A 66 x 36 x 1 69 7.21 \$687 N/A 72 x 36 x 1 75 7.82 \$687 N/A 60 x 42 x 1 73 7.62 \$906 N/A 66 x 42 x 1 81 8.32 \$969 N/A 72 x 42 x 1 89 9.02 \$994 N/A ninate, knife edge 60 x 36 x 1.19 72 6 \$1995 N/A 66 x 36 x 1.19 83 6.5 \$2123 N/A 72 x 36 x 1.19 90 7 \$2251 N/A 60 x 42 x 1.19 88 7 \$2379 N/A 72 x 42 x 1.19 107 8 \$2635 N/A 60 x 36 x 1.19 72 6 \$2546 N/A 60 x 36 x 1.19 72 6 \$2546 N/A 72 x 36 x 1.19 72 6 \$2546 N/A 60 x 36 x 1.19 83 6.5 \$2682	60 x 36 x 1 60 6.6 \$678 N/A N/A 66 x 36 x 1 69 7.21 \$687 N/A N/A 72 x 36 x 1 75 7.82 \$687 N/A N/A 60 x 42 x 1 73 7.62 \$906 N/A N/A 66 x 42 x 1 81 8.32 \$969 N/A N/A 72 x 42 x 1 89 9.02 \$994 N/A N/A 80 x 36 x 1.19 72 6 \$1995 N/A N/A 90 x 36 x 1.19 83 6.5 \$2123 N/A N/A 90 x 2 x 36 x 1.19 90 7 \$2251 N/A N/A 90 x 42 x 1.19 88 7 \$2379 N/A N/A 90 x 42 x 1.19 97 7.5 \$2507 N/A N/A 90 x 36 x 1.19 72 6 \$2465 N/A N/A 90 x 36 x 1.19 97 7.5 \$2507 N/A N/A 90 x		



Tops feature metal inserts for ease of assembly to base. One dual column base (GDCB36H28) required. Limited cut-out options available for power modules, include E2 or FOG2 only. Power modules corresponding to applicable cut-out codes ordered separetly.

Required	specifications

Top finish Edge finish (1) **Optional specifications**

Knife edge (2)

3" radiused corners (4)

Grommet position or power block cut-out

Applicable bases GDCB36H28

Accessories

Power block

S SWAP™ TABLES

AT SHAPE TOPS FOR DUAL COLUMN BASE	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	KS ADD	
		WxDxH					
	High pressure la	ıminate, flat edg	je				
	GBTD5TP (HP)	60 x 36 x 1	60	6.6	\$678	N/A	
	GBTD5HTP (HP)	66 x 36 x 1	69	7.21	\$687	N/A	
	GBTD6TP (HP)	72 x 36 x 1	75	7.82	\$687	N/A	
	GBTD5MTP (HP)	60 x 42 x 1	73	7.62	\$906	N/A	
	GBTD5HMTP (HP)	66 x 42 x 1	81	8.32	\$969	N/A	
	GBTD6MTP (HP)	72 x 42 x 1	89	9.02	\$994	N/A	
	High pressure la	ıminate, knife e	dge				
	GBTD5TPLK	60 x 36 x 1.19	72	6	\$1995	N/A	
	GBTD5HTPLK	66 x 36 x 1.19	83	6.5	\$2123	N/A	
	GBTD6TPLK	72 x 36 x 1.19	90	7	\$2251	N/A	
	GBTD5MTPLK	60 x 42 x 1.19	88	7	\$2379	N/A	
	GBTD5HMTPLK	66 x 42 x 1.19	97	7.5	\$2507	N/A	
	GBTD6MTPLK	72 x 42 x 1.19	107	8	\$2635	N/A	
	Veneer (2)						
	GBTD5TPV	60 x 36 x 1.19	72	6	\$2546	\$230	
	GBTD5HTPV	66 x 36 x 1.19	83	6.5	\$2682	\$241	
	GBTD6TPV	72 x 36 x 1.19	90	7	\$2819	\$256	
	GBTD5MTPV	60 x 42 x 1.19	88	7	\$2955	\$271	
	GBTD5HMTPV	66 x 42 x 1.19	97	7.5	\$3093	\$282	
	GBTD6MTPV	72 x 42 x 1.19	107	8	\$3229	\$292	



Boat Shape Tops

Tops feature metal inserts for ease of assembly to base. One dual column base (GDCB36H28) required. Limited cut-out options available for power modules, include E2 or FOG2 only. Power modules corresponding to applicable cut-out codes ordered separetly.

- GBTDxTP/GBTDxHTP: 36"D at center and 28"D at ends
- GBTDxMTP/GBTDxHMTP: 42"D at center and 33"D at ends.

DUAL COLUMN BASE FOR GxTDxxx TOPS	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH/CHM A	ACO / SBR
		WxDxH					
	BASE VALID FO	R TOPS ON PAGES 35-3	36 :				
	GDCB36H28 seated height	19 x 36 x 28	116.23	12.16	\$2103	\$582	\$768
28"H Dual Column Base	•	ed-down; assembly requir sching to appropriate top(s		, ,			

	on plated finishes.			
Required specifications	Optional specifications Knife edge (2)	Applicable bases	Accessories	
Top finish Edge finish ⁽¹⁾	Grommet position or power block cut-out	GDCB36H28	Power block	
Base finish	Base plated finish			

Bring teams together to huddle, share and collaborate.


Three heights available - seated desk height: 29", counter height: 36", bar height: 41.5" with D top, wedge, rectangular or soft ellipse shaped tops.

Laminate kits (consisting of laminate top and U-base) are sold separately from metal bases for huddle tables. Tops include metal inserts for ease of assembly to metal base. All tops are standard with an edge scoop to help manage cables from wall mounted flat screen monitors and/or edge mounting power module (PS305057/PS305002 as an example). Support channels are included with tops over 60" wide.

Metal bases ship fully assembled and include 0.5" adjustable glides and metal screws for attaching to the top. Be sure to specify bases specific to huddle tables GRHB22Hxx or GSB19Hxx.


D-TOP HUDDLE TABLES

29"H D-Top Huddle



Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only (except for model GDH364829 - cut-out position available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only, requires one base.



36"H D-Top Huddle

GDH426036 (HP)	42 x 60 x 36	109.82	5.61	\$1605	
GDH427236 (HP)	42 x 72 x 36	121.5	6.22	\$1791	
GDH428436 (HP)	42 x 84 x 36	133.1	12.4	\$2123	
GDH429636 (HP)	42 x 96 x 36	144.74	13.75	\$2281	
GDH486036 (HP)	48 x 60 x 36	123.6	6.38	\$1862	
GDH487236 (HP)	48 x 72 x 36	137	7.08	\$2104	
GDH488436 (HP)	48 x 84 x 36	150.24	14	\$2242	
GDH489636 (HP)	48 x 96 x 36	163.56	15.5	\$2428	

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only (except for model GDH364836 - cut-out position available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only, requires one base.


Required Specifications

Optional Specifications

Accessories

Top finish Base finish Grommet position or power block cut-out

S SWAP™ TABLES



D-TOP HUDDLE TABLES

41.5"H D-Top Huddle

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
GDH426041 (HP)	42 x 60 x 41.5	117.32	5.92	\$1665	
GDH427241 (HP)	42 x 72 x 41.5	129	6.53	\$1849	
GDH428441 (HP)	42 x 84 x 41.5	140.6	12.72	\$2183	
GDH429641 (HP)	42 x 96 x 41.5	152.24	14.06	\$2341	
GDH486041 (HP)	48 x 60 x 41.5	130.1	6.74	\$1552	
GDH487241 (HP)	48 x 72 x 41.5	143.5	7.43	\$2169	
GDH488441 (HP)	48 x 84 x 41.5	156.74	14.53	\$2308	
GDH489641 (HP)	48 x 96 x 41.5	170.06	15.85	\$2492	

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only (except for model GDH364841 - cut-out position available in position 1 only).

• Metal bases sold separately. Compatible with **GRHB22H41** or **GSHB19H41** only, requires one base.

Required Specifications

Optional Specifications

Accessories

Top finish Base finish Grommet position or power block cut-out






29"H Wedge Huddle



Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only.

• Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only, requires one base.




36"H Wedge Huddle

GWH486036 (HP)	48 x 60 x 36	123.6	6.38	\$1857	
GWH487236 (HP)	48 x 72 x 36	137	7.08	\$2104	
GWH488436 (HP)	48 x 84 x 36	150.24	14	\$2242	
GWH489636 (HP)	48 x 96 x 36	163.56	15.5	\$2428	

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only.

• Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only, requires one base.



41.5"H Wedge Huddle

GWH486041 (HP)	48 x 60 x 41.5	130.1	6.74	\$1922	
GWH487241 (HP)	48 x 72 x 41.5	143.5	7.43	\$2169	
GWH488441 (HP)	48 x 84 x 41.5	156.74	14.35	\$2308	
GWH489641 (HP)	48 x 96 x 41.5	170.06	15.85	\$2492	

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only.

• Metal bases sold separately. Compatible with GRHB22H41 or GSHB19H41 only, requires one base.


Required Sp	ecifications
-------------	--------------

Top finish Base finish

Grommet position or power block cut-out




29"H Rectangular Huddle



Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only (except for model GRH364829 - cut-out position available in position 1 only).

• Metal bases sold separately. Compatible with **GRHB22H28** or **GSHB19H28** only, requires one base.




36"H Rectangular Huddle

GRH426036 (HP)	42 x 60 x 36	109.82	5.61	\$1605	
GRH427236 (HP)	42 x 72 x 36	121.5	6.22	\$1791	
GRH428436 (HP)	42 x 84 x 36	133.1	12.41	\$2123	
GRH429636 (HP)	42 x 96 x 36	144.74	13.75	\$2281	
GRH486036 (HP)	48 x 60 x 36	123.6	6.38	\$1862	
GRH487236 (HP)	48 x 72 x 36	137	7.08	\$2104	
GRH488436 (HP)	48 x 84 x 36	150.24	14	\$2242	
GRH489636 (HP)	48 x 96 x 36	163.56	15.5	\$2428	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only (except for model GRH364836 - cut-out position available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only, requires one base.



41.5"H Rectangular Huddle

GRH426041 (HP)	42 x 60 x 41.5	117.32	5.92	\$1665	
GRH427241 (HP)	42 x 72 x 41.5	129	6.53	\$1849	
. ,		140.0	10.70		
GRH428441 (HP)	42 x 84 x 41.5	140.6	12.72	\$2183	
GRH429641 (HP)	42 x 96 x 41.5	152.24	14.06	\$2341	
GRH486041 (HP)	48 x 60 x 41.5	130.1	6.74	\$1926	
GRH487241 (HP)	48 x 72 x 41.5	143.5	7.43	\$2169	
GRH488441 (HP)	48 x 84 x 41.5	156.74	14.35	\$2308	
GRH489641 (HP)	48 x 96 x 41.5	170.06	15.85	\$2492	

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch $latch\ in\ front\ panel\ of\ U-base\ support.\ \ U-base\ includes\ 0.5"\ adjustable\ glides.\ \ U-base\ side\ panels\ are\ tapered\ at\ the\ bottom$ to clear most baseboards. Cut-out locations available in positions 1 or 2 only (except for model GRH364841 - cut-out position available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H41 or GSHB19H41 only, requires one base.


Required Specifications

Optional Specifications

Accessories

Top finish Base finish Grommet position or power block cut-out

SOFT ELLIPSE HUDDLE TABLES



29"H Soft Ellipse Huddle

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
GSEH426029 (HP)	42 x 60 x 29	99.82	5.18	\$1574	
GSEH427229 (HP)	42 x 72 x 29	111.5	5.79	\$1759	
GSEH428429 (HP)	42 x 84 x 29	123.1	11.98	\$2093	
GSEH429629 (HP)	42 x 96 x 29	134.7	13.31	\$2250	
GSEH486029 (HP)	48 x 60 x 29	112.6	5.89	\$1827	
GSEH487229 (HP)	48 x 72 x 29	126	6.58	\$2069	
GSEH488429 (HP)	48 x 84 x 29	139.2	13.5	\$2207	
GSFH489629 (HP)	48 x 96 x 29	152 6	15	\$2392	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only (except for model GSEH364829 - cut-out position available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only, requires one base.



36"H Soft Ellipse Huddle

GSEH426036 (HP)	42 x 60 x 36	109.8	5.61	\$1605	
GSEH427236 (HP)	42 x 72 x 36	121.5	6.22	\$1791	
GSEH428436 (HP)	42 x 84 x 36	133.1	12.41	\$2123	
GSEH429636 (HP)	42 x 96 x 36	144.74	13.75	\$2281	
GSEH486036 (HP)	48 x 60 x 36	123.6	6.38	\$1862	
GSEH487236 (HP)	48 x 72 x 36	137	7.08	\$2104	
GSEH488436 (HP)	48 x 84 x 36	150.24	14	\$2242	
GSEH489636 (HP)	48 x 96 x 36	163.56	15.5	\$2428	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only (except for model GSEH364836 - cut-out position available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only, requires one base.



41.5"H Soft Ellipse Huddle

GSEH426041 (HP)	42 x 60 x 41.5	117.32	5.92	\$1665	
GSEH427241 (HP)	42 x 72 x 41.5	129	6.53	\$1849	
GSEH428441 (HP)	42 x 84 x 41.5	140.6	12.72	\$2183	
GSEH429641 (HP)	42 x 96 x 41.5	152.24	14.06	\$2341	
GSEH486041 (HP)	48 x 60 x 41.5	130.1	6.74	\$1926	
GSEH487241 (HP)	48 x 72 x 41.5	143.5	7.43	\$2169	
GSEH488441 (HP)	48 x 84 x 41.5	156.74	14.35	\$2308	
GSEH489641 (HP)	48 x 96 x 41.5	170.06	15.85	\$2492	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only (except for model GSEH364841 - cut-out position available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H41 or GSHB19H41 only, requires one base.

Required	Specifications
Top finish	

Base finish

Optional Specifications

Accessories

Grommet position or power block cut-out Power block



HUDDLE BASES

22" Round Huddle Base



18.5" Square Huddle Base

LIST PRICE BCH/CHM ACO/SBR MODEL# DIMENSIONS WT/LB. CUBIC FT. WxDxH **SELECT BASE COMPATIBLE WITH TOP HEIGHT:** GRHB22H28 22 x - x 28 60 10 \$898 \$147 \$249 22 x - x 35 \$268 GRHB22H35 62 12.7 \$933 \$164 \$270 GRHB22H41 22 x - x 40.5 63 14.2 \$949 \$171

Metal base ships fully assembled. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate huddle table laminate pieces. See page 18 for available finishes.

GRHB22H41 - bar height

Be sure to double check huddle table laminate units and metal bases are the same corresponding heights.

GRHB22H28 - seated height

• Plated finishes are available at an upcharge.

GRHB22H35 - counter height

GSHB19H28	18.5 x 18.5 x 28	55	6.94	\$966	\$136	\$250
GSHB19H35	18.5 x 18.5 x 35	57	8.8	\$1022	\$151	\$287
GSHB19H41	18.5 x 18.5 x 40.5	58	9.84	\$1056	\$166	\$287

GSHB19H35 - counter height **GSHB19H28** - seated height **GSHB19H41** - bar height

Metal base ships fully assembled. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate huddle table laminate pieces. See page 18 for available finishes.

Be sure to double check huddle table laminate units and metal bases are the same corresponding heights.

• Plated finishes are available at an upcharge.


Required Specifications

Optional Specifications

Finis



tables training






Bungee is a series of freestanding tables and accessories designed for classrooms, training rooms, boardrooms and any other multi-functional space that may require frequent configurations. Tables are sold complete with legs and Bungee cords so they may quickly and easily be connected together without searching for tools or worrying about loose parts.

Bungee tables feature optional rounded corners with a unique Bubble molding that is engineered to compress under the tension of the Bungee cords. The compressed molding creates a seal that serves to locate and align interconnected tables while also providing a soft and forgiving edge. Four additional edge options are available.

Choose from a variety of top shapes and laminate finishes to create your individual style. In addition, most tables offer a choice of tapered legs or spider legs in a Black or Tungsten finish with adjustable levelers or optional casters. Optional modesty panels, grommets, wire management and power blocks further enhance your workspace.



Flip-top tables can be nested and easily stored by activating the single hand release mechanism from the left or right side.



Optional locking casters are available in Black or Tungsten finish (standard on flip-top models).



Bungee cords are utilized to quickly and easily reconfigure tables.

Features and Benefits

- Bungee tables are complete with top, legs and Bungee cords.
- Bungee cords provide a fast and easy method of reconfiguring tables without requiring tools.
- Tops are 1" thick and are offered in a variety of shapes and sizes.
- Legs are offered in tapered or spider design in a Black or Tungsten finish.
- · Levelers on legs are standard.
- Laminate modesty panels and filler modesty inserts help conceal wires and enhance visual appeal.
- Wire management tracks neatly contain wires, using two separate channels for data and voice wires.
- Optional grommets or power blocks offer technological flexibility.

GENERAL INFORMATION

- Bungee is a series of freestanding tables and accessories designed for classrooms, training rooms, boardrooms and any other multifunctional space that requires frequent reconfigurations.
- Bungee tables come complete with a work top, a set of legs and built-in Bungee cord connectors.
- Bungee cords allow the movement and reconfiguration of tables without a risk of damage or losing loose parts.
- High pressure tops are standard in all Bungee laminate finishes.
- Unique "bubble molding" edging is specially engineered to create a secure seal to align interconnected tables. Alternate edge options are
 also available.
- Bungee products have been tested and comply with all mechanical tests.
- For environmental certifications, please visit globalfurnituregroup.com.

CONSTRUCTION

- Tops are 1" thick. Modesty panels are 11/16" thick.
- All components are made of 45 lb. commercial density particle board, covered on both sides with high performance laminate.
- Tops 54" and over feature a built-in support bar.

BUNGEE CORDS

- Bungee cords are patented elastic devices designed to provide a rapid, no-tool
 method of attaching tables of the same depth.
- The elastic nature of cords allows two connected tables to be moved around without risk of damage to the table top or connecting hardware.
- Bungee cords are included with all freestanding tables and carry a Lifetime Warranty.


EDGE DETAIL

- Unique "bubble molding" is engineered to compress under the tension of the Bungee cords, creating a seal that serves to locate and align interconnected tables.
- Bubble molding finish matches surface laminate with Silver (BS) or Black (BB) accent trim.
- For matching 2mm flat edge, specify (A3).

LEGS


- Tables feature two styles of legs tapered leg and spider leg. Available in Black (TBL) or Tungsten (TTU) finish.
- Levelers are standard. Optional locking casters are available at no upcharge, specify Black (TBC) or Tungsten (TTC) finish.

(Casters must match base finish.) Adjust 3mm - 10mm in height.



MODESTY PANELS

- Panels are 13" high, recessed 0.75" from the back and inset 7" from the sides.
- Panels feature a built-in flexible wire pass-through.
- Available in all Bungee laminate finishes.




FILLER MODESTY PANELS

- Used to fill the space between two modesty panels when two tables are linked together. Helps conceal wires and enhance visual appeal.
- Available in Silver finish (SI) or Black finish (BK), please specify.



WIRE MANAGEMENT

- Wire management tracks are mounted to the underside of the worksurface.
 Available in 5" and 22" track lengths.
- 5" track includes one wire clamp; 22" track includes two wire clamps.
- Data and voice wires can be routed separately using two separate channels on each clamp.
- Available in Black only.



5" wire management track



22" wire management track

1. SPECIFY MODEL NUMBER

2. SPECIFY FINISH

ıminate	Finishes:		
ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	ΩТМ	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate

BB Bubble edge with Black trim BS Bubble edge with Silver trim **A3** Matching 2mm flat edge

Black finish

Legs:		Casters:	
TBL	Black	TBC	Black
TTU	Tungsten	TTC	Tungsten
Handles:		Modesty P	anel Edge:
нс	Silver finish	CI .	Silvor

Feet:

HT

TBL Black TTU Tungsten

3. SPECIFY OPTIONS

Fashionista

GROMMETS

FAS

• Optional grommets available in standard worksurface locations (left, center or right) for rectangular tops (48" wide and up). Order as: FOG1, FOG2 or FOG3. Add \$91.

WCR

Winter Cherry

- Optional grommets are available in center position only for rectangular tops (36" and 42" wide), trapezoid tables and ALL flip-top and transformer tables. Order as FOG2. Add \$91 per table.
- FOG2 when selected will apply to all 4 or 6 tables in transformer table kits accordingly.
- Grommet hole dimensions are 3.25" wide x 1.875" deep.
- Grommets may be placed at non-standard locations. Order as: CSG. Add \$132. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to the custom grommet location form in the back reference section.

MODPOWER DAISY-CHAIN SOLUTION


- Add flexible power and USB charging to Bungee rectangular tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 88.

BK

Black Nickel

- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
- MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for 42" to 72" wide fixed top rectangular tables and 48' to 72" wide flip-tip rectangular tables. Add \$91. Note: MPS not available for 36" wide fixed top tables or 42" wide flip-top tables.
- MPD for two cut-outs in the left and right positions, 18.25" from ends to center of unit on approach side for 60", 66" and 72" wide rectangular tables. Add \$183.


Grommet hole dimensions Grommet






Rectangular Tops







For 60" and 72" wide units


SPECIFICATIONS

• Specifications marked with an * are applicable to only those products which have the * symbol beside the product name.

Trapezoid Tables and all Flip-Top Tables




FOG2. Add \$91.



ᄩ ₹ 5 grommet location

CONNECTING CONDITIONS

- Bungee cords allow for fast and easy reconfiguring of tables whenever needed.
 Due to the elastic nature of the Bungee cord, two tables connected with Bungee cords can be moved around without risk of damage to the table top or the connecting hardware.
- Connecting tables is simple and intuitive. Tools are not required and there are no loose parts that may be misplaced.
- Bungee cords connect tables of the same depth in all directions.
- Rectangular tables 48" and longer connect in both straight and "L" configurations.
 Rectangular tables 36" and 42" connect in straight configurations only.



rectangular tables



round wedge tables



trapezoid tables

half moon tables



teardrop tables



flat round tables



square tables




Bungee cords


keystone tables



FLIP-TOP TABLE NESTING DIAGRAM








Rectangular Table - Tapered Legs

MODEL# **DIMENSIONS** WT/LB. **CUBIC FT. LIST PRICE** WxDxH B2436REF (HP) 36 x 24 x 28.7 5.75 \$931 B2442REF (HP) 42 x 24 x 28.7 69 \$1015 B2448REF (HP) 48 x 24 x 28.7 72 6.5 \$1039 B2460REF (HP) 7.25 60 x 24 x 28.7 82 \$1277 \$1547 B2472REF (HP) 72 x 24 x 28.7 91 8 B3036REF (HP) 36 x 30 x 28.7 70 7.25 \$1074 B3042REF (HP) 42 x 30 x 28.7 78 7.5 \$1141 B3048REF (HP) 48 x 30 x 28.7 81 7.5 \$1199 B3060REF (HP) 60 x 30 x 28.7 92 8.25 \$1324 102 B3072REF (HP) 72 x 30 x 28.7 9 \$1560 B3642REF (HP) 42 x 36 x 28.7 83 7.5 \$1209 B3648REF (HP) 48 x 36 x 28.7 91 8 \$1304 9 B3660REF (HP) 60 x 36 x 28.7 103 \$1419 116 10 B3672REF (HP) 72 x 36 x 28.7 \$1686

Freestanding table includes four tapered legs with levelers and Bungee cords. When (**BB**) or (**BS**) edge option is specified, surface corners are radiused; when (**A3**) edge option is specified, surface corners are square.

Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.

- Tables 48" and longer connect in both straight and "L" configurations.
- Tables 36" and 42" connect in straight configurations only.
- Available with optional locking casters, specify Black (TBC) or Tungsten (TTC).



Rectangular Table - Spider Legs

B2436RES (HP)	36 x 24 x 28.7	62	7.25	\$1026	
B2442RES (HP)	42 x 24 x 28.7	67	7.5	\$1107	
B2448RES (HP)	48 x 24 x 28.7	71	10	\$1138	
B2460RES (HP)	60 x 24 x 28.7	80	10.75	\$1372	
B2472RES (HP)	72 x 24 x 28.7	89	11.25	\$1646	
B3036RES (HP)	36 x 30 x 28.7	72	10.25	\$1198	
B3042RES (HP)	42 x 30 x 28.7	80	10.5	\$1261	
B3048RES (HP)	48 x 30 x 28.7	83	10.5	\$1324	
B3060RES (HP)	60 x 30 x 28.7	94	11.25	\$1449	
B3072RES (HP)	72 x 30 x 28.7	104	12	\$1672	

Freestanding table includes two spider legs with levelers and Bungee cords. When (**BB**) or (**BS**) edge option is specified, surface corners are radiused; when (**A3**) edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels

available, see page 52.

- Tables 48" and longer connect in both straight and "L" configurations.
- Tables 36" and 42" connect in straight configurations only.
- Available with optional locking casters, specify Black (TBC) or Tungsten (TTC).

Required specifications	Optional specifications	Accessories	
Top finish	Casters	Power block	
Edge detail	Grommet		
Leg finish	Power block cut-out		

TRAPEZOID TABLES



Trapezoid Table - Tapered Legs

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
B2460TRF (HP)	60 x 24 x 28.7	71	7.5	\$1209	
B2466TRF (HP)	66 x 24 x 28.7	74	8	\$1408	
B2472TRF (HP)	72 x 24 x 28.7	78	8.25	\$1479	
B3060TRF (HP)	60 x 30 x 28.7	78	8.5	\$1312	
B3066TRF (HP)	66 x 30 x 28.7	81	9.5	\$1492	
B3072TRF (HP)	72 x 30 x 28.7	85	9.5	\$1547	

Freestanding table includes four tapered legs with levelers and Bungee cords. Bubble edge options (BB) or (BS) only apply (edge option (A3) is not applicable on trapezoid tables). Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.

• Available with optional locking casters, specify Black (TBC) or Tungsten (TTC).



Trapezoid Table - Spider Legs

B2460TRS (HP)	60 x 24 x 28.7	69	9.25	\$1304	
B2466TRS (HP)	66 x 24 x 28.7	72	9.75	\$1532	
B2472TRS (HP)	72 x 24 x 28.7	76	10	\$1574	
B3060TRS (HP)	60 x 30 x 28.7	79	11.5	\$1424	
B3066TRS (HP)	66 x 30 x 28.7	83	12.5	\$1605	
B3072TRS (HP)	72 x 30 x 28.7	87	12.5	\$1661	

Freestanding table includes two spider legs with levelers and Bungee cords. Bubble edge options (BB) or (BS) only apply (edge option (A3) is not applicable on trapezoid tables). Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.

• Available with optional locking casters, specify Black (TBC) or Tungsten (TTC).

KEYSTONE TABLES



Keystone Table - Tapered Legs

B30KSF (HP)	62 x 30 x 28.7	69	7.6	\$1375
B24KSF (HP)	51 x 24 x 28.7	60	6.5	\$1171

Freestanding table includes four tapered legs with levelers and Bungee cords. When (BB) or (BS) edge option is specified, surface corners are radiused; when (A3) edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of 24" and 30" depth. Shipped easy to assemble in 2 cartons. Modesty panels or filler panels are NOT available.



Keystone Table - Spider Legs

B30KSS (HP)	62 x 30 x 28.7	77	7.6	\$1541	
B24KSS (HP)	51 x 24 x 28.7	66	6.5	\$1310	

Freestanding table includes two spider legs with levelers and Bungee cords. When (BB) or (BS) edge option is specified, surface corners are radiused; when (A3) edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of 24" and 30" depth. Shipped easy to assemble in 2 cartons. Modesty panels or filler panels are NOT available.


F	Required	specifications
ñ	on finich	

Edge detail Leg finish

Optional specifications

Grommet (only trapezoid tables) Casters (only trapezoid tables) Power block cut-out (only trapezoid tables) Accessories

Power block (only trapezoid tables)



Wedge	Table	- Taner	ed Lens
vveuue	Idule	- Iavei	eu Leus



Wedge Table - Tapered Legs



Wedge Table - Spider Legs



Freestanding table includes four tapered legs with levelers and Bungee cords. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.


B30WEF (HP)	70 x 30 x 28.7	70	7.2	\$1476	

Freestanding table includes five tapered legs with levelers and Bungee cords. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.

B30WES (HP)	70 x 30 x 28.7	73	7.2	\$1463
B24WES (HP)	63 x 24 x 28.7	62	6.6	\$1324

Freestanding table includes two spider legs with levelers and Bungee cords. When (**BB**) or (**BS**) edge option is specified, surface corners are radiused; when (**A3**) edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.

HALF MOON TABLES



Half Moon Table - Tapered Legs

B3060HMF (HP) 60 x 30 x 28.7 81 8.5 \$1175	B2448HMF (HP)	48 x 24 x 28.7	110	7.75	\$966	
	B3060HMF (HP)	60 x 30 x 28.7	81	8.5	\$1175	

Freestanding table includes four tapered legs with levelers and Bungee cords. When (**BB**) or (**BS**) edge option is specified, surface corners are radiused; when (**A3**) edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons.

Modesty panels or filler panels are NOT available.

• Available with optional locking casters, specify Black (**TBC**) or Tungsten (**TTC**).



Half Moon Table - Tapered Legs

B3672HMF (HP)	72 x 36 x 28.7	110	11.5	\$1641

Freestanding table includes five tapered legs with levelers and Bungee cords. When (**BB**) or (**BS**) edge option is specified, surface corners are radiused; when (**A3**) edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons.

Modesty panels or filler panels are NOT available.

• Available with optional locking casters, specify Black (TBC) or Tungsten (TTC).

Required specifications	Optional specifications	Accessories
Top finish	Casters (only half moon tables)	Power block (only position 2)
Edge detail	Grommet (only half moon tables)	
Log finish		

BUNGEE™ TABLES B




U⊲lf	Maan	Table	Snider	I one

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
B2448HMS (HP)	48 x 24 x 28.7	67	9.25	\$1070	
B3060HMS (HP)	60 x 30 x 28.7	83	11.5	\$1295	

Freestanding table includes two spider legs with levelers and Bungee cords. When (BB) or (BS) edge option is specified, surface corners are radiused; when (A3) edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels or filler panels are NOT available.

• Available with optional locking casters, specify Black (TBC) or Tungsten (TTC).

SQUARE TABLES



Square Table - Tapered Legs

Freestanding table includes four tapered legs with levelers and Bungee cords. When (BB) or (BS) edge option is specified, surface corners are radiused; when (A3) edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Note: Square tables will NOT accept laminate modesty panels.

• Available with optional locking casters, specify (Black (TBC) or Tungsten (TTC).

D	
Keauirea	specifications


Top finish Edge detail Leg finish

Optional specifications

Casters Grommet*

B BUNGEE™ TABLES

MODESTY PANELS - SQUARE




Modesty Panel - Square

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
	WxDxH					
BX36QMP	21 x 0.69 x 9.6	6	0.9	\$97	N/A	
BX42QMP	27 x 0.69 x 9.6	7	1.1	\$101	N/A	
BX48QMP	33 x 0.69 x 9.6	9	1.2	\$109	N/A	
BX60QMP	45 x 0.69 x 9.6	12	1.6	\$117	N/A	
BX66QMP	51 x 0.69 x 9.6	13	1.8	\$123	N/A	
BX72QMP	57 x 0.69 x 9.6	14	2	\$127	N/A	

For use on **rectangular** tables. Includes hinged mounting bracket.

Available in standard line finishes. Edging only available in Silver (SI) or Black (BK). Please specify.

• Modesty panel model number indicates the width of table to be used on.



Modesty Panel - Square

BXM60QMP	27 x 0.69 x 9.6	7	1.1	\$101	N/A	
BXM66QMP	33 x 0.69 x 9.6	9	1.2	\$109	N/A	
BXM72QMP	39 x 0.69 x 9.6	10	1.4	\$113	N/A	
BXL60QMP	21 x 0.69 x 9.6	6	0.9	\$98	N/A	
BXL66QMP	27 x 0.69 x 9.6	7	1.1	\$101	N/A	
BXI 720MP	33 x 0.69 x 9.6	9	1.2	\$109	N/A	


For use on **trapezoid** tables. Includes hinged mounting bracket. Intended for use on the short side of the table; may be used on long side but leaves a larger gap.

Available in standard line finishes. Edging only available in Silver (SI) or Black (BK). Please specify.

• Modesty panel model number indicates the width of table to be used on.

21 x 0.25 x 9

• Specify BXM models for 24"D tables and BXL models for 30"D tables.



Modesty Panel - Square

BXWQMP 27 x 0.69 x 9.6	7	1.1	\$101	N/A	
------------------------	---	-----	-------	-----	--

For use on **wedge** tables. Includes hinged mounting bracket. Intended for use on the short side of the table. Available in standard line finishes. Edging only available in Silver (SI) or Black (BK). Please specify.

FILLER MODESTY PANELS



Filler Modesty Panel - Straight

0.3

\$98

N/A

Used to fill the space between two **square** modesty panels where tables are linked in a straight configuration. Available in Silver (**SI**) or Black (**BK**). Please specify.



Filler Modesty Panel -Straight to Wedge

BSWFM	19.6 x 9 x 0.25	2	0.1	\$127	N/A

Used to fill the space between a straight modesty panel and wedge table. Use for regular wedge table - tapered legs and flip-top wedge - spider legs.

Required specifications

Finish

BSFMS



WIRE MANAGEMENT

Wire Management - 5" / 22" Track


MODEL#	DIMENSIONS	WI/LB.	CUBIC FI.	LIST PRICE	
	WxDxH				
BWMS5	5 x 2 x 3.5	1	0.1	\$6	
BWMD22	22 x 2 x 3.5	1.5	0.1	\$15	

Retrofittable track mounts to the underside of worksurface. Includes wire clamp that can route data and voice wires separately. Black only. There are no specifications for Wire Management.
• For a 5" track, order model **BWMS5** - includes one wire clamp.

- For a 22" track, order model **BWMD22** includes two wire clamps.

B BUNGEE™ TABLES







Flip-Top Rectangular Table - Spider Legs*

LIST PRICE	CUBIC FT.	WT/LB.	DIMENSIONS	MODEL#
			WxDxH	
\$1606	20.75	66	42 x 24 x 29.2	BX2442RES (HP)
\$1622	23.5	72	48 x 24 x 29.2	BX2448RES (HP)
\$1694	29	84	60 x 24 x 29.2	BX2460RES (HP)
\$1761	31.75	97	66 x 24 x 29.2	BX2466RES (HP)
\$1796	34.75	102	72 x 24 x 29.2	BX2472RES (HP)
\$1663	25.5	73	42 x 30 x 29.2	BX3042RES (HP)
\$1682	28.75	79	48 x 30 x 29.2	BX3048RES (HP)
\$1774	35.75	94	60 x 30 x 29.2	BX3060RES (HP)
\$1859	39.25	106	66 x 30 x 29.2	BX3066RES (HP)
\$1893	42.5	112	72 x 30 x 29.2	BX3072RES (HP)

Table features a flip-top worksurface for ease of storage. When (**BB**) or (**BS**) edge option is specified, surface corners are radiused; when (**A3**) edge option is specified, surface corners are square. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Shipped in 1 carton. Folding modesty panels available, see page 55.

- Tables 48" and longer connect in both straight and "L" configurations.
- Standard with locking casters, specify Black (TBC) or Tungsten (TTC).



Flip-Top Trapezoid Table - Spider Legs*

BX2460TRS (HP)	60 x 24 x 29.2	69	29	\$1594	
BX2466TRS (HP)	66 x 24 x 29.2	74	31.75	\$1659	
BX2472TRS (HP)	72 x 24 x 29.2	80	34.75	\$1680	
BX3060TRS (HP)	60 x 30 x 29.2	72	35.75	\$1668	
BX3066TRS (HP)	66 x 30 x 29.2	78	39.25	\$1751	
BX3072TRS (HP)	72 x 30 x 29.2	84	42.5	\$1769	

Table features a flip-top worksurface for ease of storage. Bubble edge options (**BB**) or (**BS**) only apply (edge option (**A3**) is not applicable on trapezoid tables). Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Shipped in 1 carton. Folding modesty panels available, see page 55.

• Standard with locking casters, specify Black (TBC) or Tungsten (TTC).



Flip-Top Keystone Table - Spider Legs

BX24KSS (HP)	51 x 24 x 29.2	69	24.75	\$1568	
BX30KSS (HP)	62 x 30 x 29.2	79	36.75	\$1747	


Table features a flip-top worksurface for ease of storage. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Shipped in 1 carton. Modesty panels or filler panels are NOT available.

• Standard with locking casters, specify Black (TBC) or Tungsten (TTC).



Flip-Top Wedge Table - Spider Legs*

BX24WES (HP)	63 x 24 x 29.2	76	33	\$2031
BX30WES (HP)	70 x 30 x 29.2	84	33	\$2057







Table features a flip-top worksurface for ease of storage. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Shipped in 1 carton. Folding modesty panels available, see page 55.

• Standard with locking casters, specify Black (TBC) or Tungsten (TTC).

Required specifications	Optional specifications	Accessories
Top finish*	Grommet*	Power block*
Edge detail*	Power block cut-out*	
Leg finish*		

MODESTY PANELS - FLIP-TOP - SQUARE




Modesty Panel - Square

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
	WxDxH					
BX36QMP	21 x 0.69 x 9.6	6	0.9	\$97		
BX42QMP	27 x 0.69 x 9.6	7	1.1	\$101		
BX48QMP	33 x 0.69 x 9.6	9	1.2	\$109		
BX60QMP	45 x 0.69 x 9.6	12	1.6	\$117		
BX66QMP	51 x 0.69 x 9.6	13	1.8	\$123		
BX72QMP	57 x 0.69 x 9.6	14	2	\$127		

For use on flip-top rectangular tables. Includes hinged mounting bracket.

Available in standard line finishes. Edging only available in Silver (SI) or Black (BK). Please specify.

• Modesty panel model number indicates the width of table to be used on.




Modesty Panel - Square

BXM60QMP	27 x 0.69 x 9.6	7	1.1	\$101	
BXM66QMP	33 x 0.69 x 9.6	9	1.2	\$109	
BXM72QMP	39 x 0.69 x 9.6	10	1.4	\$113	
BXL60QMP	21 x 0.69 x 9.6	6	0.9	\$98	
BXL66QMP	27 x 0.69 x 9.6	7	1.1	\$101	
BXL72QMP	33 x 0.69 x 9.6	9	1.2	\$109	

For use on flip-top trapezoid tables. Includes hinged mounting bracket. Intended for use on the short side of the table; may be used on long side but leaves a larger gap.

Available in standard line finishes. Edging only available in Silver (SI) or Black (BK). Please specify.

• Modesty panel model number indicates the width of table to be used on.



Modesty Panel - Square

DAVVQIVII 27 X 0.03 X 3.0 7 1.1 3101

For use on **flip-top wedge tables**. Includes hinged mounting bracket. Intended for use on the short side of the table. Available in standard line finishes. Edging only available in Silver (SI) or Black (BK). Please specify.

• Modesty panel model number indicates the width of table to be used on.

Required specifications

Modesty panel finish Edge finish



Designed by Zooey Chu, Junction provides an affordable solution for your table applications. Choose from a variety of table top designs: rectangular, half round, trapezoid and keystone to create a unique table for your boardroom, classroom or presentation room application.

A freestanding or shared leg configuration with the unique "Y" leg allows you to either create a permanent table or one that can be reconfigured quickly and easily. A straight leg is available for use with half round and keystone tops.

Shared leg configurations allow more legroom and can also decrease cost because they use fewer components. Freestanding configurations provide more flexibility for changing environments.





Modesty panel.



Shared leg configuration provides more legroom and decreases the overall costs.

Features and Benefits

- Tops are 1" thick and constructed of 45 lb. density particle board.
- 2mm matching edge is standard.
- Optional radius corners (RM) available at no upcharge.
- Optional modesty panel with integrated wire trough available.
- Casters available with or without manual locks provide mobility.
- Black grommets for convenient wire management can be ordered factory installed.
- Optional, easy-to-use thumbscrews allow installation without tools.
- Junction tops are available in Global laminate finishes with two leg options.

57

GENERAL INFORMATION

- Junction is a series of multi-purpose tables for classroom, training room and boardroom applications.
- Unique design by Zooey Chu.
- Half round, trapezoid and keystone tops are available to create a variety of package configurations.
- Rectangular tops are available in 24" and 30" depths.
- Optional modesty panels with integrated wire troughs are available.
- Optional large electrical manager provides a safe environment for equipment wires.
- Shipped easy to assemble. Each component is packaged individually; legs are shipped 1 per carton.
- For environmental certifications, please visit globalfurnituregroup.com.

WORKSURFACES

- Tops are 1" thick, made of 45 lb. density particle board.
- · Laminate finishes are high pressure.

CONSTRUCTION

- Rectangular tops 54" in length and longer include a steel support channel for structural rigidity.
- Tops are predrilled with threaded steel inserts.
- · Adjustable levelers offer up to 1" adjustability.

EDGE DETAIL

- Global's preferred matching edge is standard.
- Optional radius corners (RM) are available on rectangular tops at no upcharge.

LEGS

- · Unique Y design.
- Straight leg available for assembly with half round tops and keystone tops.
- · Heavy duty steel construction.
- Coated with environmentally friendly recycled paint that provides a durable finish.
- Black plastic leveling glides offer 5/8" adjustability.
- Available in Black (TBL), Cloud (TIV), Designer White (TDW), Fog (TFO), Frost (TFR), Kalua (TKA), Latte (TLA), Mocha (TMO), Nevada (TNE), Sand (TSN), Shadow (TSH), Toast (TOA) or Tungsten (TTU) finish.
- Y legs: 21.5" leg span 24"D top, 24.5" leg span 30"D top.

CASTERS

- Optional casters are available.
- 1.5" dual wheel casters with or without manual lock. Full 360° swivel.
- Can be used in any combination with or without standard glides.
- Suggested for carpeted surfaces.
- · Available in Black only.
- · Sold in packages of two.

GANGING

- · Ganging plates are available for ganging workstations together.
- Ganging plates are Black epoxy coated steel plates with two thumbscrews.
- · Provides maximum stability and torque reduction.

WIRE MANAGEMENT

- Available for managing additional larger wires and power connectors.
- 3.5" high x 4.25" deep Black PVC channel attaches to the underside of top.

SPECIFICATIONS

• Specifications marked with an * are applicable to only those products which have the* symbol beside the product name.

1. SPECIFY MODEL NUMBER

2. SPECIFY FINISH

Lamina	ate Finishes:			Legs:			
ACJ	Absolute Acajou	FCL	First Class	TBL	Black	TMO	Mocha
ASN	Asian Night	NBL	Noce Biondo	TIV	Cloud	TNE	Nevada
AWC	Avant Cherry	NGL	Noce Grigio	TDW	Designer White	TSN	Sand
AWH	Avant Honey	NEL	Noce Leggero	TF0	Fog	TSH	Shadow
BLK	Black	NML	Noce Medio	TFR	Frost	TOA	Toast
BZD	Blizzard	QTM	Quartered Mahogany	TKA	Kalua	TTU	Tungsten
BRC	Brushed Cobalt	SBY	Sheer Beauty	TLA	Latte		Ü
CMB	Clear Maple	SDT	Stonedust				
CGY	Custom Grey	SOG	Storm Grey				
DES	Dark Espresso	WHE	Walnut Heights				
DWT	Designer White	WHC	White Chocolate				
FAS	Fashionista	WCR	Winter Cherry				


3. SPECIFY OPTIONS

MODESTY PANELS

- 11.25" high panel attaches to the underside of worksurface top.
- · Standard with integrated wire trough.
- Available in Black PVC.


GROMMETS

- Grommets are available in rectangular and trapezoid tops (left, center or right).
 See below for available locations. Order as: FOG1, FOG2 or FOG3. Add \$91.
 For keystone worksurface locations, order as FOG2. Add \$91.
- Grommet hole dimensions are 3.25" wide x 1.875" deep.



Grommets may be placed at non-standard locations. Order as: CSG. Add \$132. A
drawing must be supplied with vertical and horizontal dimensions to the center of the
cut-out (as in drawing above). Please refer to the custom grommet location form
in the back reference section.


EXAMPLES OF GROMMET AND POWER BLOCK POSITIONS



MODPOWER DAISY CHAIN SOLUTION

- Add flexible power and USB charging to Junction rectangular tables only. Connect
 up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 88.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting (cannot be used with modesties). Specify cut-out option:
- MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for 30" to 72" wide rectangular tables.
 Add \$91.
- MPD for two cut-outs in the left and right positions, 15" from ends to center of unit on approach side for 60", 66" and 72" wide rectangular tables. Add \$183.

ECTANGULAR TOPS	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
		WxDxH				
	JNR2442 (HP)	42 x 24 x 1	31	1.25	\$315	
	JNR2448 (HP)	48 x 24 x 1	35	1.4	\$340.50	
	JNRU2454 (HP)	54 x 24 x 1	42	1.52	\$475.50	
	JNRU2460 (HP)	60 x 24 x 1	47	1.67	\$505.50	
	JNRU2466 (HP)	66 x 24 x 1	52	1.82	\$547.50	
	JNRU2472 (HP)	72 x 24 x 1	57	2	\$585	
	INDOO SO (UID)				****	
	JNR3042 (HP)	42 x 30 x 1	38	1.51	\$372	
	JNR3048 (HP)	48 x 30 x 1	44	1.7	\$405	
	JNRU3054 (HP)	54 x 30 x 1	52	1.9	\$543 \$579	
	JNRU3060 (HP) JNRU3066 (HP)	60 x 30 x 1 66 x 30 x 1	59 64	2.1	\$622.50	
	JNRU3072 (HP)	72 x 30 x 1	70	2.20	\$663	
	3141103072 (1117	72 X 30 X I	70	2.3	φ003	
ctangular Top*	Predrilled with threat 16 gauge steel sup		eestanding and l	inking installat	ions. Tops 54" and longer are s	tandard wit
LF ROUND TOPS						
	JNHFS2448 (HP)	48 x 24 x 1	34	1.4	\$375	
	JNHFS2454 (HP)	54 x 27 x 1	38.25	1.52	\$472.50	
	JNHFS3060 (HP)	60 x 30 x 1	53	1.67	\$502.50	
	JNHFS3066 (HP)	66 x 33 x 1	58.3	1.82	\$646.50	
	014111 00000 (1111)	00 X 00 X 1	00.0	1.02	ψ0-10.00	
APEZNIN TOPS		FS2454 for use with 24 FS3066 for use with 30				
APEZOID TOPS	• JNHFS2448/JNH • JNHFS3060/JNH JNTT2448 (HP)	FS3066 for use with 30 48 x 20.5 x 1	o" deep joining o	edge.	\$358.50	
APEZOID TOPS	• JNHFS2448/JNH • JNHFS3060/JNH	FS3066 for use with 30	O" deep joining o	edge.	\$358.50 \$435	
APEZOID TOPS	• JNHFS2448/JNH • JNHFS3060/JNH JNTT2448 (HP) JNTT2460 (HP)	FS3066 for use with 30 48 x 20.5 x 1 60 x 20.5 x 1	33 41.25	1.4 1.67	\$435	
APEZOID TOPS	• JNHFS2448/JNH • JNHFS3060/JNH JNTT2448 (HP)	FS3066 for use with 30 48 x 20.5 x 1	o" deep joining o	edge.		
	• JNHFS2448/JNH • JNHFS3060/JNH JNTT2448 (HP) JNTT2460 (HP) JNTT3060 (HP) JNTT3072 (HP) Predrilled with threa • JNTT2448/JNTT2	48 x 20.5 x 1 60 x 20.5 x 1 60 x 25.75 x 1 72 x 25.75 x 1 ded steel inserts for free 2460 for use with 24" d	33 41.25 50.5 61 eestanding and leep joining edg	1.4 1.67 2.1 2.5 inking installat	\$435 \$471 \$537	
apezoid Top	• JNHFS2448/JNH • JNHFS3060/JNH JNTT2448 (HP) JNTT2460 (HP) JNTT3060 (HP) JNTT3072 (HP) Predrilled with threa • JNTT2448/JNTT2	FS3066 for use with 30 48 x 20.5 x 1 60 x 20.5 x 1 72 x 25.75 x 1 ded steel inserts for free	33 41.25 50.5 61 eestanding and leep joining edg	1.4 1.67 2.1 2.5 inking installat	\$435 \$471 \$537	
pezoid Top	• JNHFS2448/JNH • JNHFS3060/JNH JNTT2448 (HP) JNTT3060 (HP) JNTT3060 (HP) JNTT3072 (HP) Predrilled with threa • JNTT2448/JNTT2 • JNTT3060/JNTT3	48 x 20.5 x 1 60 x 20.5 x 1 60 x 25.75 x 1 72 x 25.75 x 1 ded steel inserts for free 2460 for use with 24" d	33 41.25 50.5 61 eestanding and leep joining edgeep joining edg	1.4 1.67 2.1 2.5 inking installat e.	\$435 \$471 \$537 ions.	
pezoid Top	• JNHFS2448/JNH • JNHFS3060/JNH JNTT2448 (HP) JNTT3060 (HP) JNTT3060 (HP) JNTT3072 (HP) Predrilled with threa • JNTT2448/JNTT2 • JNTT3060/JNTT3	48 x 20.5 x 1 60 x 20.5 x 1 60 x 25.75 x 1 72 x 25.75 x 1 ded steel inserts for free 2460 for use with 24" d 3072 for use with 30" d	33 41.25 50.5 61 eestanding and leep joining edgeep joining edg	1.4 1.67 2.1 2.5 inking installat e.	\$435 \$471 \$537 ions.	
apezoid Top	• JNHFS2448/JNH • JNHFS3060/JNH JNTT2448 (HP) JNTT3060 (HP) JNTT3060 (HP) JNTT3072 (HP) Predrilled with threa • JNTT2448/JNTT2 • JNTT3060/JNTT3	48 x 20.5 x 1 60 x 20.5 x 1 60 x 25.75 x 1 72 x 25.75 x 1 ded steel inserts for free 2460 for use with 24" d	33 41.25 50.5 61 eestanding and leep joining edgeep joining edg	1.4 1.67 2.1 2.5 inking installat e.	\$435 \$471 \$537 ions.	
ppezoid Top YSTONE TOPS	JNHFS2448/JNH JNHFS3060/JNH JNHFS3060/JNH JNTT2448 (HP) JNTT3060 (HP) JNTT3072 (HP) Predrilled with threa JNTT2448/JNTT2 JNTS2424 (HP) JN5S3030 (HP) Predrilled with threa configurations. JN5S2424 for use	48 x 20.5 x 1 60 x 20.5 x 1 60 x 25.75 x 1 72 x 25.75 x 1 ded steel inserts for free 2460 for use with 24" d 3072 for use with 30" d 42 x 24 x 1 54 x 30 x 1	33 41.25 50.5 61 eestanding and leep joining edge eep joining edge eep standing and leep standing and leep eep standing and leep eep standing and leep eep standing and leep eep eestanding and leep eep eep eestanding and leep eep eep eep eep eep eep eep eep ee	1.4 1.67 2.1 2.5 inking installat e. e.	\$435 \$471 \$537 ions.	reestanding
APEZOID TOPS Apezoid Top EYSTONE TOPS ystone Tops*	JNHFS2448/JNH JNHFS3060/JNH JNHFS3060/JNH JNTT2448 (HP) JNTT3060 (HP) JNTT3072 (HP) Predrilled with threa JNTT2448/JNTT2 JNTS2424 (HP) JN5S3030 (HP) Predrilled with threa configurations. JN5S2424 for use	48 x 20.5 x 1 60 x 20.5 x 1 60 x 25.75 x 1 72 x 25.75 x 1 ded steel inserts for free 2460 for use with 24" d 3072 for use with 30" d 42 x 24 x 1 54 x 30 x 1 ded steel inserts for free with 24" deep joining	33 41.25 50.5 61 eestanding and leep joining edge eep joining edge eep standing and leep standing and leep eep standing and leep eep standing and leep eep standing and leep eep eestanding and leep eep eep eestanding and leep eep eep eep eep eep eep eep eep ee	1.4 1.67 2.1 2.5 inking installat e. e.	\$435 \$471 \$537 ions. \$405 \$517.50	reestanding



Required specifications

Finish (keystone)

Accessories

Optional specifications

LEGS	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	JNLEG24	W x D x H 2 x 21.5 x 27.3	10	2.5	\$170	
	JINLEG24	Z X Z I . S X Z / . S	10	2.5	\$170	
"Y" Leg	 List price is per 	. Leveling glides are stand each leg. r available finishes.	ard. For asse	mbly with 24"	' deep tops.	
	JNLEG30	2 x 24.5 x 27.3	11	2.85	\$187	
"Y" Leg	 List price is per 	. Leveling glides are stand each leg. r available finishes.	ard. For asse	mbly with 30"	' deep tops.	
	JNLEG	2 x 1 x 27.3	6	1.3	\$155	
Straight Leg	 List price is per 	e standard. For assembly each leg. r available finishes.	with half ro	und and keyst	tone tops. Mounting p	olate is 11" deep by 5" wide.
	Required specific	ations				

Finish (not JNECTxxxx)

J JUNCTION™

CASTERS	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	INIOD	WxDxH			000
	JNCP	- x - x 1.5	-	-	\$30
asters	glides. Black on • For use with J	ual wheel casters, one locking. y. unction units only. DT affect table height.	ng. Suggested	for carpeted su	rfaces. Casters are fully interchangeable with
CCESSORIES					
	JNTS	1.25 x 1.25 x 1.5	-	-	\$17
humbscrews	Triangular thumb of "Y" legs to to	screw with 0.75" steel threads without tools. Black only.	nd. Set of 4. Ca	an be used in p	lace of factory supplied screws to allow instal
	JNGFP	2.5 x 5 x 1.13	0.2	0.1	\$28
anging Flush Plate	Black epoxy coat for connecting fr plate. Sold indiv	eestanding tops together. H	oscrews include oles with steel	ed. Used to cor inserts are loca	nect table tops together for additional stabilit ated in the corner of the tops to accommodate

tables reception and occasional



CITI TABLES


Notes:

- Citi tables complement the contemporary timeless decor of many offices.
- Legs are standard in Tungsten (TTU) and also available in Black (TBL) finish at no upcharge. A Chrome (CHM) finish is available. Add \$68.
- Table tops are available in either tempered glass or laminate.
- Citi tables are offered in the following finishes to coordinate with Global casegoods and wood seating:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

End Table

CITI TABLES



Coffee Table - Rectangular



Coffee Table - Square

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
7885	20 x 24 x 20	45	6	\$751	
(laminate top)					
7886	20 x 24 x 20	52	6	\$981	
(glass top)					

Metal tubular legs. Laminate or tempered glass tops available. Shipped assembled in 1 carton.

7887	40 x 20 x 15	50	6.5	\$784	
(laminate top)					
7888	40 x 20 x 15	65	6.5	\$1133	
(glass top)					

Metal tubular legs. Laminate or tempered glass tops available. Shipped assembled in 1 carton.

7889	33 x 33 x 15	80	8.75	\$1347	
(glass top)					

Metal tubular legs. Tempered glass top. Shipped assembled in 1 carton.

Required specifications
Top finish

Leg finish

- High pressure laminate exterior with adjustable plastic glides.
- Premium cylinder tables have a flexible plywood core construction ideal for institutional and high traffic environments.
- Ideal for reception areas colors coordinate with all Global desks, conference tables and accessories.
- Shipped assembled in 1 carton.
- WT/LB. are shipping weights.
- Available to either match or coordinate with most Global laminate desk series. Available finishes:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	ΩТМ	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

CYLINDER AND CUBE OCCASIONAL TABLES	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE		
		WxDxH					
	CPFD1816	18 x - x 16	23	6.5	\$832		
	CPFD1821	18 x - x 21	26.5	8	\$856		
()	CPFD2416	24 x - x 16	32.5	11	\$865		
	CPFD2421	24 x - x 21	35	12.5	\$886		
	CPFD3016	30 x - x 16	45.5	15.5	\$1024		
	CPFD3021	30 x - x 21	48	17	\$1079		
Premium Cylinder Tables	¹¹ / ₃₂ " thick flexible	e plywood covered in high	pressure lamina	ate. Adjustable	e plastic glides. Fl	ush base.	
	CPPD1816	18 x - x 16	27.5	6.5	\$877		
	CPPD1821	18 x - x 21	31	8	\$898		
()	CPPD2416	24 x - x 16	38.7	11	\$908		
	CPPD2421	24 x - x 21	41.2	12.5	\$931		
	CPPD3016	30 x - x 16	54.5	15.5	\$1038		
	CPPD3021	30 x - x 21	57	17	\$1138		
Premium Plinth Cylinder Tables	¹¹ / ₃₂ " thick flexible	e plywood covered in high	pressure lamina	ate. Adjustable	e plastic glides. R o	ecessed base.	
	CU1816	18 x 18 x 16	26	3.3	\$502		
	CU1821	18 x 18 x 21	30	4	\$544		
	CU2416	24 x 24 x 16	38	6	\$526		

24 x 24 x 21

30 x 30 x 16

30 x 30 x 21



Cube Table

0.75" thick plywood covered in high pressure laminate. Adjustable plastic glides. Flush base.

43.5

50.8

57.5

7

6.5

8

\$569

\$553

\$595

Required specifications Finish

CU2421

CU3016

CU3021

O OCCASIONAL TABLES

LINDER AND CUBE OCCASIONAL TABLES	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
		WxDxH			
	CUP1816	18 x 18 x 16	28	3	\$545
	CUP1821	18 x 18 x 21	33.5	4	\$586
	CUP2416	24 x 24 x 16	41.5	6	\$573
	CUP2421	24 x 24 x 21	48	7	\$615
_ \/	CUP3016	30 x 30 x 16	53.8	6.5	\$638
	CUP3021	30 x 30 x 21	62.3	8	\$695



Cylinder Table

CY1816	18 x - x 16	21	3.3	\$465	
CY1821	18 x - x 21	27	4.3	\$512	
CY2416	24 x - x 16	33	6	\$485	
CY2421	24 x - x 21	39	7	\$526	
CY3016	30 x - x 16	44.5	8	\$573	
CY3021	30 x - x 21	52.7	11	\$616	

0.375" thick foundation board covered in high pressure laminate. Adjustable plastic glides. Flush base.



Plinth Cylinder Table

CYP1816	18 x - x 16	26.5	3.3	\$502	
CYP1821	18 x - x 21	32	4.3	\$545	
CYP2416	24 x - x 16	40	6	\$522	
CYP2421	24 x - x 21	46	7	\$564	
CYP3016	30 x - x 16	52.3	8	\$614	
CYP3021	30 x - x 21	60.5	11	\$654	

0.375" thick foundation board covered in high pressure laminate. Adjustable plastic glides. Recessed base.

Required specifications
Finish

Notes:

• River+ tables are made with high pressure laminate and are offered in following finishes to coordinate with Global casegoods and wood seating:

AUJ	Absolute Acajou	FUL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	ΩТМ	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

- Legs are straight as standard in Chrome (CHM) with Black non-marking height adjustable glides.
- Legs are also available in the following finishes: Black (TBL), Cloud (TIV), Designer White (TDW), Fog (TFO), Frost (TFR), Kalua (TKA), Latte (TLA), Mocha (TMO), Nevada (TNE), Sand (TSN), Shadow (TSH), Toast (TOA) and Tungsten (TTU). No upcharge. Please specify.
- The unique tapered legs are made of welded steel, with each leg bolted directly to the unit frame. All units have the same standard leg height of 6.5". The leg height makes it easier to clean under the product. Legs are also available in 3" and 8" heights. All heights are available with fixed-to-floor option. Please specify:

(**S6**) Standard height (6.5") w/adjustable glides. No upcharge.

(F6) Standard height (6.5"), fixed to floor. Add \$90.


(S3) Low (3") w/adjustable glides. No upcharge.

(F3) Low (3"), fixed to floor. Add \$90.

(S8) High (8") w/adjustable glides. No upcharge.

- (F8) High (8"), fixed to floor. Add \$90.
- Products can be weighted to reduce the ease of movement. For additional weight options, please specify (CW) see each model for available additional weight and upcharge.
- Tables can be specified with power/USB units, which include one power outlets, one double USB terminals and a Black 120" 3-prong power cord in predetermined locations E1, E2, F3 or T1 as shown in the electrical illustrations below. Electrical units must be factory installed. Add \$881 per unit.
- Power/USB units are available with either Jet Black (J) face plate with Black power/USB receptacles or with a White (W) face plate with White power/USB receptacles.
- Tamperproof fasteners (TP) are available. Please specify. Add \$119.
- Refer to the Seating price list, under lounge seating for the full range of River+ products available.

ELECTRICAL PLACEMENT



RIVER+ TABLES	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
		WxDxH				
	R27855	24 x 24 x 17	40	10.7	\$1329	



24" Square Laminate Coffee Table

Freestanding unit only. For additional weight, please specify (CW). Add \$533 for 36 lbs.

Power/USB units can be specified in position F3 or T1 only. Add \$881.

Required specifications	Optional specifications
Top finish	Power/USB finish
Lea finish/heiaht	Power/LISR Incation

Tamperproof

Req	u	ir	ed	specifications

Top finish Leg finish/height **Optional specifications** Power/USB finish Power/USB location

Tamperproof

Notes:

- Modern tables for reception areas, meeting rooms, and private office use.
- Sirena tables are offered in the following finishes to coordinate with Global casegoods and wood seating:

Absolute Acajou	FCL	First Class
Asian Night	NBL	Noce Biondo
Avant Cherry	NGL	Noce Grigio
Avant Honey	NEL	Noce Leggero
Black	NML	Noce Medio
Blizzard	QTM	Quartered Mahogany
Clear Maple	SBY	Sheer Beauty
Custom Grey	SDT	Stonedust
Dark Espresso	WHE	Walnut Heights
Designer White	WHC	White Chocolate
Fashionista	WCR	Winter Cherry
	Asian Night Avant Cherry Avant Honey Black Blizzard Clear Maple Custom Grey Dark Espresso Designer White	Asian Night NBL Avant Cherry NGL Avant Honey NEL Black NML Blizzard QTM Clear Maple SBY Custom Grey SDT Dark Espresso WHE Designer White WHC

- Laminate tops are 1" thick to coordinate with Global casegoods and wood seating.
- Table legs are available in Black (TBL) or Tungsten (TTU) at no upcharge. Not available in Chrome.
- Legs are 1.5" steel tubing, tapered toward the bottom of the leg to 0.875", equipped with self-leveling pivoting steel glide.

SIRENA TABLES	MODEL#	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE	
	3400 (laminate top)	48 x 22 x 14.5	44	17.25	\$1214	
Coffee Table	Rectangle coffee tab	le.				
	Required specification	ns				

Required specifications
Top finish

Leg finish

S SODA TABLES

SODA TABLES

Notes:

- 1" thick thermally fused laminate top surface with 2mm matching edgeband.
- Tables are standard with a Chrome frame with clear polycarbonate glides and are suitable for carpet, rubber or concrete flooring.
- Meets applicable ANSI/BIFMA standards.
- Soda tables are offered in the following finishes to coordinate with Global casegoods and wood seating:

Absolute Acajou NBL ACJ Noce Biondo **ASN** Asian Night NGL Noce Grigio **AWC** NEL Avant Cherry Noce Leggero **AWH** Avant Honey NML Noce Medio CMB WHC Clear Maple White Chocolate DES Dark Espresso WCR Winter Cherry DWT Designer White

SODA TABLES	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE		
		WxDxH					
	MVL13016	30 x 30 x 15.25	40	13	\$445		
30" Round Table	Shipped assembled in 1 carton.						
	MVL13023	30 x 30 x 15.25	45	13	\$445		
30" Square Table	Shipped assemble	ed in 1 carton.					

WIND TABLES

Notes:

- Wind tables complement the modern decor of many offices.
- Legs are standard in Chrome (CHM). Also available in Black (TBL), Shadow (TSH) or Tungsten (TTU) finish at no upcharge.
- 1" laminate tops are offered in the following finishes to coordinate with Global casegoods and wood seating:

Absolute Acajou	FCL	First Class
Asian Night	NBL	Noce Biondo
Avant Cherry	NGL	Noce Grigio
Avant Honey	NEL	Noce Leggero
Black	NML	Noce Medio
Blizzard	ΩТМ	Quartered Mahogany
Brushed Cobalt	SBY	Sheer Beauty
Clear Maple	SDT	Stonedust
Custom Grey	SOG	Storm Grey
Dark Espresso	WHE	Walnut Heights
Designer White	WHC	White Chocolate
Fashionista	WCR	Winter Cherry
	Asian Night Avant Cherry Avant Honey Black Blizzard Brushed Cobalt Clear Maple Custom Grey Dark Espresso Designer White	Asian Night NBL Avant Cherry NGL Avant Honey NEL Black NML Blizzard QTM Brushed Cobalt SBY Clear Maple SDT Custom Grey SOG Dark Espresso WHE Designer White WHC


• High pressure laminate (**HPL**) tops are available at a 20% upcharge for models 3366, 3367, 3368, 3870 and 3871. Please specify HPL in addition to the finish. HPL not available for models 3878, 3879 and 3880.

WIND TABLES	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE		
	W x D x H						
	3366 (laminate top)	24 x 24 x 17	24	11.5	\$661		
//	(idillilate top)						
_ <u>//</u> \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	0. 1.1.1			01:			
End Table	Steel tubular base.	Tops are available with	th a laminate finish.	Shipped ass	sembled in 1 carton.		
	3367 (laminate top)	48 x 20 x 15	39	16	\$886		
//	(laminate top)						
Destaurates Caffee Table	Ctarl to bull on base	Tana ana anailabla mi	th - landauta field	CL:			
Rectangular Coffee Table	Steel tubular base. Tops are available with a laminate finish. Shipped assembled in 1 carton.						
	2000	00 00 45		00	44044		
	3368 (laminate top)	36 x 36 x 15	50	22	\$1214		
/	(lammato top)						
	Stool tubular basa	Tops are available with	th a laminata finish	Chinnod and	nombled in 1 parton		
Square conee lable	Steer tubulai base.	Tops are available wi	ui a idilililate IIIIISII.	onipped ass	sembled III i carton.		
	2070	24 24 17	20	11 5	6704		
	3870 (laminate top)	24 x 24 x 17	30	11.5	\$721		
// // \\							
Round Table	Steel tubular base. Tops are available with a laminate finish. Shipped assembled in 1 carton.						
	3871	36 x 36 x 15	50	22	\$1115		
	(laminate top)						
// // // //							
Round Coffee Table	Steel tubular base.	Tops are available with	th a Iaminate finish.	Shipped ass	sembled in 1 carton.		
	Required specifications	Onti	onal specifications				
	Top finish	Edge	detail				
		Leg	finish				

VIND TABLES	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
		WxDxH			
	3878	20 x 25 x 16	30	11.5	\$1112
standing Rectangular End Table		ise. Laminate top is 5" thick bled in 1 carton.	c with opening o	n front for stor	rage and visual recess at rear.
	3879	25 x 25 x 16	32	11.5	\$1241
estanding Corner Table	Steel tubular ba	ise. Laminate top is 5" thicl bled in 1 carton.	k with opening o	n front for stor	rage and visual recess at rear.
	- Chipped docum				
	Chipped docon				
	ompped docum				
	ompped docum				
	ompped docom				
	ompped docom				
	ompped docs.ii				
	ompped docom				
	ompped docs				

Required specifications
Top finish

Optional specifications Edge detail Leg finish





Productivity Solutions by Global is a comprehensive series of ergonomically sound products, naturally connecting people with technology to enhance comfort and productivity. Designed to fit you and your technology and fully integrate with Global products to create complete office solutions that meet the needs of today's diverse workplaces.

Designed with human capabilities and comfort in mind, Productivity Solutions by Global provide a good fit for today's workers and meet or exceed ergonomics standards, guidelines and ANSI/BIFMA standards for performance, durability and safety.

FIT = move + match + support



Monitor arm



Power/data module



Lift-N-lock keyboard mechanism

Features and Benefits

- Electric height adjustable table with 18.51" height range.
- Manual height adjustable table has counterbalanced spring mechanism.
- Five keyboard support mechanisms.
- Four keyboard trays.
- New monitor arm options.
- Wire management and power/data options.
- For environmental certifications, please visit globalfurnituregroup.com.



Manual height adjustable desk

MANUAL HEIGHT ADJUSTABLE TABLES

- Manually operated height adjustable tables with counterbalanced spring mechanism.
- Exceptional ergonomic alternative to traditional desking.
- Sit-stand design promotes increased circulation, improving performance and comfort.
- Can be used alone or in conjunction with Global desking products.
- · Tops and bases sold separately.

Please note: Global desk tops are 1".

TOP FINISHES

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

CONSTRUCTION

• 1" thick tops constructed of 45 lb. density particle board with high performance laminate and Global's preferred matching edging.

DIMENSIONS

• When designing workstations, leave 1" clearance on either side to prevent finger pinch.

• 2mm edge in matching color.

- Heavy duty steel formed legs with radius detail are available in Black only.
- Easy to reach tension control supports loads up to 100 lbs.
- Environmentally friendly, recyclable epoxy powder coating provides a durable finish.
- Black plastic leveling glides offer 0.5" adjustability.

MECHANISM

- Counterbalanced height adjustable base supports weights up to 100 lbs.
- Height range from floor to underside of modesty shroud is 17" when surface height is 26".
- 7 year warranty.

SHIPPING

• Easy to assemble with Phillips or Robertson screwdriver.

GROMMETS

- Additional grommets available in standard worksurface locations (left, center or right).
- Order as: FOG1, FOG2 or FOG3. Add \$91.
- Grommet hole dimensions are 3.25" wide x 1.875" deep.



MANUAL HEIGHT ADJUSTABLE TABLES	MODEL#	DIMENSIONS	WI/LB.	COBIC FI.	LIST PRICE		
\sim		WxDxH					
	Tops						
	HTM2446T (HP)	46 x 24 x 1	32	1.5	\$278		
	HTM2458T (HP)	58 x 24 x 1	40	2	\$348		
	HTM3046T (HP)	46 x 30 x 1	40	2	\$337		
	HTM3058T (HP)	58 x 30 x 1	50	2.5	\$425		
	Base						
	KEZLIFT	35.93 x 24 x 25.53	88	5.4	\$1708	N/A	
9							
Rectangular Table		old separately from base (neight adjustable	e base. Height adjustabl	le from 2
	to 46". Keyboard tr	ay and mechanism not ned	essary. Easy	y to assemble.			
Д	KEZLCSTR	2 x 2 x 2.5	3	0.17	\$20	N/A	
2.5" Locking Wheel Casters	Pack of four locking	casters. Interchangeable	on site with	levelers on KEZ	LIFT base. Suita	ble for hard floors.	
•	0	Ü					
-							
	Required specificati	ons O _I	tional speci	fications			
	Finish		ommot				

Grommet


Finish

PRODUCTIVITY SOLUTIONS™ BY GLOBAL

PET FELT PRIVACY SCREEN AND MODESTY PANELS

- PET Felt privacy screens and modesty panels add seated privacy to open plan desking or tables.
- 9mm thick PET Felt offered in 9 finishes: Black (BLK), Brick (BRI), Denim (DEN), Harvest (HVT), Graphite (GPH), Mist (MTS), Pewter (PWT), Shamrock (SHR) and White (WHT).
- Made from 100% PET (polyester) fiber with a high content of post-recycled material (50%), free of added chemicals, binders and adhesives.
- · Lightweight material is tackable, impact and tear resistant, bacteria resistant, moisture resistant, and installation friendly.
- Variation in fiber mix and color are inherent to the character of the product.
- Requires a free clear edge of 1.5"D x length of privacy screen or modesty panel for mounting.
- Privacy screen upmount brackets adapt to 1" thick TFL or 1¹/₁₆" thick HPL tops and do not mar the top surface.

FELT PRIVACY SCREEN	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
		WxDxH			
	PT9PP3013-1	30 x 0.36 x 12.5	2.1	0.6	\$184
	PT9PP3613-1	36 x 0.36 x 12.5	2.4	0.7	\$195
	PT9PP4213-1	42 x 0.36 x 12.5	2.6	0.8	\$261
	PT9PP4813-1	48 x 0.36 x 12.5	3.3	0.9	\$272
	PT9PP5413-1	54 x 0.36 x 12.5	3.6	1	\$340
	PT9PP6013-1	60 x 0.36 x 12.5	3.8	1.1	\$350
	PT9PP6613-1	66 x 0.36 x 12.5	4.5	1.3	\$416
	PT9PP7213-1	72 x 0.36 x 12.5	4.8	1.4	\$426
,,,	PT9PP7813-1	78 x 0.36 x 12.5	5	1.5	\$437
Felt Privacy Screen - 1pk.	· '	n satin anodized finish onl lamps per		pecify finish. 2,	3 or 4 clamps are included depending on wid




PET Felt Privacy Screen - 4pk.

PT9PP3013-4	30 x 0.36 x 12.5	7.6	0.6	\$701	
PT9PP3613-4	36 x 0.36 x 12.5	8.6	0.7	\$741	
PT9PP4213-4	42 x 0.36 x 12.5	9.5	0.8	\$1001	
PT9PP4813-4	48 x 0.36 x 12.5	11.9	1	\$1041	
PT9PP5413-4	54 x 0.36 x 12.5	12.8	1.1	\$1305	
PT9PP6013-4	60 x 0.36 x 12.5	13.8	1.2	\$1340	
PT9PP6613-4	66 x 0.36 x 12.5	16.2	1.3	\$1600	
PT9PP7213-4	72 x 0.36 x 12.5	17.1	1.4	\$1636	
PT9PP7813-4	78 x 0.36 x 12.5	18	1.5	\$1669	

Pack of four PET Felt Privacy Screens available in nine finishes, please specify finish. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only.

- Up to 42"w 2 clamps per
- 48"-60"w 3 clamps per
- 66"-78"w 4 clamps per

PT9PP3013-12	30 x 0.36 x 12.5	21.6	1.9	\$2060	
PT9PP3613-12	36 x 0.36 x 12.5	24.3	2.3	\$2171	
PT9PP4213-12	42 x 0.36 x 12.5	26.9	2.6	\$2945	
PT9PP4813-12	48 x 0.36 x 12.5	33.8	3	\$3052	
PT9PP5413-12	54 x 0.36 x 12.5	36.4	3.4	\$3837	
PT9PP6013-12	60 x 0.36 x 12.5	39	3.7	\$3933	
PT9PP6613-12	66 x 0.36 x 12.5	45.9	4.2	\$4706	
PT9PP7213-12	72 x 0.36 x 12.5	48.5	4.5	\$4801	
PT9PP7813-12	78 x 0.36 x 12.5	51.1	4.9	\$4897	



PET Felt Privacy Screen - 12pk.

Pack of twelve PET Felt Privacy Screens available in nine finishes, please specify finish. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only.

- Up to 42"w 2 clamps per
- 48"-60"w 3 clamps per
- 66"-78"w 4 clamps per

Required specifications

Finish



PET FELT MODESTY PANEL

PET Felt Modesty Panel - 1 pk.

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
PT9MP3013-1	30 x 0.36 x 12.5	2.1	0.6	\$160	
PT9MP3613-1	36 x 0.36 x 12.5	2.4	0.7	\$172	
PT9MP4213-1	42 x 0.36 x 12.5	2.6	0.8	\$227	
PT9MP4813-1	48 x 0.36 x 12.5	3.3	0.9	\$238	
PT9MP5413-1	54 x 0.36 x 12.5	3.6	1.03	\$305	
PT9MP6013-1	60 x 0.36 x 12.5	3.8	1.1	\$315	
PT9MP6613-1	66 x 0.36 x 12.5	4.5	1.3	\$371	
PT9MP7213-1	72 x 0.36 x 12.5	4.8	1.4	\$381	
PT9MP7813-1	78 x 0.36 x 12.5	5	1.5	\$390	

PET Felt Modesty Panel available in nine finishes, please specify finish. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. Specify a nominal size 6" shorter than worksurface size.

- Up to 42"w 2 clamps per
- 48"-60"w 3 clamps per
- 66"-78"w 4 clamps per

PT9MP3013-4	30 x 0.36 x 12.5	7.6	0.6	\$611	
PT9MP3613-4	36 x 0.36 x 12.5	8.6	0.7	\$651	
PT9MP4213-4	42 x 0.36 x 12.5	9.5	0.8	\$866	
PT9MP4813-4	48 x 0.36 x 12.5	11.9	1	\$906	
PT9MP5413-4	54 x 0.36 x 12.5	12.8	1.1	\$1169	
PT9MP6013-4	60 x 0.36 x 12.5	13.8	1.2	\$1205	
PT9MP6613-4	66 x 0.36 x 12.5	16.2	1.3	\$1420	
PT9MP7213-4	72 x 0.36 x 12.5	17.1	1.4	\$1455	
PT9MP7813-4	78 x 0.36 x 12.5	18	1.5	\$1490	

Pack of four PET Felt Modesty Panels available in nine finishes, please specify finish. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. Specify a nominal size 6" shorter than worksurface size.


- 48"-60"w 3 clamps per

1 131011 3013-4	30 X 0.30 X 12.3	7.0	0.0	9011	
PT9MP3613-4	36 x 0.36 x 12.5	8.6	0.7	\$651	
PT9MP4213-4	42 x 0.36 x 12.5	9.5	0.8	\$866	
PT9MP4813-4	48 x 0.36 x 12.5	11.9	1	\$906	
PT9MP5413-4	54 x 0.36 x 12.5	12.8	1.1	\$1169	
PT9MP6013-4	60 x 0.36 x 12.5	13.8	1.2	\$1205	
PT9MP6613-4	66 x 0.36 x 12.5	16.2	1.3	\$1420	
PT9MP7213-4	72 x 0.36 x 12.5	17.1	1.4	\$1455	
PT9MP7813-4	78 x 0.36 x 12.5	18	1.5	\$1490	

• Up to 42"w - 2 clamps per

• 66"-78"w - 4 clamps per

30 x	30 x 0.3	6 x 12.	5	21.6	1.9	\$1790		
36 x	36 x 0.3	6 x 12.	5	24.3	2.3	\$1902		
42 x	42 x 0.3	6 x 12.	5	26.9	2.6	\$2538		
48 x	48 x 0.3	6 x 12.	5	33.8	3	\$2646		
54 x	54 x 0.3	6 x 12.	5	36.4	3.4	\$3432		
60 x	60 x 0.3	6 x 12.	5	39	3.7	\$3527		
66 x	66 x 0.3	6 x 12.	5	45.9	4.2	\$4164		
72 x	72 x 0.3	6 x 12.	5	48.5	4.5	\$4260		
78 x	78 x 0.3	6 x 12.	5	51.1	4.9	\$4356		



- Up to 42"w 2 clamps per
- 48"-60"w 3 clamps per
- 66"-78"w 4 clamps per

PET Felt Modesty Panel - 4 pk.

PET Felt Modesty Panel - 12 pk.

Required specifications

MONITOR ARMS

- · Free up valuable space on surfaces.
- Attach to any standard 1" to 1.5" thick surface with flush edge by a desk clamp or through a grommet. Mounting hardware included.
- · Clamps on worksurfaces 0.5" to 2.625" thick.
- For use in grommets up to 3.5" wide.
- Built-in cable management.
- Quick connect option is standard with hole patterns to meet Video Electronics Standards Association (VESA) standards (75mm x 75mm or 100mm x 100mm).
- Monitor arm components are 100% recycled aluminum die cast material, providing stability and durability.
- Available finishe: Silver (SIL) standard (except where noted otherwise).


WONTON ANWS
G7 Single Monitor Ar

MONITOD ADMC

C7	Cin	ala	M	nita	r Arm
u,	OIII	luic	IVIU	IIILU	ı mılı

WxDxH	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
		WxDxH			
PSMA1 - x 5.5 x 21 6.6 0.4 \$418	PSMA1	- x 5.5 x 21	6.6	0.4	\$418

For use with a monitor weighing 4.4 to 19.8 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of 20.5" extension from rear of desk to back of monitor, folds to 4.5". Monitor can rotate for portrait or landscape viewing with -90° to 45° tilt adjustment. 180° lockout function. Maximum monitor width of 34". Some assembly required. Tungsten finish only. Also accommodates mini slide arm PSMS.



G7 Double Monitor Arm

PSMA2	- x 5.5 x 21	12.8	1	\$734

For use with monitors weighing 4.4 to 19.8 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of 20.5" extension from rear of desk to back of monitor, folds to 4.5". Monitor can rotate for portrait or landscape viewing with -90° to 45° tilt adjustment. 180° lockout function. Maximum monitor width of 34" (per arm). Some assembly required. Tungsten finish only. Also accommodates mini slide arm PSMS.

*Must be specified with quantity two (2) PSMS mini slides for monitor arms, not included.



G7 Mini Slide for Monitor Arm

PSMS	11 x 6 x 4.5	3.3	0.3	\$145

The mini slide is for use with PSMA1 and PSMA2 monitor arms only. Provides 9" of lateral adjustment for the monitor and allows for better positioning of monitors when used side by side. Some assembly required. Tungsten finish only.

- If for PSMA1, order one (1)
- If for PSMA2, order two (2)

26.7" adjustment
180°
180°()

Single Screen Double Extension Arm - Light Duty

M7750LD 5.5 x 4.5-22.7 x 24.4 7	7.5 1.12	\$512
---------------------------------	----------	-------

For use with monitors weighing 5 to 20 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of 26.7" extension from rear of desk to back of monitor; folds to 4.5". Monitor can rotate 180° for portrait or landscape viewing with -90° to 45° tilt adjustment. Integral monitor weight adjustment gauge. Aluminum die cast construction. VESA plate edge clamp and grommet mount included. Silver finish. Some assembly required.

• Also available in **Black finish** #M7750LDB or **White finish** #M7750LDW.

Required specifications

Finish

MONITOR ARMS
180° 12.4" ht. adjustment

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	WxDxH			
MON1SDEH	29.3 x 9.5 x 12.5	8.2	1.1	\$533

Single Screen Double Extension Arm with Height Adjustment

Counterbalanced arm provides an additional 12.4" of height adjustment. Double extension allows 19" of horizontal back and forth movement. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Cable manager comes on extension arm and hides all cables. Supports a 20 lb. load capacity. No maximum monitor width. Minor assembly required.

1.12

\$548

7.5



Single Screen Double Extension Arm - Medium Duty


For use with monitors weighing 10 to 30 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of 26.7" extension from rear of desk to back of monitor; folds to 4.5". Monitor can rotate 180° for portrait or landscape viewing with -90° to 45° tilt adjustment. Integral monitor weight adjustment gauge. Aluminum die cast construction. VESA plate edge clamp and grommet mount included. Silver finish. Some assembly required.

• Also available in **Black finish** #M7755MDB or **White finish** #M7755MDW.


5.5 x 4.5-22.7 x 24.4

Required specifications

M7755MD



27" HDPE Tray



Tray with Height Adjustable Mouse Support - Black

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
KT27M02	27.5 x 11.5 x 0.38	6	0.4	\$263	


Allows mouse to be easily positioned at the same height as, and to the left or right of the keyboard. Palm rest is easily removable. Includes anti-slip strips. High density polyethylene (HDPE) surface material. Self-skinned urethane (SSU) palm rest. Compatible with all Global keyboard mechanisms.

• Specify mechanism separately, see pages 81-81.

KTMT03	23 x 11.5 x 2.8	5.8	0.6	\$284	

Low profile tray with highly adjustable mouse support that allows the user to position the mouse surface according to their needs and preferences. Mouse support features include: height adjustment, swivel and tilt. User can easily mount on left or right side of keyboard tray, easily swivel and adjust the height position to maintain neutral postures, and independently adjust the mouse surface tilt so mouse stays on the support when the keyboard tray is tilted. Compatible with all Global keyboard mechanisms. Palm rest is easily removable. Includes mouse fence with cable manager and anti-slip strips. Keyboard tray is 23"W x 11.5"D and mouse support is 11" in diameter. Tray support material a compact phenolic panel, mouse tray in ABS plastic. Plug-in gel-feel foam palm rest.

Specify mechanism separately, see pages 81-81.



Lift-N-Lock	Keyboard	Support
Mechanism		

E	LIST PRICE	CUBIC FT.	WT/LB.	DIMENSIONS	MODEL#
				WxDxH	
	\$266	0.7	9.7	9 x 23.8 x 9.7	KSM02-21
	\$266	0.6	8	7.4 x 19.7 x 8.2	KSM02-18
	\$266	0.4	5.4	5 x 13.1 x 5.4	KSM02-12

Knobless height adjustment and independent tilt adjustment. Locks automatically into position with release of tray. Positive tilt lockout available by special order with extended lead time. Compatible with all Global keyboard mechanisms. Good for single users who frequently change positions and for multiple users. Swivels 360°.

- KSM02-21 requires 21.75" of depth clearance under the surface for installation.
- KSM02-18 requires 18" of depth clearance under the surface for installation.
- KSM02-12 requires 12" of depth clearance under the surface for installation.
- Specify keyboard tray separately, see page 80.


2.38" height range	height range taken from top of track travel
6.50" level 0%	-20°

Slim Fit Keyboard Support Mechanism

Black					
KSFK-21	7.5 x 23.8 x 4.75	5.4	0.6	\$266	
KSFK-18	7.5 x 19.7 x 4.75	5.4	0.5	\$266	
KSFK-12	7.5 x 13.1 x 4.75	5.4	0.5	\$266	
Warm White					
KSFK-21-W	7.5 x 23.8 x 4.75	5.4	0.7	\$274	

Super slim profile accommodates leg clearance requirements of more users. Knobless height adjustment and independent tilt adjustment. Positive tilt lockout available by special order with extended lead time. Height and depth indicators together in dashboard. Compatible with all Global keyboard mechanisms. Good for single users who frequently change positions and for multiple users. Swivels 360°.

- KSFK-21 requires 21.75" of depth clearance under the surface for installation.
- KSFK-18 requires 18" of depth clearance under the surface for installation.
- KSFK-12 requires 12" of depth clearance under the surface for installation.
- Specify keyboard tray separately, see page 80.



Lift-N-Lock Sit-Stand Mechanism

KSM03-21	9 x 23.8 x 9.7	11.8	0.9	\$428	
KSM03-18	7.4 x 19.7 x 8	9.7	0.7	\$428	
KSM03-12	5 x 13.1 x 5.3	6.5	0.5	\$428	

Ergonomic support for both seated and standing positions. Curved neck allows user closer access to the desk. Positive tilt lockout available by special order with extended lead time. Compatible with all Global keyboard mechanisms. Recommended for single users who alternate between sitting and standing. Swivels 360°.

- KSM03-21 requires 21.75" of depth clearance under the surface for installation.
- KSM03-18 requires 18" of depth clearance under the surface for installation.
- KSM03-12 requires 12" of depth clearance under the surface for installation.
- Specify keyboard tray separately, see page 80.

KEYBOARD SUPPORT PACKAGES

Packages consist of a keyboard tray with mouse support, keyboard mechanism and a 21.75" glide track which requires 21.75" of depth clearance under the surface for installation.		
Contact Customer Service for 18" and 12" glide track package pricing.	KT27M02	KTMT03
KSM02-21	KP0202 \$529	KP0203 \$550
KSFK-21	KPSF02 \$529	KPSF03 \$550
KSM03-21	KP0302 \$691	KP0303 \$712

CPU HOLDERS	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
		WxDxH			
	PCPU-HC	5.5-9 x 15 x 9.25	8	0.45	\$149
CPU Holder on Casters	Adjusts 5.5" - 9." in w	ridth. Front locking cast	ers. Assembly	y hardware inc	luded. Height without CPU is 9.25".
	Depth without CPU is PCPU-GT	15". Black only. 3.5 x 9.3 x 13.5	12.6	1.4	\$281
CPU Holder on Glide Track		vith widths from 3.5" to Steel and engineered r			to 22.5". 17" glide track and 360° swivel for easy

			PROD	UCTIVIT	TY SOLUTIONS	S™ BY GLO
NER / DATA	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	PCSN01	W x D x H 3 x 2 x 31.25	2.1	0.2	\$115	
le Snake		nagement. Provides acces thin cable snake. Length (underside of worksurface v lastic only.	vhere it attaches.
	PCSN01E	3 x 2 x 18	2.1	0.2	\$92	
e Snake Extension		se with cable snake PCSN Silver plastic only.	01. Additional	8 links extend	cable snake up to 49" in ler	gth. Ideal for heigh
	PSDPC22W	4.88 x 2.25 x 2.25	2.5	0.5	\$449	
lim Desktop 2 Power/USB-A and -C	10' cord with mol	ded plug. Includes three n	ounting option	ns: a screw-in r	one USB-A port and one U nounting plate for forward t s. Gloss White body with (acing outlets; unde
	PSDPC32W	6 x 2.25 x 2.25	2.6	0.5	\$586	
lim Desktop 3 Power/USB-A and -C	10' cord with mol	ded plug. Includes three n	ounting option	ns: a screw-in r	, one USB-A port and one U nounting plate for forward t s. Gloss White body with 0	acing outlets; unde
· 0	PS3525057 PS3525002	5.5 x 3.2 x 3 5.5 x 3.2 x 3	3	0.2 0.2	\$695 \$695	
p Mount 2 Power/USB-A and -C	delivery port. 10' thumb screws.		_ listed. Clamp	o accommodate	es; 2.4 amp USB-A port and es worksurfaces 0.5″ to 1.5′ Black module with Silver bra	thick; fastened wit
	PS3526057 PS3526002	5.5 x 2.8 x 1.8 5.5 x 2.8 x 1.8	3.2 3.2	0.2	\$695 \$695	
or Mount 2 Power/USB-A and -C	delivery port. 10'	mount module with two 1 cord with molded plug. U te module with Silver brac	_ listed. Moun	itable under mo	es; 2.4 amp USB-A port and ost worksurfaces. Black module with Silver br	•

VER / DATA	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
		WxDxH			
	PS3525057	5.5 x 3.2 x 3	3	0.2	\$695
	PS3525002	5.5 x 3.2 x 3	3	0.2	\$695
amp Mount 2 Power/USB-A and -C	Asniey Duo clamp	mount module with two	15 amo 170 VOI	T AL TECENTANIE	ie: 7 /i amin i i x R=17 nott and bli (//att i i x
	thumb screws.		L listed. Clam	o accommodate	s worksurfaces 0.5" to 1.5" thick; fasti
	thumb screws.	cord with molded plug. U	L listed. Clam	o accommodate	s worksurfaces 0.5" to 1.5" thick; fast
	thumb screws. PS3525057 - Whi	cord with molded plug. U	L listed. Clamp	o accommodate PS3525002 - B	s worksurfaces 0.5" to 1.5" thick; fast
nder Mount 2 Power/USB-A and -C	thumb screws. PS3525057 - Whi PS3526057 PS3526002 Ashley Duo under	te module with Silver brace 5.5 x 2.8 x 1.8 5.5 x 2.8 x 1.8	L listed. Clamp ket. 3.2 3.2 3.2 5 amp 120 vol	PS3525002 - B 0.2 0.2 t AC receptable	s worksurfaces 0.5" to 1.5" thick; fastiglack module with Silver bracket. \$695 \$695 \$595

12 x 12 x 28.25



Isle Power Tower

PTISL96GB	18 x 18 x 25.5	28	6.5	\$3760
PTISL96GW	18 x 18 x 25.5	28	6.5	\$3760
PTISL96SP	18 x 18 x 25.5	28	6.5	\$3760

Includes three (3) standard duplexes each with two (2) 110V power outlets; and three (3) USB-A + USB-C duplexes each with two (2) 110V power outlets, one (1) 55W USB-C power delivery port and one (1) 1.5A, 5V USB-A port. Total of twelve (12) 110V power outlets, three (3) USB-A and three (3) USB-C ports. 9' cord with molded plug.

4.3

\$2113

Available in Gloss Black (GB), Gloss White (GW) and Silver Pearl (SP) as indicated by last letter of model number.

10



Vesta Portable Power Tower

PPVST3WF

Matte White finish with Fog inserts.

Includes three 110V power outlets (one on top, two on base), two USB-A and one USB-C charging ports.	10' cord with plug.



POWER / DATA

Single Sided Recessed Power Block - USB-A + USB-C

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
PRTMCS421B	10.78 x 4.22 x 4.86	4.5	0.51	\$759	
PRTMCS421T	10.78 x 4.22 x 4.86	4.5	0.51	\$759	
PRTMCS421W	10 78 x 4 22 x 4 86	4.5	0.51	\$759	

Single sided recessed power block with one power/USB-A/USB-C duplex and one data knockout on top; one power duplex on bottom. USB -A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 86. Available in Black (B), Tungsten (T) or White (W) as indicated by last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are R1, R2, R3 or RS.

• Cannot be daisy-chained.



Double Sided Recessed Power Block - USB-A + USB-C

PRTMCD622B	10.78 x 6.22 x 4.86	6.1	0.51	\$831	
PRTMCD622T	10.78 x 6.22 x 4.86	6.1	0.51	\$831	
PRTMCD622W	10.78 x 6.22 x 4.86	6.1	0.51	\$831	

Double sided recessed power block with one regular power duplex, one power/USB-A/USB-C duplex and two data knockouts on top; one power duplex on bottom. USB-A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 86. Available in Black (B), Tungsten (T) or White (W) as indicated by last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are T1, T2, T3 or TS.

• Cannot be daisy-chained.



Double Sided Recessed Power Block - USB-A + USB-C

PRTMCD642B	10.78 x 6.22 x 4.86	6.3	0.51	\$1001
PRTMCD642T	10.78 x 6.22 x 4.86	6.3	0.51	\$1001
PRTMCD642W	10.78 x 6.22 x 4.86	6.3	0.51	\$1001

Double sided recessed power block with two power/USB-A/USB-C duplexes and two data knockouts on top; one power duplex on bottom. USB -A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 86. Available in Black (B), Tungsten (T) or White (W) as indicated by last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are T1, T2, T3 or TS.


• Cannot be daisy-chained.

POWER / DATA	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE		
	PTEL01	W x D x H 3.25 x 2 x -	0.01	0.05	\$319		
ecom Plate - 2 x 6	Includes 2 x RJ45	5 cat 6 data jacks. Black t	elecom plate. To	be hardwired	by data contractor.		
	PTEL12	3.25 x 2 x -	1	0.1	\$319		
lecom Plate - 2 x 6	Includes 2 x RJ45	5 cat 6 data jacks. Grey te	lecom plate. To	be hardwired b	oy data contractor.		
	PTEL02	3.25 x 2 x -	0.01	0.05	\$314		
lecom Plate - 3 x 6	Includes 1 x RJ11	1 cat 3 phone jack and 2 x	RJ45 cat 6 data	jacks. Black te	elecom plate. To be hardwired by data contr		
	PTEL03	3.25 x 2 x -	0.01	0.05	\$578		
elecom Plate - 4 x 6	Includes 4 x RJ45	5 cat 6 data jacks. Black to	elecom plate. To	be hardwired	by data contractor.		
	PTEL13	3.25 x 2 x -	0.01	0.03	\$578		
elecom Plate - 4 x 6	Includes 4 x RJ45	Includes 4 x RJ45 cat 6 data jacks. Grey telecom plate. To be hardwired by data contractor.					
THE STATE OF THE S	PTEL04	3.25 x 2 x -	0.01	0.05	\$400		
elecom Plate - 3TSV		5 cat 6 data jack, mini ster by data contractor.	eo and 15 pin HI	D VGA with fem	nale to male connector cable. Black telecom		
	PTEL05	3.25 x 2 x -	0.01	0.05	\$745		
elecom Plate - 3SVH	Includes mini ste Black telecom pla		emale to male c	onnector cable	and HDMI with female to female connector		
	PTEL14	3.25 x 2 x -	1	0.1	\$745		
elecom Plate - 3SVH	Includes mini ste Grey telecom pla		emale to male c	onnector cable	and HDMI with female to female connector		

POWER / DATA	MODEL#	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE
	PTEL08	3.25 x 2 x -	1	0.1	\$277
Telecom Plate - 1 USB-C and 1 USB-A		B-C port with 20" male pigt cordered separately. Grey			2" pigtail. Requires powered USB transformer (mode
	PUSBTRSF	3.25 x 2 x -	1	0.03	\$183
Powered USB Transformer	Provides power fo	or PTEL08 - 25w, 100-240	VAC, 5-9VDC or	ne USB-C and t	wo USB-A female ports.
8 8	PTEL09	3.25 x 2 x -	1	0.1	\$372
Telecom Plate - 2 USB-A	Includes two USE	3-A ports each with 72" pa	tchcord. Grey t	telecom plate.	
	PTEL10	3.25 x 2 x -	1	0.1	\$765
Telecom Plate - 2 RJ45 and 1 HDMI	Includes two RJ4	5 Cat 6 data jacks and one	e HDMI with 36	" male pigtail; †	female/female gender changer. Grey telecom plate.
•••	PTEL11	3.25 x 2 x -	1	0.1	\$609
Felecom Plate - 1 HDMI and 1 USB-A	Includes one HDN	Al female/female with 36	patchcord and	one USB-A wir	th 72" patchcord. Grey telecom plate.

POWER SOLUTIONS FOR FLEXIBLE SPACES

- Perfect for training areas, meeting rooms, in-office workstations and more; Code compliant that allows users to optimize any space providing convenient power access.
- Connect up to four units from a single infeed, delivering AC power and USB charging to the table tops.
- Two styles are available: in-surface modules or on-surface modules.
- Starter modules include 10' corded infeed with 3-prong NEMA plug.
- Touch safe easy to use connectors from module to module with added latch to prevent unintended separation.
- Each module features three tamper-resistant receptacles, USB-A and USB-C charging ports.
- Overall maximum length joined together not to exceed 48.5 feet per infeed.
- UL listed to UL962A SD, the standard for furniture power distribution units on portable/movable workspace tables.
- Certified to CSA standard C22.2 No. 203-16.
- When ordering in-surface modules be sure to select corresponding cut-out options when specifying tables. Specify MPS for a single centered cut-out on the approach side of the table or MPD for two cut-outs in the left and right hand positions. Upcharge will apply per cut-out. Cut-outs are available on the following series: 2gether tables, Bungee rectangular fixed and flip-top tables, Bungee SL tables, ConnecTables, Edventure study carrels and Zook rectangular and flip-top tables. Surface must be a minimum of 1/2" to a maximum of 11/2" thick for proper mounting of the units.
- On-surface modules come with a clamp mount that will accommodate any material from ½" to ½" thick; additional brackets are also included for alternate screw in mounting options that can accommodate vertical or horizontal positions.
- In-surface cut-out dimensions: 7.15" x 2.25".



MODPOWER DAISY-CHAIN SOLUTION



ModPower In-Surface Starter Unit

	WxDxH				
PMDSF10MG	7.63 x 2.75 x 2.63	3.44	1	\$597	
PMDSF10WH	7.63 x 2.75 x 2.63	3.44	1	\$597	

Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptables, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number.



ModPower In-Surface Middle Unit

PMDCF3MG	7.63 x 2.75 x 2.63	2.44	2.44	\$562
PMDCF3WH	7.63 x 2.75 x 2.63	2.44	1	\$562

Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptables, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number.



ModPower In-Surface End Unit

PMDEF3MG	7.63 x 2.75 x 2.63	1.85	1	\$494
PMDEF3WH	7.63 x 2.75 x 2.63	1.85	1	\$494

Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptables, one USB-A and one USB-C charging ports, and a circuit breaker. Two cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number.



MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
PMDSA10MG	6.13 x 1.75 x 2.5	4.33	1	\$631	
PMDSA10WH	6.13 x 1.75 x 2.5	4.33	1	\$631	

Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptables, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number.

0	

ModPower On Surface Middle Unit

PMDCA3MG	6.13 x 1.75 x 2.5	3.3	1	\$597	
PMDCA3WH	6.13 x 1.75 x 2.5	3.33	1	\$597	

Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptables, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number.



ModPower On Surface End Unit

PMDEA3MG	6.13 x 1.75 x 2.5	2.75	1	\$528	
PMDEA3WH	6.13 x 1.75 x 2.5	2.75	1	\$528	

ModPower Cable Management Clips

Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptables, one USB-A and one
USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Two cable management
cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number.

0.2

0.9

\$102

\$329



Package of 10 clips.

PMDCLIPS

PMDJ36BK



1.38

0.3

2.6 x 2.5 x 0.6

36 x - x -

ModPower Interconnecting Jumper

Interconnection jumper cord to add an additional 3' of cord length between in-surface and on-surface ModPower units. 3' cord with male and female connector. Package of 2 jumpers.

PRODUCTIVITY SOLUTIONS™ BY GLOBAL OFFICE ACCESSORIES MODEL# **DIMENSIONS** WT/LB. LIST PRICE CUBIC FT. WxDxH PEWM5.5 66 x 2 x 2 0.6 0.1 \$136 PEWM5 60 x 2 x 2 0.6 0.1 \$114 PEWM4.5 54 x 2 x 2 0.5 0.1 \$103 0.5 \$89 PEWM4 48 x 2 x 2 0.1 0.4 \$80 PEWM3.5 42 x 2 x 2 0.1 PEWM3 36 x 2 x 2 0.4 0.1 \$70 PEWM2.5 $30 \times 2 \times 2$ 0.3 0.1 \$55 \$46 PEWM2 $24 \times 2 \times 2$ 0.3 0.1 PEWM1.5 18 x 2 x 2 0.2 0.1 \$34 \$25 0.2 PEWM1 12 x 2 x 2 0.1 Wire Manager Plastic tray flexes to receive and hold electrical and data wires. Quickly attaches with two strips of double-sided tape. Black only. **PEVWM** 22 x 2 x 2 0.3 0.1 \$46

Vertical Wire Manager

From underside of worksurface to bottom panel. Capable of holding electrical and data wires in a vertical position. Black only. Attaches with two strips of double-sided tape.

PEEOCKS 18 x 18 x 1.12 6 0.3 \$79

Converts two 1" thick worksurfaces at 90° into a keyboard support corner. Finished in Black (BLK) or Tungsten (TUN) epoxy coating.

PEEPD 22.5 x 15 x 1.5 2 0.7 \$145

Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside of any 24"D and 30"D worksurface with included roller slides. There are no specifications for Pencil Drawer.

• May be used with all Casegoods.

Corner Keyboard Plate*

Pencil Drawer

Required specifications

CENTER DRAWERS

NOTES:

- Center drawers must be dealer or end user installed. Drawers do not fill entire center space opening.
- Approximate kneespace widths are:

30" x 60" DP 25.5" 30" x 66" DP 31.5" 30" x 72" DP 37.5" 30" x 66"/20" x 40" L 22.5" 30" x 66"/24" x 48" L 24.5" 36" x 72"/24" x 48" L 30.5"

CENTER DRAWERS	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
		WxDxH				
	CD28	28 x 18 x 3	5	1	\$248	
Center Drawer*		front is attached to a 4-sid m list available in each seri		commended for	use on 36" x 72" desks.	
	M393	4.5 x 3.12 x 0.25	1	1	\$16	
Flat Bracket	Used as a mendir	ng plate to give additional v	vorksurface su	ipport.		

Required specifications
Finish*

QUICK ASSEMBLY ELECTRIC HEIGHT ADJUSTABLE BASE

GENERAL INFORMATION

- Quick assembly electric height adjustable bases with leg columns preassembled to telescopic cross bar assembly including electric motors. Unfold leg columns, attach feet and worksurface support to base; fasten assembly to top; plug in connections and start to use.
- 3-stage base. Range of adjustability with 1" thick top is 22.6" to 48.2"H.
- Easy to use up-down controller with digital read-out and four memory programmable positions.
- Dual motor with 265 lbs. lift capacity.
- · Anti-collision sensor.
- Standby power consumption 0.1W. Active power consumption 220W.
- Operates at 1.2" per second.
- . 8' long power cord.
- Meets applicable ANSI/BIFMA x5.5 standards.
- ETL/CETL and Greenguard Certified

ELECTRIC HAT COMPONENTS	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
		WxDxH				
	MLIR30B	42.5 x 22.8 x 21.6-47.2	77.2	2.9	\$1049	
Г						
1 1						
1						

Quick Assembly Electric HAT -3-Stage, 2-Leg Base Only

Quick assembly 2-leg, 3-stage electric height adjustable table base. Beam and leg columns with motors are preassembled. Unfold leg columns and lock into place. Width adjustable for 46"W to 76"W tops. Specify base finish: Black (BLK) or Tungsten (TUN). Shipped partially assembled in 1 carton.

Base can be used with all FreeFit surfaces of 23"D and 29"D, from 46"W to 70"W.

finishes

Care and Cleaning

Hard Surfaces

Laminate, painted +plated metal finishes: Wipe the surface with a clean soft damp cloth; if needed, a mild soap solution (i.e. lvory dishwashing liquid) can be used. To prevent streaks, dry the surface with a clean dry soft cloth moving in a circular motion.



Desks, Workstations, Tables and Accessories - Laminate

Absolute Acajou (ACJ) Asian Night (ASN) Avant Cherry (AWC) Avant Honey (AWH) Black (BLK) Blizzard (BZD) Brushed Cobalt (BRC) Clear Maple (CMB) Custom Grey (CGY) Dark Espresso (DES) Designer White (DWT) Fashionista (FAS) First Class (FCL) Noce Biondo (NBL) Noce Grigio (NGL) Noce Leggero (NEL) Noce Medio (NML) Quartered Mahogany (QTM) Sheer Beauty (SBY) Stonedust SDT) Storm Grey (SOG) Walnut Heights (WHE) White Chocolate (WHC) Winter Cherry (WCR)

Solid Wood and Laminate Coordinating Colors

Solid Wood ColorsLaminate ColorsAbsolute (AAM)Absolute Acajou (ACJ)Black (BKM)Black (BLK)Cherry (ACM)Avant Cherry (AWC)Espresso Cafe (ECM)Dark Espresso (DES)

Fruitwood (TFM) Gray (HGM) -

Honey (AHM) Avant Honey (AWH)
Mahogany (TMM) Quartered Mahogany (QTM)

Maple (AVM) Clear Maple (CMB)

Medium Walnut (MWM) -

Night (ASM)
Noce Biondo (NBM)
Noce Grigio (NGM)
Noce Grigio (NGL)
Noce Leggero (NEM)
Noce Medio (NMM)
Noce Medio (NMM)

Walnut (TWM)

WC Cream (WTM) White Chocolate (WHC)
White (WHM) Designer White (DWT)
Winter Cherry (WCM) Winter Cherry (WCR)

Metal Leg Finishes (check series for applicable finishes)

Antique Copper (ACO) Black (TBL) Brushed Chrome (BCH) Buzz Blue (TBZ) Cactus (TCC) Carrot (TCR) Cloud (TIV) Chrome (CHM) Designer White (TDW) Dijon (TDJ) Eggplant (TEG) Fog (TFO) Frost (TFR) Ink (TIN) Latte (TLA) Mocha (TMO) Nevada (TNE) Kalua (TKA) Sand (TSN) Satin Brass (SBR) Scarlet (TSR) Shadow (TSH) Toast (TOA) Tungsten (TTU)

LAMINATE FINISH CHART

FINISH CODE	ACJ	ASN	AWC	AWH	BLK	BZD	BRC	СМВ	CGY	DES	DWT	FAS	FCL	NBL	NGL	NEL	NML	ОТМ	SBY	SDT	sog	WHE	WHC	WCR
LAMINATE DESKING																								
TABLES - CAFÉ, MEETI	NG & C	ONFER	RENCE																					
Swap	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Zira boardroom	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TABLES - TRAINING																								
Bungee	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Junction	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TABLES - RECPEPTION	& OCC	ASION	AL							,														
Citi	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Occasional Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Sirena Tables	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
Wind Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
PRODUCTIVITY SOLUT	IONS																							
Height Adjustable Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

This illustrated list price book has been designed to facilitate fast reference and easy use. Products are categorized into "seating", "desks", "files", "panels" or "tables" and are listed numerically within their categories. The line drawings match actual photographs (where possible) to aid in instant recognition of the total range within a series.

Sales of Global Furniture Group ("Global") products are made only on Global's standard Terms and Conditions of sale which are contained in this list price book. The "Purchaser" in these Terms and Conditions shall refer to Dealers and those who originally purchase directly from Global for use or re-sale. These standard Terms and Conditions may be modified or supplemented only by a separately written document signed by Global's authorized personnel at its head office in Toronto, Ontario, Canada. Any term or condition contained in any purchase order or other form used by the Purchaser to order goods (including standard, printed language) which is different from, in addition to, or in any way inconsistent with Global's standard Terms and Conditions shall be of no force or effect whatsoever.

All illustrations, specifications and prices in this list price book are based on the latest product information available at time of publication. Global reserves the right to make changes at any time and without prior notice to prices, colors, materials, specifications and models offered.

Description

Each product shown or described in this list price book is standard Global product. Available options are noted at the beginning of each series. Available options may require additional delivery time and cost, and may affect the warranty given. Sizes and weights shown are approximate and are subject to slight changes from time to time.

Prices and Payment

The prices shown in this list price book as well as those quoted by Global, are in Canadian dollars for orders shipped to destinations in Canada.

If shipping date requested is more than 90 days from date of order, Global shall reserve the right to use published list prices effective at time of shipment.

Orders are invoiced at time of shipment. Terms of payment are net 30 days from date of invoice unless otherwise stated. The Purchaser agrees that Global shall reserve the right to enforce a charge amounting to 1.5% per month (18% per year) on invoices outstanding more than 30 days.

If the Purchaser's most recent annual net volume is less than \$5,000, Global may suggest payment be made in advance.

All orders are subject to the Purchaser complying with Global's prevailing credit policy.

Any products sold by Global shall remain the property of Global until fully paid.

Prices are suggested list prices only and are subject to change without notice. Global will, however, attempt to keep the Purchasers up-to-date on all developments including price changes.

Taxes

All prices shown in this list price book are exclusive of sales, use, excise, HST and other applicable taxes and duties which may be the Purchaser's responsibility as per the invoice issued by Global. If the Purchaser claims an exemption from such taxes, it shall be the Purchaser's responsibility to furnish Global with an appropriate exemption certificate at time of order.

Ordering Information

Global requires that all orders be submitted in writing and will be acknowledged on Global's acknowledgement forms governing the transaction.

The details appearing on this acknowledgement will describe the items to be shipped and the approximate shipping date. It is the Purchaser's responsibility to determine that the information in the acknowledgment is correct. In the event of an error, the Purchaser must notify their Global Customer Service representative immediately by telephone followed by written confirmation. Shipping dates are assigned to orders based on the items having the longest manufacturing lead time (unless instructed to partial ship).

At time of order, please provide the following information:

- 1. Account number (if possible)
- 2. PO number
- 3. "Bill to" and/or "Ship to" and name and address
- Complete model number and selected options including textiles/finishes
- 5. Special instructions and tag information
- 6. Shipping instructions, please indicate:
 - a. pick up
 - b. Global trailer program
 - c. common carrier, provide name of carrier, your account number
- 7. Special quote (SQ) # or MTM # (if applicable)
- 8. Customer's Own Material (COM), Global Purchased Material (GPM). Customer's Own Leather (COL), see below.
- 9. For specials and custom quoted product, please indicate the custom quote # on your PO. If changes are made to the quote a new quote must be issued prior to submitting the order. It is the Purchaser's responsibility to determine that the information on the quote is correct. Global will not be responsible for wrong product due to errors in the quote.

The above points will be checked by Global for accuracy. Global will process orders using the codes provided by the Purchaser. Price discrepancy is the responsibility of the Purchaser. The Purchaser must notify Global prior to invoicing.

The Purchaser is responsible for providing correct information at time of order. If no option(s) are selected the system will default to standard feature(s). Orders with missing/incorrect information (finish, etc.) will be put on hold until all information is complete. Orders will be scheduled for manufacturing upon receipt of complete information.

Changes and Cancellations

After the date of Global's acknowledgment of the Purchaser's order, the order may not be changed or cancelled by the Purchaser without the written consent of Global. Orders for products upholstered in "special order textiles" (GPM) cannot be cancelled once material has been purchased. Special order items, COM and textile-covered items already in production are not subject to change or cancellation under any circumstances. Textile-covered items are considered to be in production once the textile is scheduled for cutting. Other standard items already in production are subject to a minimum 35% cancellation charge.

Errors and Omissions

All quotations, acknowledgements and invoices are subject to corrections for any errors and omissions.

Casters

The list price book specifies the caster which comes standard with each chair model. Most chairs are equipped with C1 or C65 casters which are best used on carpeted surfaces. If it is intended to use the product on hard surfaces such as ceramics, concrete, linoleum or hardwood, it is recommended to use different casters. It is the responsibility of the customer to determine the standard caster for a particular product and whether such caster is appropriate for the given application. The Arm and Caster section illustrates the caster options offered by Global and their suggested uses.

FINISHES

Seating Finishes - Painted

Where painted frames are not a standard color, a special quote is required.

Seating Finishes - Wood Stains

A one time setup fee of \$250 net will be applied per order for custom wood staining/color matching requests. This payment will be valid for 5 years from the date it is set up. After 5 years, the \$250 setup fee will apply again. Restrictions may apply. The customer must provide a 3" \times 3" color chip/sample.

For application of customer's own wood stain, there will be an upcharge of 10% list price, per unit (in addition to the option upcharge, when applicable). For orders with custom stain unit quantities of 30 or more, the upcharge may be reduced or eliminated. A <u>Special Product Request</u> must be submitted for a quotation.

Custom Wood Staining

Custom wood staining procedure for wood seating is as follows. Customer provides a sample of the desired wood finish. That sample is sent to Specials department. Several finished samples will be sent back. The customer/end user will sign off on the samples (keeping one for their records) and return the rest of the samples. Global will not necessarily match the wood species but rather will generate a color that will coordinate with the sample when it is applied to the wood species used in the seating frame.

File Finishes

There is no upcharge on any standard file finish. Any non-standard file finish must be approved by Global prior to acceptance of order and may be subject to an upcharge.

9300 Series, 9300 Plus Series and G Series Pedestals can be ordered in non-standard finishes with a 10% upcharge on orders up to and including 10 units. There is no upcharge on orders of 11 units or more.

Please note:

 You can only combine 9300 Series and 9300 Plus Series to meet the 11 unit minimum

An upcharge of 10% will apply to Metallic, Mica, Tungsten and any non-standard White finishes regardless of the number of units ordered.

Wood Veneer Finishes

Because the distinctive characteristics and the nature of wood products cause variations, exact matches are not always possible. Global will not be held responsible if the finishes cannot be matched

Customer's Own Material (COM)

Use of COM must be approved by Global prior to acceptance of order. Please submit the Authorization Request Form. Photocopy and use this form as often as necessary. The customer must provide a 12" x 12" textile sample and advise how the textile is to be applied and quantity of textile being sent. Textile yardage requirement will be advised by the factory, and additional yardage may be required if pattern requires matching. Upon approval from Global, send textile to the COM Department at: 596 Supertest Road, Toronto ON, M3J 2M5. Send to the address provided on shipping document upon approval from Global. If COM is difficult to apply or if product is required to be modified, extra charges will apply. Global reserves the right to cancel an order at any time if COM is inadequate for any reason. COM must be shipped freight and duties paid if applicable to our factory. Such shipment must be fully identified with the Purchaser's order number, and the item for which the material is intended. Performance of COM when applied to product is the sole responsibility of the Purchaser. Global's standard product warranty shall not apply to COM.

COM price is the lowest published price/grade for the series. The published yardage requirement for COM orders is approximate and shown beside each item in the list price book. The yardage shown there is based on the textile requirements for cutting and sewing a single chair in a plain patterned textile. For textiles with a pattern repeat or for COM orders involving 10 or more chairs, please consult with Customer Service for recalculation of the yardage requirements as this may significantly change the textile requirement.

Textile Grading

All products are priced according to their standard textile grade. Lower grade textiles may be available but at the same price as standard textile grade. See Textiles and Finishes section for graded textiles.

Combining two grades of textiles may result in a revised grade. Please refer to "Two Grades Combination Chart" in the Textiles and Finishes section. For more than two textiles a special quotation is required.

Global Purchased Material, Customer Specified (GPM)

Global may purchase material specified by the customer. Use of GPM must be approved by Global prior to acceptance of order. If it is difficult to apply or if product is required to be modified, extra charges will apply. Global reserves the right to cancel an order at any time if GPM is inadequate for any reason. Performance of GPM when applied to product is the sole responsibility of the textile vendor. Global's standard warranty will not apply to GPM materials.

Customer's Own Leather (COL)

Not all seating can be upholstered in leather. Please consult series notes for availability. COL price is the lowest published grade for the series (leather or fabric).

Upholstery Coverings

Slight variations in color may occur between dye lots. Although Global attempts to minimize these variances, they do occur and must be accepted as normal and will not be considered defects.

Leather is a Natural Product

Natural variations occur in the color, grain and texture of leather. As a result, a degree of variation should be expected. As leather is used it develops a patina. Its color changes slightly, it will get marked and it will stretch and pull, these are the hallmarks of genuine leather and are not considered defects

Required yardage (yd) is based on unmatched materials with widths of 54" for seating, 63" for panels.

A wide selection of arms are available for some series. See Arm Chart in the Seating list price book.

In the Seating list price book, weight is provided for both unit weight and carton weight. In the Desking + Tables and Metal Filing + Storage list price books, carton weight is provided.

Global's order acknowledgment will state a shipping date which is Global's best estimate at the time the order is acknowledged. However, Global shall not incur any obligation or liability to the Purchaser for failure to ship by specified date unless Global has agreed to an unequivocal shipping date in a separately signed written document executed by its authorized personnel at its head office. In addition, Global will not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgement where such delay, failure, loss or damage is the proximate result of any act of any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, delay or default in transportation, strike disputes among or between labor unions or other labor disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of Global.

Free on Board (FOB)

FOB point is Global's Factory, Toronto, Ontario, Canada.

Courier Type Shipments



This symbol is used to indicate that the adjacent product can be sent by courier type shipments, such as Federal Express, Purolator, CanPar and UPS.

The Purchaser must select, at time of order, one of two methods of freight payment. Global will make no end-user shipments unless special arrangements have been made.

- 1. FOB point of shipment, freight collect pick up and common carrier.
- 2. FOB point of shipment, freight prepaid and invoiced to the Purchaser - Global Trailer Program.

All deliveries are dock to dock.

Service

Service requests are normally the responsibility of Global's authorized Dealers. Where this cannot be accomplished on a local level, service problems should be referred to Global's Customer Service Department

Global/Express (Canada)

Tel: (905) 660-5101 or 1-800-567-8901 Fax: (905) 660-4759 or 1-800-375-5134

Global International

Tel: (416) 661-3660

Fax: (416) 661-661-0983 or 1-877-585-5579

Returns

No returns of goods will be accepted without written consent and shipping instruction from Global. A minimum re-stocking charge of 35% is made on all authorized returns for credit or refund, provided goods are received by Global in the condition in which they left the factory. This may increase depending on the type of product. Global's Return Goods Authorization (RGA) numbers must appear prominently on all authorized returns. Global will not be responsible

for return freight costs. No credit will be given if goods cannot be reused as new. Special order items, non-stock items and COM products are in no event subject to return. All returns must be approved and authorized in writing by Global Customer Service. Global reserves the right to refuse delivery of any unauthorized returns.

Claims

All goods are sold FOB plant or Global Distribution Center. Global is not responsible for damage which occurs in transit (or in storage). The carrier signs for all goods received in apparently good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier for losses or damage to the product occurring during transit, including concealed damage.

Any claims made against Global for apparent defects, errors or shortages must be made by the Purchaser, in writing, within 15 working days after any delivery. Failure by the Purchaser to make any claim against Global within 15 days shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

Suspension

In the event that the Purchaser defaults in the payment of any sum due to Global, or in the event the Purchaser's financial condition becomes unsatisfactory to Global, Global shall have the right to defer or discontinue shipment of any goods until such time as the default is cured or the Purchaser provides assurance of payment to Global.

Copyright

All catalogs, photographs, drawings, list price books and other printed materials are protected by copyright. All rights

Trademarks

All trademarks are owned by Global Furniture Group other than OBUSFORME™ which is owned by OBUSFORME LTD CO., a division of Homematics Inc., MOR-CARE which is owned by MORBERN INC, Perma-Mesh which is the property of J.B. Research Inc. SCHUKRA™ which is owned by SCHUKRA MANUFACTURING INC. OBUSFORME® and the distinctive backrest design are registered trademarks of OBUSFORME LTD CO.

Designs and Patents

Many of the products produced by Global are protected by design registrations, design patents and/or patents. Design and specifications are subject to change, discontinuance or additions without notice.

For a full listing of issued trademarks, please visit globalfurnituregroup.com.

Cubic Measure

The stated volume is an approximate cubic foot measure that may be used to calculate freight costs. The figure shown is the total shipping volume of a unit (e.g. if a part is sent in 2 cartons the volume indicated reflects both cartons together) and is subject to change without notice. It is most economical to purchase the specified number per carton.

Combined Shipments

Global will make every effort to combine shipments and orders on written request. However, Global cannot be held responsible where such requests are not complied with.

2



Offer of Sale

Possession of this list price book or any other literature shall not imply the company's willingness to sell to the holder and shall not be construed as a direct offer of sale.

If a conflict arises between: (i) prices found in software support packages furnished to the customer by Global or by any other source on behalf of Global; and (ii) Global's current pricing found on Global's website, then the most current shall prevail.

Testing Qualifications

Many Global products pass or exceed the most stringent industry testing standards.

Disclaimer

Metric dimensions are provided for seating products for reference only. In the event that there is a discrepancy between imperial measurements and metric measurements, imperial measurements shall prevail. Prices shown are current manufacturer's suggested list prices at time of printing. Updated pricing is available on Global's website. All applicable taxes are extra. Descriptions, specifications and prices are subject to change without notice. Errors and omissions are subject to correction.

Fire Codes

Flame resistant components are most often requested to be tested to comply with California Technical Bulletin 11, often referred to as CAL117. The foam used in Global chairs meets the requirements of California TB117 and all of the upholstery fabrics Global offers meet this requirement. In addition, most Global seating models can be certified to California TB133. This available certification can be done when selected seating models are upholstered in specific textiles. The list of certifiable seating models and available textiles changes from time to time. Please contact Customer Service for a list of certifiable models and upholstery materials. There are other fire codes that are not commonly specified. Global Upholstery Ltd. can usually provide test results for any North American code. Please contact Customer Service. Please see chart below for CAL TB 133 upcharges and for complete CAL TB 133 information refer to the Global Dealer Centre.

WARNING - SEATING PRODUCTS TO PREVENT PRODUCT FAILURE AND POSSIBLE INJURY:

Ensure that the appropriate selection is made for the intended use of the chair including user's weight. Some chairs are not recommended for users above a certain weight. Frequently inspect the chair for visible cracks and tighten all screws, bolts and adjustable knobs. If the chair is damaged or unstable, immediately remove it from service.

Any information or suggestions concerning applications, specifications or compliances with codes and standards is provided solely for your convenient reference and without any representation as to accuracy or suitability. Global disclaims any legal responsibility. The user must verify and test the suitability of any information or products for his specific application. Global reserves the right to change the Terms and Conditions in the list price book without notice.

This list price book is effective as of January 1, 2025.

For periodic updates, please check the PDF at globalfurnituregroup.com. After login, select Resources then Price Lists. From here you will have the option to select either the Seating, Desking + Tables or Metal Filing + Storage price list books. Global warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original Purchaser.

Global warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original Purchaser.

Global will repair or replace, at Global's option, as the sole remedy for any defect covered by the warranty. The warranty applies to products manufactured after March 22, 2016.

Global makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Global be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

Files, Desks, Modular Furniture, Tables, Panels & Accessories

Global warrants all components of metal storage and filing, laminate and wood veneer desks, laminate and wood veneer tables, metal leg components and panels for the lifetime of the product to the original Purchaser.

The warranty applies to single shift, standard commercial usage, defined as a standard eight (8) hour day, forty (40) hour week. Load restrictions apply, refer to individual product descriptions.

Exceptions to the warranty for files/desks/tables and panels are as follows:

- Electrical devices, moving parts, panel and tackboard textiles, adjustable keyboard mechanisms, non-electrical table mechanisms, monitor arms, coat trees and task lights five (5) years
- Writable surfaces and whiteboards three (3) years
- . Keyless lock options two (2) years
- . Battery pack one (1) year

Files, Desks, Modular Furniture, Tables, Panels & Accessories Warranty Summary

Product Type	Components Warranty For Original Purchaser	Exceptions
Metal storage and filing	lifetime	2 years - keyless lock options
Laminate/wood veneer desks and modular furniture	lifetime	5 years - tackboard textiles, electrical devices, task lights
Boardroom, conference and training tables and general tables	lifetime	5 years - electrical devices, moving parts
Electric height adjustable bases	7 years	1 year - battery pack
Non-electric height adjustable bases	5 years	
Productivity Solutions and accessories (adjustable keyboard mechanisms, monitor arms, coat trees, writable surfaces/whiteboards)	5 years	3 years - writable surfaces, whiteboards
Panels	lifetime	5 years - panel and tackboard textiles, electrical devices, task lights

Global's warranty does not apply (for any product category) to the following:

- Nominal or normal amount of wear and tear that can occur over time
- Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Global's written instructions and warnings.
- Modifications, attachments or repair methods not approved by Global
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colors, grains or textures (wood, leather, etc.) of natural materials
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- · Color fastness or the matching of color of textiles, dye lots of textile can vary
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- · Products not purchased directly from authorized Global resellers
- · Products used for rental purposes
- · Purchased parts are warranted for one (1) year
- · Failure to follow specific cleaning and disinfecting instructions posted on globalfurnituregroup.com

Global's warranty does not cover the costs of transportation or labor. Repair or replacement will be at Global's discretion.

Textiles and Finishes

Global textiles and finishes are updated periodically to meet the demand and trends of the market. As a result, some textiles and finishes may be discontinued by Global or the manufacturer. In the event that a textile or finish is discontinued, Global will make every reasonable effort to provide an alternative product(s) of comparable function.

global

3366	71	BX2448RES (HP)	54	GBT8MTP (HP)	34	GRBTP36SF	25	GRH427241 (HP)	40	GRTD5TPLK	35
3367		BX2460RES (HP)		GBT8MTPLK		GRBTP36SK		GRH428429 (HP)		GRTD5TPV	
3368	71	BX2460TRS (HP)	54	GBT8MTPV	34	GRBTP36V		GRH428436 (HP)	40	GRTD6MTP (HP)	35
3400		BX2466RES (HP)	54	GBT8TP (HP)		GRBTP42 (HP)		GRH428441 (HP)		GRTD6MTPLK	
3870		BX2466TRS (HP)		GBT8TPLK		GRBTP42LK		GRH429629 (HP)		GRTD6MTPV	
3871		BX2472RES (HP)		GBT8TPV		GRBTP42SF		GRH429636 (HP)		GRTD6TP (HP)	
3878		BX2472TRS (HP)		GBT8WTP (HP)		GRBTP42SK		GRH429641 (HP)		GRTD6TPLK	
3879		BX3042RES (HP)		GBT8WTPLK		GRBTP42V		GRH486029 (HP)		GRTD6TPV	
7885		, ,	54	GBT8WTPV		GRBTP48 (HP)		GRH486036 (HP)	40	GSB13H25	
		BX3060RES (HP)		GBT10WTP (HP)		GRBTP48LK		GRH486041 (HP)		GSB19	
7887		BX3060TRS (HP)		GBT10WTPLK		GRBTP48SF		GRH487229 (HP)		GSB19H15	
7888		BX3066RES (HP)		GBT10WTPV		GRBTP48SK		GRH487236 (HP)		GSB19H21	
7889		BX3066TRS (HP)		GBT12WTP (HP)		GRBTP48V		GRH487241 (HP)		GSB19H25	
	В	BX3072RES (HP)	54	GBT12WTPLK		GRBTP54 (HP)	29	GRH488429 (HP)	40	GSB19H35	
B24KSF (HP)	49	BX3072TRS (HP)	54	GBT12WTPV		GRBTP54LK	29	GRH488436 (HP)	40	GSB19H41	26, 32
B24KSS (HP)	49	BXL60QMP	52, 55	GBTD5HMTP (HP)	36	GRBTP54SF	29	GRH488441 (HP)	40	GSB23	28, 34
B24WEF (HP)		BXL66QMP		GBTD5HMTPLK	36	GRBTP54SK		GRH489629 (HP)		GSB28	
B24WES (HP)	50	BXL72QMP	52. 55	GBTD5HMTPV		GRBTP54V	29	GRH489636 (HP)		GSB0T1620 (HP)	
B30KSF (HP)		BXM60QMP		GBTD5HTP (HP)		GRBTP60 (HP)		GRH489641 (HP)		GSB0T1620LK	
B30KSS (HP)		BXM66QMP		GBTD5HTPLK		GRBTP60LK		GRHB22H28		GSB0T1620V	
, ,		BXM72QMP								GSB0T1622 (HP)	
B30WEF (HP)				GBTD5HTPV		GRBTP60SF		GRHB22H35			
B30WES (HP)		BXWQMP		GBTD5MTP (HP)		GRBTP60SK		GRHB22H41		GSB0T1622LK	
B2436REF (HP)			С	GBTD5MTPLK		GRBTP60V		GRT5HTP (HP)		GSB0T1622V	
B2436RES (HP)		CD28		GBTD5MTPV		GRC5HTP (HP)		GRT5HTPLK		GSBOTP20 (HP)	
B2442REF (HP)		CPFD1816		GBTD5TP (HP)		GRC5HTPLK		GRT5HTPSF		GSBOTP20LK	
B2442RES (HP)	48	CPFD1821	65	GBTD5TPLK	36	GRC5HTPV		GRT5HTPSK	30	GSBOTP20V	
B2448HMF (HP)		CPFD2416		GBTD5TPV	36	GRC5NHTP (HP)	31	GRT5HTPV	30	GSBTP16SF	23
B2448HMS (HP)		CPFD2421		GBTD6MTP (HP)		GRC5NHTPLK		GRT5NHTP (HP)	30	GSBTP16SK	
B2448REF (HP)		CPFD3016		GBTD6MTPLK		GRC5NHTPV		GRT5NHTPLK		GSBTP20 (HP)	
B2448RES (HP)		CPFD3021		GBTD6MTPV		GRC5NTP (HP)		GRT5NHTPSF		GSBTP20LK	
B2460REF (HP)		CPPD1816		GBTD6TP (HP)		GRC5NTPLK		GRT5NHTPSK		GSBTP20SF	
B2460RES (HP)				GBTD6TPLK		GRC5NTPV		GRT5NHTPV		GSBTP20SK	
		CPPD1821									
B2460TRF (HP)		CPPD2416		GBTD6TPV		GRC5TP (HP)		GRT5NTP (HP)		GSBTP20V	
B2460TRS (HP)		CPPD2421		GDCB36H28		GRC5TPLK		GRT5NTPLK		GSBTP22 (HP)	
B2466TRF (HP)		CPPD3016		GDH426029 (HP)		GRC5TPV		GRT5NTPSF		GSBTP22LK	
B2466TRS (HP)		CPPD3021		GDH426036 (HP)		GRC6TP (HP)		GRT5NTPSK		GSBTP22SF	23
B2472REF (HP)	48	CU1816		GDH426041 (HP)		GRC6TPLK	31	GRT5NTPV		GSBTP22SK	23
B2472RES (HP)	48	CU1821	65	GDH427229 (HP)	37	GRC6TPV	31	GRT5TP (HP)	30	GSBTP22V	23
B2472TRF (HP)	49	CU2416	65	GDH427236 (HP)	37	GRC7TP (HP)	31	GRT5TPLK	30	GSBTP24 (HP)	25
B2472TRS (HP)		CU2421	65	GDH427241 (HP)		GRC7TPLK		GRT5TPSF	30	GSBTP24LK	
B3036REF (HP)		CU3016		GDH428429 (HP)		GRC7TPV		GRT5TPSK		GSBTP24SF	
B3036RES (HP)		CU3021		GDH428436 (HP)		GRC8MTP (HP)		GRT5TPV		GSBTP24SK	
B3042REF (HP)		CUP1816		GDH428441 (HP)		GRC8MTPLK		GRT6TP (HP)	30	GSBTP24V	
B3042RES (HP)		CUP1821		GDH429629 (HP)		GRC8MTPV		GRT6TPLK		GSBTP30 (HP)	
B3048REF (HP)		CUP2416		GDH429636 (HP)		GRC8TP (HP)		GRT6TPSF		GSBTP30LK	
B3048RES (HP)		CUP2421		GDH429641 (HP)		GRC8TPLK		GRT6TPSK		GSBTP30SF	
B3060HMF (HP)		CUP3016		GDH486029 (HP)		GRC8TPV		GRT6TPV		GSBTP30SK	
B3060HMS (HP)		CUP3021		GDH486036 (HP)		GRC8WTP (HP)		GRT7TP (HP)		GSBTP30V	
B3060REF (HP)		CY1816	66	GDH486041 (HP)	38	GRC8WTPLK	33	GRT7TPLK	30	GSBTP36 (HP)	25
B3060RES (HP)	48	CY1821	66	GDH487229 (HP)	37	GRC8WTPV	33	GRT7TPSF	30	GSBTP36LK	25
B3060TRF (HP)	49	CY2416	66	GDH487236 (HP)	37	GRC10WTP (HP)	33	GRT7TPSK	30	GSBTP36SF	25
B3060TRS (HP)		CY2421		GDH487241 (HP)	38	GRC10WTPLK		GRT7TPV		GSBTP36SK	
B3066TRF (HP)		CY3016		GDH488429 (HP)	37	GRC10WTPV	33	GRT8MTP (HP)		GSBTP36V	25
B3066TRS (HP)	49	CY3021		GDH488436 (HP)		GRC12WTP (HP)		GRT8MTPLK		GSBTP42 (HP)	
B3072REF (HP)		CYP1816		GDH488441 (HP)		GRC12WTPLK		GRT8MTPV		GSBTP42LK	
B3072RES (HP)		CYP1821		GDH489629 (HP)		GRC12WTPV		GRT8TP (HP)		GSBTP42SF	
, ,						GRCD5HMTP (HP)					
B3072TRF (HP)		CYP2416		GDH489636 (HP)				GRT8TPLK		GSBTP42SK	
B3072TRS (HP)		CYP2421		GDH489641 (HP)		GRCD5HMTPLK		GRT8TPSF		GSBTP42V	
B3636SQF (HP)		CYP3016		GRB14H25		GRCD5HMTPV		GRT8TPSK		GSBTP2430 (HP)	
B3642REF (HP)		CYP3021		GRB22		GRCD5HTP (HP)		GRT8TPV		GSBTP2430LK	
B3648REF (HP)			G	GRB22H15		GRCD5HTPLK		GRT8WTP (HP)		GSBTP2430SF	
B3660REF (HP)	48	GBT5HTP (HP)	32	GRB22H21	26	GRCD5HTPV		GRT8WTPLK	33	GSBTP2430SK	26
B3672HMF (HP)	50	GBT5HTPLK	32	GRB22H26	26, 32	GRCD5MTP (HP)	35	GRT8WTPV		GSBTP2430V	
B3672REF (HP)	48	GBT5HTPV		GRB22H35		GRCD5MTPLK		GRT10WTP (HP)		GSBTP2436 (HP)	
BSFMS		GBT5NHTP (HP)		GRB22H41		GRCD5MTPV		GRT10WTPLK		GSBTP2436LK	
BSWFM		GBT5NHTPLK		GRB28		GRCD5TP (HP)		GRT10WTPV		GSBTP2436SF	
3WMD22		GBT5NHTPV		GRB34		GRCD5TPLK		GRT12WTP (HP)		GSBTP2436SK	
3WMS5		GBT5NTP (HP)		GRBTP24 (HP)		GRCD5TPV		GRT12WTPLK		GSBTP2436V	
3X24KSS (HP)						GRCD6MTP (HP)					
		GBT5NTPLK		GRBTP24LK				GRT12WTPV		GSBTP3036 (HP)	
BX24WES (HP)		GBT5NTPV		GRBTP24SF		GRCD6MTPLK		GRTD5HMTP (HP)		GSBTP3036LK	
BX30KSS (HP)		GBT5TP (HP)		GRBTP24SK		GRCD6MTPV		GRTD5HMTPLK		GSBTP3036SF	
BX30WES (HP)		GBT5TPLK		GRBTP24V		GRCD6TP (HP)		GRTD5HMTPV		GSBTP3036SK	
3X36QMP		GBT5TPV		GRBTP30 (HP)	25	GRCD6TPLK	35	GRTD5HTP (HP)	35	GSBTP3036V	
3X42QMP	52, 55	GBT6TP (HP)	32	GRBTP30LK	25	GRCD6TPV	35	GRTD5HTPLK	35	GSBTP3042 (HP)	27
BX48QMP		GBT6TPLK		GRBTP30SF		GRH426029 (HP)		GRTD5HTPV		GSBTP3042LK	
BX60QMP		GBT6TPV		GRBTP30SK		GRH426036 (HP)		GRTD5MTP (HP)		GSBTP3042SF	
BX66QMP		GBT7TP (HP)		GRBTP30V		GRH426041 (HP)		GRTD5MTPLK		GSBTP3042SK	
		GBT7TPLK		GRBTP36 (HP)		GRH427229 (HP)		GRTD5MTPV		GSBTP3042V	
BX72QMP											

INDEX

OODTD004011/	07	INIDIJO 400 (LID)	F0	DDTI 40D000D	05	DTELO4	00	7000 4DA 4II. (LID)	4.4
GSBTP3642LK		JNRU2460 (HP)		PRTMCD622B		PTEL04		Z6084RMIL (HP)	
GSBTP3642SF	27	JNRU2466 (HP)	59	PRTMCD622T	85	PTEL05		Z6084RMIM (HP)	12
GSBTP3642SK	27	JNRU2472 (HP)	59	PRTMCD622W	85	PTEL08	87	Z6084WMIH (HP)	13
GSBTP3642V	27	JNRU3054 (HP)	59	PRTMCD642B	85	PTEL09	87	Z6084WMIL (HP)	11
GSEH426029 (HP)		JNRU3060 (HP)		PRTMCD642T		PTEL10		Z6084WMIM (HP)	
GSEH426036 (HP)		JNRU3066 (HP)		PRTMCD642W		PTEL11		Z6096BE (HP)	
GSEH426041 (HP)		JNRU3072 (HP)		PRTMCS421B		PTEL12		Z6096DMIH (HP)	
GSEH427229 (HP)		JNTS		PRTMCS421T	85	PTEL13		Z6096DMIL (HP)	
GSEH427236 (HP)	41	JNTT2448 (HP)	59	PRTMCS421W	85	PTEL14	86	Z6096DMIM (HP)	11
GSEH427241 (HP)	41	JNTT2460 (HP)	59	PS305002	84	PTISL96GB	84	Z6096RMIH (HP)	13
GSEH428429 (HP)		JNTT3060 (HP)		PS305057		PTISL96GW		Z6096RMIL (HP)	
GSEH428436 (HP)		JNTT3072 (HP)		PS305102		PTISL96SP		Z6096RMIM (HP)	
GSEH428441 (HP)			K	PS305157	84	PUSBTRSF	87	Z6096WMIH (HP)	13
GSEH429629 (HP)	41	KEZLCSTR	75	PS3525002	83		R	Z6096WMIL (HP)	11
GSEH429636 (HP)		KEZLIFT		PS3525057	83	R27855	67	Z6096WMIM (HP)	12
GSEH429641 (HP)		KP0202		PS3526002		R27856		Z48120BE (HP)	
GSEH486029 (HP)		KP0203		PS3526057		R27857		Z48120BW (HP)	
GSEH486036 (HP)	41	KP0302	82	PSDPC22W	83	R27858	68	Z48120REE (HP)	
GSEH486041 (HP)	41	KP0303	82	PSDPC32W	83	R27859	68	Z48120RTE (HP)	7
GSEH487229 (HP)		KPSF02		PSMA1		R27860		Z48144BE (HP)	
, ,				PSMA2				Z48144BW (HP)	
GSEH487236 (HP)		KPSF03				R27861			
GSEH487241 (HP)		KSFK-12		PSMS			Z	Z48144REE (HP)	
GSEH488429 (HP)	41	KSFK-18	81	PT9MP3013-1	77	Z48BEC	13	Z48144RTE (HP)	7
GSEH488436 (HP)	41	KSFK-21	81	PT9MP3013-4	77	Z60BEC	13	Z48168BE (HP)	6
GSEH488441 (HP)		KSFK-21-W		PT9MP3013-12		Z3636SQ (HP)		Z48168BW (HP)	
GSEH489629 (HP)		KSM02-12		PT9MP3613-1					
						Z4242SQ (HP)		Z48168REE (HP)	
GSEH489636 (HP)		KSM02-18		PT9MP3613-4		Z4848SQ (HP)		Z48168RTE (HP)	
GSEH489641 (HP)	41	KSM02-21	81	PT9MP3613-12	77	Z4860DMIH (HP)	12	Z48192BE (HP)	7
GSHB19H28	42	KSM03-12	81	PT9MP4213-1	77	Z4860DMIL (HP)	10	Z48192BW (HP)	q
GSHB19H35		KSM03-18		PT9MP4213-4		Z4860DMIM (HP)		Z48192REE (HP)	
GSHB19H41		KSM03-21		PT9MP4213-12		Z4860RMIH (HP)		Z48192RTE (HP)	
GS0B13H25	24	KT27M02	80	PT9MP4813-1	77	Z4860RMIL (HP)	11	Z48216BE (HP)	7
GWH486029 (HP)	39	KTMT03	80	PT9MP4813-4	77	Z4860RMIM (HP)	12	Z48216BW (HP)	9
GWH486036 (HP)	39		M	PT9MP4813-12	77	Z4872DMIH (HP)	12	Z48216REE (HP)	q
GWH486041 (HP)		M393		PT9MP5413-1		Z4872DMIL (HP)		Z48216RTE (HP)	
, ,									
GWH487229 (HP)		M7750LD		PT9MP5413-4		Z4872DMIM (HP)		Z48240BE (HP)	
GWH487236 (HP)	39	M7755MD	79	PT9MP5413-12	77	Z4872RMIH (HP)	13	Z48240BW (HP)	9
GWH487241 (HP)	39	MLDTP3224	93	PT9MP6013-1	77	Z4872RMIL (HP)	11	Z48240REE (HP)	9
GWH488429 (HP)		MLIR30B		PT9MP6013-4		Z4872RMIM (HP)		Z48240RTE (HP)	
GWH488436 (HP)		MON1SDEH		PT9MP6013-12		Z4884DMIH (HP)		Z48264BE (HP)	
, ,									
GWH488441 (HP)		MVL13016		PT9MP6613-1		Z4884DMIL (HP)		Z48264BW (HP)	
GWH489629 (HP)	39	MVL13023	70	PT9MP6613-4	77	Z4884DMIM (HP)	11	Z48264REE (HP)	
GWH489636 (HP)	39		N	PT9MP6613-12	77	Z4884RMIH (HP)	13	Z48264RTE (HP)	8
GWH489641 (HP)		NL23HBF	93	PT9MP7213-1		Z4884RMIL (HP)		Z48288BE (HP)	
GVV11403041 (111 /	Н	NLMP23BBF		PT9MP7213-4		Z4884RMIM (HP)		Z48288BW (HP)	
LITA 40 4 40T (LID)									
HTM2446T (HP)		NLMP23BF		PT9MP7213-12		Z4896BE (HP)		Z48288REE (HP)	
HTM2458T (HP)	75		Р	PT9MP7813-1	77	Z4896BW (HP)	9	Z48288RTE (HP)	8
HTM3046T (HP)	75	PCPU-GT	82	PT9MP7813-4	77	Z4896DMIH (HP)	12	Z60120BE (HP)	7
HTM3058T (HP)	75	PCPU-HC	82	PT9MP7813-12	77	Z4896DMIL (HP)	10	Z60120BW (HP)	q
11111100001 (111 /	J	PCSN01		PT9PP3013-1		Z4896DMIM (HP)		Z60120REE (HP)	
INTERCACE (UID)	-								
JN5S2424 (HP)		PCSN01E		PT9PP3013-4		Z4896REE (HP)		Z60120RTE (HP)	
JN5S3030 (HP)	59	PEEOCKS	90	PT9PP3013-12	76	Z4896RMIH (HP)	13	Z60120WE (HP)	10
JNCP	62	PEEPD	90	PT9PP3613-1	76	Z4896RMIL (HP)	11	Z60144BE (HP)	7
JNEC5S	60	PEVWM	qn	PT9PP3613-4	76	Z4896RMIM (HP)	12	Z60144BW (HP)	q
JNEC42		PEWM1		PT9PP3613-12		Z4896RTE (HP)		Z60144REE (HP)	
JNEC48		PEWM1.5		PT9PP4213-1		Z5454SQ (HP)		Z60144RTE (HP)	
JNEC54		PEWM2		PT9PP4213-4		Z6060DMIH (HP)		Z60144WE (HP)	
JNEC60	60	PEWM2.5	90	PT9PP4213-12	76	Z6060DMIL (HP)	10	Z60168BE (HP)	7
JNEC66	60	PEWM3	90	PT9PP4813-1	76	Z6060DMIM (HP)	11	Z60168BW (HP)	9
JNEC72		PEWM3.5		PT9PP4813-4		Z6060RMIH (HP)		Z60168REE (HP)	
JNGFP		PEWM4						Z60168RTE (HP)	
				PT9PP4813-12		Z6060RMIL (HP)			
JNHFS2448 (HP)	59	PEWM4.5		PT9PP5413-1	/6	Z6060RMIM (HP)	12	Z60168WE (HP)	
JNHFS2454 (HP)	59	PEWM5	90	PT9PP5413-4	76	Z6060SQ (HP)	6	Z60192BE (HP)	7
JNHFS3060 (HP)	59	PEWM5.5	90	PT9PP5413-12	76	Z6060WMIH (HP)	13	Z60192BW (HP)	10
JNHFS3066 (HP)		PMDCA3MG		PT9PP6013-1		Z6060WMIL (HP)		Z60192REE (HP)	
JNLEG		PMDCA3WH		PT9PP6013-4		Z6060WMIM (HP)		Z60192RTE (HP)	
JNLEG24		PMDCF3MG		PT9PP6013-12		Z6072DMIH (HP)		Z60192WE (HP)	
JNLEG30	61	PMDCF3WH	88	PT9PP6613-1	76	Z6072DMIL (HP)	10	Z60216BE (HP)	7
JNMP42	60	PMDCLIPS	89	PT9PP6613-4	76	Z6072DMIM (HP)	11	Z60216BW (HP)	10
JNMP48		PMDEA3MG		PT9PP6613-12		Z6072RMIH (HP)		Z60216REE (HP)	
JNMP54		PMDEA3WH		PT9PP7213-1					
						Z6072RMIL (HP)		Z60216RTE (HP)	
JNMP60		PMDEF3MG		PT9PP7213-4		Z6072RMIM (HP)		Z60216WE (HP)	
JNMP66		PMDEF3WH	88	PT9PP7213-12		Z6072WMIH (HP)	13	Z60240BE (HP)	7
JNMP72	60	PMDJ36BK	89	PT9PP7813-1	76	Z6072WMIL (HP)	11	Z60240BW (HP)	10
JNR2442 (HP)		PMDSA10MG		PT9PP7813-4		Z6072WMIM (HP)		Z60240REE (HP)	
JNR2448 (HP)		PMDSA10WH		PT9PP7813-12		Z6084DMIH (HP)		Z60240RTE (HP)	
' '									
JNR3042 (HP)		PMDSF10MG		PTEL01		Z6084DMIL (HP)		Z60240WE (HP)	
JNR3048 (HP)		PMDSF10WH		PTEL02		Z6084DMIM (HP)		Z60264BE (HP)	
JNRU2454 (HP)	59	PPVST3WF	84	PTEL03	86	Z6084RMIH (HP)	13	Z60264BW (HP)	10

Z60264REE (HP)9
Z60264RTE (HP)8
Z60264WE (HP)10
Z60288BE (HP)7
Z60288BW (HP)10
Z60288REE (HP)9
Z60288RTE (HP)8
Z60288WE (HP)10
Z361829BD15
Z361829B015
Z361872VB15
Z367229BT (HP)13
Z367236BT (HP)14
Z367242BT (HP)14
Z368429BT (HP)13
Z368436BT (HP)14
Z368442BT (HP)14
Z369629BT (HP)13
Z369636BT (HP)14
Z369642BT (HP)14
Z481829BD15
Z481829B015
Z487229BT (HP)14
Z487236BT (HP)14
Z487242BT (HP)14
Z488429BT (HP)14
Z488436BT (HP)14
Z488442BT (HP)14
Z489629BT (HP)
Z489636BT (HP)
Z489642BT (HP)14
Z601829BU15
Z721829BU15

Global offices in Canada

Head Office

560 Supertest Road Toronto, Ontario M3J 2M6 T (416) 650-6500

Toronto Sales Office

1350 Flint Road Toronto, Ontario M3J 2J7 T (416) 661-3660

Showrooms

Calgary

237 8 Avenue SE, Suite 302 Calgary, Alberta T2G 5C3 T (403) 250-7770

Edmonton

10158 103 Street NW, Suite 201 Edmonton, Alberta T5J 0X6 T (780) 444-8922

Halifax

1061 Marginal Road, Suite 120 Halifax, Nova Scotia B3H 4P7 T (902) 422-7434

The Blueprint Montreal

1010 Sainte-Catherine Street W, Mezz 2 Montreal, Quebec H3B 1E7 T (514) 866-4331

Toronto

1350 Flint Road Toronto, Ontario M3J 2J7 T (416) 661-3660

The Blueprint Toronto

(MetroCentre) 200 Wellington Street West, Suite 1602 Toronto, Ontario M5V 3C7

Ottawa

251 Laurier Avenue West, Suite 400 Ottawa, Ontario K1P 5J6 T (613) 234-2881 Please call ahead to book an appointment.

Vancouver

675 West Hastings Street, Suite 1000 Vancouver, British Columbia V6B 1N2 T (604) 432-1701

Winnipeg

111 Lombard Avenue, Suite 220 Winnipeg, Manitoba R3B 0T4 T (204) 925-3350