







Global's Swap collection is a comprehensive offering including laptop tables, casual meeting tables, café tables, huddle tables and more. Suitable for a variety of applications: break rooms, dedicated/enclosed meeting rooms, casual/open area meeting spaces (lounge, seated, counter and bar height options), and private office (accommodate smaller 3-4 person discussions). Tops and bases are sold separately for ease of specification. Mix and match capabilities to create spaces for multi-purpose use. Choose your top, choose your base. Create the combination you desire for the way you want to work.



Top shapes



Round base



Square base

Features and Benefits

- Tops are available in four materials to help perfect your interior design: thermally fused laminate, high pressure laminate, veneer and solid surface.
- **High performance thermally fused laminate** tops are 1" thick with a 45 lb. density particle board core and feature 2mm thick edgeband.
- **High pressure laminate** tops are 1 1/16" thick with 2mm flat edge or 1 3/16" thick with knife edge profile. Tops with flat edge have a 45 lb. density particle board core; tops with knife edge have a MDF core.
- **Veneer** tops are 1 3/16" thick overall with matching flat edge or knife edge.
- **Solid surface** tops are 1 1/4" thick with a plywood or particle board melamine subtop depending on size, available with flat edge or knife edge.
- Bases are constructed of a solid steel metal plate and cover - round or square.
- Power block cut-outs are available on most tables.
- 6 heights:
Coffee table height at 16"H.
End table height at 22"H.
Lounge height at 27"H.
Seated height at 29"H.
Counter height at 36"H.
Bar height at 41.5"H.

GENERAL INFORMATION

- Swap is a series of tables for use in casual meeting spaces, lounges, café areas and more.
- The right proportions, flawless surfaces and a solid foundation is sure to become your favorite table series to spec.
- Finish palette coordinates with most Global laminate and veneer casegoods series as well as a variety of solid surface options to choose from - tables can stand-alone or blend with other solutions.
- Each component is packed individually. Bases are shipped assembled, 1 per carton. Easy to assemble.
- For environmental certifications, please visit globalfurnituregroup.com.

WORKSURFACES

- Four material choices: high performance thermally fused laminate, high pressure laminate, veneer and solid surface.
- **Thermally fused laminate** tops are 1" thick overall with a 45 lb. density particle board core and feature 2mm thick edgeband. Edgeband finish can be specified to match or contrast the surface finish.
- **High pressure laminate** tops are 1 1/16" thick with 2mm flat edge or 1 3/16" thick with knife edge. 1 1/16" thick tops have a 45 lb. density particle board core and the 2mm flat edge finish can be specified to match or complement the top surface. 1 3/16" thick tops have an MDF core and the knife edge finish will match top surface. Models ending in **(LK)** indicate high pressure laminate with knife edge.
- **Veneer** tops are 1 3/16" thick overall with choice of edge detail - flat edge or knife edge. Edge finish will correspond to surface finish. When flat edge, core material is 45 lb. density particle board; when knife edge, core material is MDF. Models ending in **(V)** indicate veneer.
- **Solid surface** tops are 1 1/4" thick overall with choice of edge detail - flat edge or knife edge. Solid surface material is 0.5" thick with built up edge profile over a particle board or plywood subtop depending on overall top size. Models ending in **(SF)** indicate solid surface with flat edge; models ending in **(SK)** indicate solid surface with knife edge.
- Please see model # for pricing and availability of various material and edge options.
- Refer to page 326 or globalfurnituregroup.com for available finish options.
- While not all sizes are available in all materials:
 - Worksurfaces of 96" or less in length are standard in one piece (1 carton).
 - Worksurfaces 120" to 144" in length are standard in two pieces (2 cartons).
 - Worksurfaces 96", 120" and 144" x 48" include support channels.

BASES

- **Caution:** to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified. **Top plates and base plates vary by base size and will only work with table shape sizes as referenced on the following pages.**
- Bases are constructed of a round or square solid steel metal plate for counter balance, covered with a finished steel shroud, affixed with four bolts to a cold rolled steel tube.
- GRB14H25 attaches to tops with a 6" x 6" steel plate, welded to a 1.5" diameter steel tube, bolted to a 0.5" thick solid steel counter balance. Not to be used on tops greater than 22" x 22" in size.
- GSB13H25 and GSOB13H25 attach to tops with a 6" x 6" steel plate, welded to a 1.5" diameter steel tube, bolted to a 0.5" thick solid steel counter balance. Not to be used on tops greater than 22" x 22" in size.
- GRB22H15, GRB22H21, GRB22H26, GRB22, GRB22H35, GRB22H41, GSB19H15, GSB19H21, GSB19H26, GSB19, GSB19H35 and GSB19H41 attach to tops with a 6" x 6" steel plate, welded to a 3" diameter steel tube, bolted to a 0.5" thick solid steel counter balance.
- Top plate and base plate of GRB22 and GSB19 models in all heights, have pass-through cut-outs to accommodate a single port simplex or dual USB module to deliver power or USB charging to the surface. This allows the module to be mounted directly above the base and to pass the unit's cord through the base column resulting in the cord and plug head exiting from the bottom of the base for plugging into a floor or wall mount power source.
- GRB28, GRB34, GSB23 and GSB28 attach to tops with an 11" x 11" steel plate, welded to a 4" diameter steel tube, bolted to a 0.375" thick solid steel counter balance.
- Bases are available PAINTED in "Sandtex" finish for extra durability. Also available in plated finishes (see page 326) at an upcharge and with an extended lead time. Please see model # for pricing.
- All bases come with six height adjustable glides with 0.75" of adjustability.
- Round bases available in 22", 28" and 34" dia.
- Square bases available in 18.5", 22.5" and 28.5".

1. SPECIFY MODEL NUMBER

2. SPECIFY FINISH

Laminate finishes (thermally fused and high pressure laminate):

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

Veneer finishes (applicable for models ending in **V** only):

AMW	Almond Cherry	LTW	Latte
ACW	Amber Cherry	MHW	Mahogany on Walnut
BTW	Biscotti	MPW	Natural Maple
CAW	Cocoa Walnut	MTW	Milestone
CRW	Coral	NLW	Natural Walnut
DCW	Dark Cherry	RCW	Red Cherry
DWW	Dark Walnut	ULW	Umber Walnut
EWV	Espresso	VNW	Vintage Cherry
EVW	Evening Oak	WLW	Walnut
GRW	Grey on Oak	WMW	White Maple
HAW	Hazelnut	WCW	Warm Cherry
JAW	Java		

Solid surface (applicable for models ending in **SF** or **SK** only):

Grade 1		Grade 2	
SWH	Designer White	SBT	Beige Tempest
		SBX	Black Onyx Mirage
		SFW	Frosty White Mirage
		SHS	Hot Stone
		SMG	Milk Glass Spectra
		SNM	Northern Melange

Bases (paint finishes):

TBL	Black	TIN	Ink
TBZ	Buzz Blue	TKA	Kalua
TCC	Cactus	TLA	Latte
TCR	Carrot	TMO	Mocha
TIV	Cloud	TNE	Nevada
TDW	Designer White	TSN	Sand
TDJ	Dijon	TSR	Scarlet
TEG	Eggplant	TSH	Shadow
TFO	Fog	TOA	Toast
TFR	Frost	TTU	Tungsten

Bases (plated finishes - upcharge applies):

ACO	Antique Copper	CHM	Chrome
BCH	Brushed Chrome	SBR	Satin Brass

3. SPECIFY EDGE PROFILE (where applicable)

- Thermally fused laminate and high pressure with flat edge tops:
 - Flat edge (FE) - default profile
 - 3" radiused corners (R3) - optional for square and rectangular tops, upcharge applies
- High pressure laminate tops (models ending in **LK**):
 - Knife edge only
 - 3" radiused corners available by quote request only
- Veneer tops (models ending in **V**):
 - Flat edge (FE) - default profile
 - Knife edge (KS) - optional
 - 3" radiused corners available by quote request only
- Solid surface tops (models ending is **SF**):
 - Flat edge (FE) - default profile
 - 3" radiused corners (R3) - optional for square and rectangular tops, upcharge applies
- Solid surface tops (models ending is **SK**):
 - Knife edge (KS) - default profile
 - Knife edge with 3" radiused corners (KR) - optional for square and rectangular tops, upcharge applies

4. SPECIFY EDGE FINISH

Edge finish only applicable for thermally fused laminate and high pressure tops with flat edge (FE)

AAE	Absolute Acajou	CGY	Custom Grey	NML	Noce Medio
ASE	Asian Night	DEE	Dark Espresso	QTM	Quarter Mahogany
ACE	Avant Cherry	DWE	Designer White	SAR	Scarlet
AHE	Avant Honey	DJN	Dijon	SHW	Shadow
BLK	Black	FAS	Fashionista	SBY	Sheer Beauty
BZD	Blizzard	FCL	First Class	SDT	Stonedust
BRC	Brushed Cobalt	FOG	Fog	SOG	Storm Grey
BZB	Buzz Blue	LAB	Latte	WHE	Walnut Heights
CCT	Cactus	NBL	Noce Biondo	CBE	White Chocolate
CRO	Carrot	NGL	Noce Grigio	WCE	Winter Cherry
CME	Clear Maple	NEL	Noce Leggero		

5. SPECIFY OPTIONS

POWER BLOCKS AND CUT-OUTS LOCATIONS

- A power block delivers power/data to the table surface.
- Power block modules are ordered separately.
- Not all power block locations are available on all table sizes. Please refer to the top/base chart on the following pages for more information.
- To purchase a power block, you must specify the power block cut-out location when ordering the top and order the power block separately.
- Optional cut-out available in standard worksurface locations (left, center or right) for all table shapes.
Example: Order as **E1, R1, T1**, etc. **Add \$91** for each cut-out.
- Cut-outs may be placed at non-standard locations. Please contact Customer Service.
- Select power block option from Productivity Solutions pages 461-464.
- Custom locations or cut-outs available (drawing required). **Add \$132.**

POWER BLOCK OPTIONS AND CUT-OUT LOCATIONS

(Power modules and blocks can be found in the Productivity Solutions section of the price list)

PMSPDM

E1

E2

E3

R1

R2

R3

T1

T2

T3

PRTMCS401B

PRTMCS401T

PRTMCS401W

PRTMCS421B

PRTMCS421T

PRTMCS421W

PRTMCD602B

PRTMCD602T

PRTMCD602W

PRTMCD622B

PRTMCD622T

PRTMCD622W

PRTMCD642B

PRTMCD642T

PRTMCD642W

- Match power block desired with cut-out code and location from above grid.
- Example: If power block module # PRTMC401B is required in the center position, specify cut-out option R2 when specifying the top.

HUDDLE TABLE CUT-OUT LOCATION DIMENSIONS

- Position 1 - applies to 48" to 96"W huddle tables: to the center of the cut-out from the laminate support end is 16".
- Position 2
 - applies to 60"W huddle tables: to the center of the cut-out from metal base end is 31.5".
 - applies to 72" to 96"W huddle tables: center of cut-out is at center of table top

SINGLE PORT MODULES

- Single port module with one tamper resistant simplex or one USB-A + USB-C charging port centered over the base, available for tops supported with single GRB22xx or GSB19xx base in any height
- Specify optional cut-out (**Q2**) to accommodate when specifying tops. **Add \$91** to list.
- Modules are listed on product pages with applicable tops and bases. Modules are ordered separately.

SPUSBACRW72

SPUSBACRB72

SPTRSMXRW72

SPTRSMXRB72

Q2

Q2

- For White face plate modules, specify code ending in (**W72**); for Black face plate modules, specify code ending in (**B72**).

SPECIFICATIONS

- Required and optional specifications marked with an * on the pricelist pages with products are applicable to only those products which have the * symbol beside the product name.

TABLE NOTES - ESTIMATED CAPACITY

- Use the following to determine the size of a table and the number of chairs needed for a conference area.
- All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

Top Size	Round	NUMBER OF CHAIRS				Boat	Racetrack
		Square	Rectangular				
24 x 24	2	2	N/A			N/A	N/A
24 x 30	N/A	N/A	2-3			N/A	N/A
24 x 36	N/A	N/A	3-4			N/A	N/A
30 x 30	3	4	N/A			N/A	N/A
30 x 36	N/A	N/A	4			N/A	N/A
30 x 42	N/A	N/A	4			N/A	N/A
36 x 36	4	4	N/A			N/A	N/A
36 x 42	N/A	N/A	4			N/A	N/A
42 x 42	4	4	N/A			N/A	N/A
48 x 48	4	4	N/A			N/A	N/A
54 x 54	5	6	N/A			N/A	N/A
60 x 60	5	6	N/A			N/A	N/A
24 x 60	N/A	N/A	4-6			N/A	4-6
24 x 66	N/A	N/A	4-6			N/A	4-6
24 x 72	N/A	N/A	4-6			N/A	4-6
24 x 84	N/A	N/A	4-6			N/A	4-6
24 x 96	N/A	N/A	6-8			N/A	6-8
30 x 60	N/A	N/A	4-6			4-6	4-6
30 x 66	N/A	N/A	4-6			4-6	4-6
30 x 72	N/A	N/A	4-6			4-6	4-6
30 x 84	N/A	N/A	4-6			4-6	4-6
30 x 96	N/A	N/A	6-8			6-8	6-8
36 x 60	N/A	N/A	4-6			4-6	4-6
36 x 66	N/A	N/A	4-6			4-6	4-6
36 x 72	N/A	N/A	4-6			4-6	4-6
36 x 84	N/A	N/A	4-6			4-6	4-6
36 x 96	N/A	N/A	6-8			6-8	6-8
48 x 84	N/A	N/A	6-8			6-8	6-8
48 x 96	N/A	N/A	6-8			6-8	6-8
48 x 120	N/A	N/A	8-10			8-10	8-10
48 x 144	N/A	N/A	10-12			10-12	10-12

APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP										POWER MGMT OPTIONS		
Table Shape/Size	Top #	Lounge Height 27"H		Seated Height 28.5"H		Counter Height 36"H		Bar Height 41.5"H		Base Qty.	# top pieces	Grommet and Power Block Cut-outs Available
		Round base 22" 	Square base 18.5" 	Round base 22", 28", 34" 	Square base 18.5", 22.5", 28.5" 	Round base 22" 	Square base 18.5" 	Round base 22" 	Square base 18.5" 			
Round  Nominal base plate dimension indicated by 4th and 5th characters in base model numbers												
24" diameter top	GRBTP24_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
30" diameter top	GRBTP30_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36" diameter top	GRBTP36_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42" diameter top	GRBTP42_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
48" diameter top	GRBTP48_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
54" diameter top	GRBTP54_	N/A	N/A	GRB34	GSB28	N/A	N/A	N/A	N/A	1	1	None
60" diameter top	GRBTP60_	N/A	N/A	GRB34	GSB28	N/A	N/A	N/A	N/A	1	1	None
Square 												
24" square top	GSBTP24_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
30" square top	GSBTP30_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36" square top	GSBTP36_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42" square top	GSBTP42_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
Rectangular 												
30x24 Rectangular	GSBTP2430_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36x24 Rectangular	GSBTP2436_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36x30 Rectangular	GSBTP3036_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42x30 Rectangular	GSBTP3042_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
42x36 Rectangular	GSBTP3642_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
60x24 Rectangular	GRT5STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: E2, R2, T2, FOG2
66X24 Rectangular	GRT5HSTP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x24 Rectangular	GRT6STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x24 Rectangular	GRT7STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/ Center/Right
96x24 Rectangular	GRT8STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
60x30 Rectangular	GRT5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: E2, R2, T2, FOG2
60x36 Rectangular	GRT5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Rectangular	GRT5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x36 Rectangular	GRT5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x30 Rectangular	GRT6NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x36 Rectangular	GRT6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x30 Rectangular	GRT7NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/ Center/Right: E1/2/3, R1/2/3, T1/2/3, FOG1/2/3
84x36 Rectangular	GRT7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x30 Rectangular	GRT8NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x36 Rectangular	GRT8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x42 Rectangular	GRT8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
96x48 Rectangular	GRT8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
120x48 Rectangular	GRT10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	Both ends: E1, E3, R1, R3, T1, T3, FOG1, FOG3
144x48 Rectangular	GRT12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	

APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP											POWER MGMT OPTIONS	
Table Shape/Size	Top #	Lounge Height 27"H		Seated Height 28.5"H		Counter Height 36"H		Bar Height 41.5"H		Base Qty.	# top pieces	Grommet and Power Block Cut-outs Available
		Round base 22" 	Square base 18.5" 	Round base 22", 28", 34" 	Square base 18.5", 22.5", 28.5" 	Round base 22" 	Square base 18.5" 	Round base 22" 	Square base 18.5" 			
Racetrack 												
Nominal base plate dimension indicated by 4th and 5th characters in base model numbers												
60X24 Racetrack	GRC5STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: E2, R2, T2, FOG2
66X24 Racetrack	GRC5HSTP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72X24 Racetrack	GRC6STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84X24 Racetrack	GRC7STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/ Center/Right
96X24 Racetrack	GRC8STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
60x30 Racetrack	GRC5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: E2, R2, T2, FOG2
60X36 Racetrack	GRC5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Racetrack	GRC5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66X36 Racetrack	GRC5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x30 Racetrack	GRC6NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x36 Racetrack	GRC6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/ Center/Right: E1/2/3; R1/2/3, T1/2/3, FOG1/2/3
84x30 Racetrack	GRC7NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Racetrack	GRC7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x30 Racetrack	GRC8NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x36 Racetrack	GRC8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x42 Racetrack	GRC8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	Both ends: E1, E3; R1, R3, T1, T3, FOG1, FOG3
96x48 Racetrack	GRC8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
120x48 Racetrack	GRC10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	
144x48 Racetrack	GRC12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	
Boat Shape 												
60x30 Boat shape	GBT5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: E2, R2, T2, FOG2
60X36 Boat shape	GBT5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Boat shape	GBT5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66X36 Boat shape	GBT5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x30 Boat shape	GBT6NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x36 Boat shape	GBT6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/ Center/Right: E1/2/3; R1/2/3, T1/2/3, FOG1/2/3
84x30 Boat shape	GBT7NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Boat shape	GBT7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x30 Boat shape	GBT8NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x36 Boat shape	GBT8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96X42 Boat shape	GBT8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	Both ends: E1, E3; R1, R2, T1, T2, FOG1, FOG 3
96x48 Boat shape	GBT8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
120x48 Boat shape	GBT10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	
144x48 Boat shape	GBT12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	

APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP						POWER MGMT OPTIONS		
Table Shape/Size	Top #	Laptop Height 25.6"H				Base Qty.	# Top pieces	Power Block Cut-outs available
		Round base 14" Centered column	Square base 12.5" Centered column	Round base	Square base 12.5" Offset column			
				N/A				
Round Laptop ○ <i>*Nominal base plate dimension indicated by 4th and 5th characters in base model numbers.</i>								
16.5" dia	GRBTP16_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
20" dia	GRBTP20_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
22" dia	GRBTP22_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16.5" dia	GRBOTP16_	N/A	N/A	N/A	GSOB13H25	1	1	None
20" dia	GRBOTP20_	N/A	N/A	N/A	GSOB13H25	1	1	None
22" dia	GRBOTP22_	N/A	N/A	N/A	GSOB13H25	1	1	None
Square Laptop □								
16.5"x16.5"	GSBTP16_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
20"x20"	GSBTP20_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
22"x22"	GSBTP22_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16.5"x16.5"	GSBOTP16_	N/A	N/A	N/A	GSOB13H25	1	1	None
20"x20"	GSBOTP20_	N/A	N/A	N/A	GSOB13H25	1	1	None
22"x22"	GSBOTP22_	N/A	N/A	N/A	GSOB13H25	1	1	None
Rectangular Laptop ▭								
16"x20"	GSBTP1620_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16"x22"	GSBTP1622_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16"x20"	GSBOT1620_	N/A	N/A	N/A	GSOB13H25	1	1	None
16"x22"	GSBOT1622_	N/A	N/A	N/A	GSOB13H25	1	1	None
APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP						POWER MGMT OPTIONS		
Table Shape	Top #	Coffee Table 16"H		End Table 22"H		Base Qty.	# top pieces	Power Block Cut-outs available
		Round base 22"	Square base 18.5"	Round base 22"	Square base 18.5"			
								
Round Coffee/End Tables ○ <i>*Nominal base plate dimension indicated by 4th and 5th characters in base model numbers.</i>								
24" dia	GRBTP24_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
30" dia	GRBTP30_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
36" dia	GRBTP36_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
Square Coffee/End Tables □								
24" square	GSBTP24_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
30" square	GSBTP30_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
36" square	GSBTP36_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only

ROUND LAPTOP TABLES FOR CENTER BASE

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADD
---------	------------	--------	-----------	------------	--------	---------	--------	--------

W x D x H

Thermally fused laminate, flat edge ⁽¹⁾

GRBTP16	16.5 x - x 1	6	0.3	\$188	\$80	N/A	N/A	N/A
GRBTP20	20 x - x 1	9	0.5	\$206	\$89	N/A	N/A	N/A
GRBTP22	22 x - x 1	9	0.5	\$206	\$89	N/A	N/A	N/A

High pressure laminate, knife edge

GRBTP16LK	16.5 x - x 1.19	7.5	1	\$575	N/A	N/A	N/A	N/A
GRBTP20LK	20 x - x 1.19	11	1.5	\$651	N/A	N/A	N/A	N/A
GRBTP22LK	22 x - x 1.19	11	2	\$706	N/A	N/A	N/A	N/A

Veneer ⁽²⁾

GRBTP16V	16.5 x - x 1.19	7.5	1	\$866	N/A	N/A	N/A	\$77
GRBTP20V	20 x - x 1.19	11	1.5	\$936	N/A	N/A	N/A	\$77
GRBTP22V	22 x - x 1.19	11	2	\$1008	N/A	N/A	N/A	\$77

Solid surface, flat edge ⁽³⁾

GRBTP16SF	16.5 x - x 1.25	11	0.6	\$1689	N/A	\$88	N/A	N/A
GRBTP20SF	20 x - x 1.25	16	1	\$1982	N/A	\$118	N/A	N/A
GRBTP22SF	22 x - x 1.25	20	1	\$2077	N/A	\$171	N/A	N/A

Solid surface, knife edge ⁽³⁾

GRBTP16SK	16.5 x - x 1.25	11	0.6	\$1789	N/A	\$100	N/A	N/A
GRBTP20SK	20 x - x 1.25	16	1	\$2088	N/A	\$123	N/A	N/A
GRBTP22SK	22 x - x 1.25	20	1	\$2188	N/A	\$176	N/A	N/A



Round Tops, for Centered Base

Only applicable bases to use with above tops: GRB14H25 round base or GSB13H25 square base with centered column. Tops feature metal inserts for ease of assembly to base. One base required.

SQUARE LAPTOP TABLES FOR CENTER BASE

Thermally fused laminate, flat edge ⁽¹⁾⁽⁴⁾

GSBTP16	16.5 x 16.5 x 1	7	0.3	\$188	\$80	N/A	\$18.80	N/A
GSBTP20	20 x 20 x 1	11	0.5	\$206	\$89	N/A	\$20.60	N/A
GSBTP22	22 x 22 x 1	13	0.5	\$206	\$89	N/A	\$20.60	N/A

High pressure laminate, knife edge

GSBTP16LK	16.5 x 16.5 x 1.19	8.5	1	\$384	N/A	N/A	N/A	N/A
GSBTP20LK	20 x 20 x 1.19	13	1.5	\$482	N/A	N/A	N/A	N/A
GSBTP22LK	22 x 22 x 1.19	16	2	\$525	N/A	N/A	N/A	N/A

Veneer ⁽²⁾


GSBTP16V	16.5 x 16.5 x 1.19	8.5	1	\$493	N/A	N/A	N/A	\$72
GSBTP20V	20 x 20 x 1.19	13	1.5	\$618	N/A	N/A	N/A	\$87
GSBTP22V	22 x 22 x 1.19	16	2	\$679	N/A	N/A	N/A	\$97

Solid surface, flat edge ⁽³⁾⁽⁴⁾

GSBTP16SF	16.5 x 16.5 x 1.25	14	0.6	\$1447	N/A	\$83	\$206	N/A
GSBTP20SF	20 x 20 x 1.25	21	1	\$1736	N/A	\$123	\$206	N/A
GSBTP22SF	22 x 22 x 1.25	26	1	\$1829	N/A	\$147	\$206	N/A

Solid surface, knife edge ⁽³⁾⁽⁴⁾

GSBTP16SK	16.5 x 16.5 x 1.25	14	0.6	\$1789	N/A	\$100	\$206	N/A
GSBTP20SK	20 x 20 x 1.25	21	1	\$2088	N/A	\$130	\$206	N/A
GSBTP22SK	22 x 22 x 1.25	26	1	\$2188	N/A	\$176	\$206	N/A



Square Tops, for Centered Base

Only applicable bases to use with above tops: GRB14H25 round base or GSB13H25 square base with centered column. Tops feature metal inserts for ease of assembly to base. One base required.

Required specifications


Top finish
Edge finish ⁽¹⁾

Optional specifications

HP laminate ⁽¹⁾
Knife edge ⁽²⁾
Grade 2 solid surface ⁽³⁾
3" radiused corners ⁽⁴⁾

Applicable bases

GRB14H25 - round
GSB13H25 - square

RECTANGULAR LAPTOP TABLES FOR CENTER BASE		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADD
 Rectangular Tops, for Centered Base		W x D x H								
		Thermally fused laminate, flat edge ⁽¹⁾⁽⁴⁾								
		GSBTP1620	16 x 20 x 1	9	0.4	\$206	\$89	N/A	\$20.60	N/A
		GSBTP1622	16 x 22 x 1	11	0.5	\$206	\$89	N/A	\$20.60	N/A
		High pressure laminate, knife edge								
		GSBTP1620LK	20 x 16 x 1.19	11	1	\$493	N/A	N/A	N/A	N/A
		GSBTP1622LK	22 x 16 x 1.19	13	1.5	\$541	N/A	N/A	N/A	N/A
		Veneer ⁽²⁾								
		GSBTP1620V	20 x 16 x 1.19	11	1	\$608	N/A	N/A	N/A	\$87
		GSBTP1622V	22 x 16 x 1.19	13	1.5	\$668	N/A	N/A	N/A	\$92
		Solid surface, flat edge ⁽³⁾⁽⁴⁾								
		GSBTP1620SF	16 x 20 x 1.25	17	0.8	\$1606	N/A	\$100	\$206	N/A
		GSBTP1622SF	16 x 22 x 1.25	19	0.8	\$1629	N/A	\$106	\$206	N/A
		Solid surface, knife edge ⁽³⁾⁽⁴⁾								
		GSBTP1620SK	16 x 20 x 1.25	17	0.8	\$1929	N/A	\$123	\$206	N/A
		GSBTP1622SK	16 x 22 x 1.25	19	0.8	\$1965	N/A	\$141	\$206	N/A
Only applicable bases to use with above tops: GRB14H25 round base or GSB13H25 square base with centered column. Tops feature metal inserts for ease of assembly to base. One base required.										

ROUND LAPTOP TABLES FOR OFFSET BASE		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADD
 Round Tops, for Offset Base		Thermally fused laminate, flat edge ⁽¹⁾								
		GRBOTP16	16.5 x - x 1	6	0.3	\$188	\$80	N/A	N/A	N/A
		GRBOTP20	20 x - x 1	9	0.5	\$206	\$89	N/A	N/A	N/A
		GRBOTP22	22 x - x 1	11	0.7	\$206	\$89	N/A	N/A	N/A
		High pressure laminate, knife edge								
		GRBOTP16LK	16.5 x - x 1.19	8	1	\$575	N/A	N/A	N/A	N/A
		GRBOTP20LK	20 x - x 1.19	13	1.5	\$651	N/A	N/A	N/A	N/A
		GRBOTP22LK	22 x - x 1.19	16	2	\$706	N/A	N/A	N/A	N/A
		Veneer ⁽²⁾								
		GRBOTP16V	16.5 x - x 1.19	8	1	\$866	N/A	N/A	N/A	\$77
		GRBOTP20V	20 x - x 1.19	13	1.5	\$936	N/A	N/A	N/A	\$77
		GRBOTP22V	22 x - x 1.19	16	2	\$1008	N/A	N/A	N/A	\$77
		Solid surface, flat edge ⁽³⁾								
		GRBOTP16SF	16.5 x - x 1.25	11	0.6	\$1689	N/A	\$88	N/A	N/A
		GRBOTP20SF	20 x - x 1.25	16	1	\$1982	N/A	\$118	N/A	N/A
		GRBOTP22SF	22 x - x 1.25	20	1	\$2077	N/A	\$171	N/A	N/A
		Solid surface, knife edge ⁽³⁾								
		GRBOTP16SK	16.5 x - x 1.25	11	0.6	\$1789	N/A	\$100	N/A	N/A
		GRBOTP20SK	20 x - x 1.25	16	1	\$2088	N/A	\$123	N/A	N/A
		GRBOTP22SK	22 x - x 1.25	20	1	\$2188	N/A	\$176	N/A	N/A
Only applicable bases to use with above tops: GSOB13H25 square base with OFFSET column. Tops feature metal inserts for ease of assembly to base. One base required.										

Required specifications


Top finish
Edge finish ⁽¹⁾


Optional specifications

HP laminate ⁽¹⁾
Knife edge ⁽²⁾
Grade 2 solid surface ⁽³⁾
3" radiused corners ⁽⁴⁾




Applicable bases

GRB14H25 - round centered
GSB13H25 - square centered
GSOB13H25 - square offset

SQUARE LAPTOP TABLES FOR OFFSET BASE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADD
 Square Tops, for Offset Base	W x D x H								
	Thermally fused laminate, flat edge ^{(1) (4)}								
	GSBOTP16	16.5 x 16.5 x 1	7	0.3	\$188	\$80	N/A	\$18.80	N/A
	GSBOTP20	20 x 20 x 1	11	0.5	\$206	\$89	N/A	\$20.60	N/A
	GSBOTP22	22 x 22 x 1	13	0.7	\$206	\$89	N/A	\$20.60	N/A
	High pressure laminate, knife edge								
	GSBOTP16LK	16.5 x 16.5 x 1.19	8.5	1	\$384	N/A	N/A	N/A	N/A
	GSBOTP20LK	20 x 20 x 1.19	13	1.5	\$482	N/A	N/A	N/A	N/A
	GSBOTP22LK	22 x 22 x 1.19	16	2	\$525	N/A	N/A	N/A	N/A
	Veneer ⁽²⁾								
	GSBOTP16V	16.5 x 16.5 x 1.19	8.5	1	\$493	N/A	N/A	N/A	\$72
	GSBOTP20V	20 x 20 x 1.19	13	1.5	\$618	N/A	N/A	N/A	\$87
	GSBOTP22V	22 x 22 x 1.19	16	2	\$679	N/A	N/A	N/A	\$97
	Solid surface, flat edge ^{(3) (4)}								
	GSBOTP16SF	16.5 x 16.5 x 1.25	14	0.6	\$1447	N/A	\$83	\$206	N/A
	GSBOTP20SF	20 x 20 x 1.25	21	1	\$1736	N/A	\$123	\$206	N/A
	GSBOTP22SF	22 x 22 x 1.25	26	1	\$1829	N/A	\$147	\$206	N/A
	Solid surface, knife edge ^{(3) (4)}								
	GSBOTP16SK	16.5 x 16.5 x 1.25	14	0.6	\$1789	N/A	\$100	\$206	N/A
	GSBOTP20SK	20 x 20 x 1.25	21	1	\$2088	N/A	\$130	\$206	N/A
	GSBOTP22SK	22 x 22 x 1.25	26	1	\$2188	N/A	\$176	\$206	N/A
	Only applicable bases to use with above tops: GSOB13H25 square base with OFFSET column.								
	Tops feature metal inserts for ease of assembly to base. One base required.								

RECTANGULAR LAPTOP TABLES FOR OFFSET BASE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADD
 Rectangular Tops, for Offset Base	Thermally fused laminate, flat edge ^{(1) (4)}								
	GSBOT1620	16 x 20 x 1	9	0.4	\$210	\$91	N/A	\$21	N/A
	GSBOT1622	16 x 22 x 1	11	0.5	\$210	\$91	N/A	\$21	N/A
	High pressure laminate, knife edge								
	GSBOT1620LK	20 x 16 x 1.19	11	1.5	\$493	N/A	N/A	N/A	N/A
	GSBOT1622LK	22 x 16 x 1.19	13	2	\$541	N/A	N/A	N/A	N/A
	Veneer ⁽²⁾								
	GSBOT1620V	20 x 16 x 1.19	11	1.5	\$608	N/A	N/A	N/A	\$87
	GSBOT1622V	22 x 16 x 1.19	13	2	\$668	N/A	N/A	N/A	\$92
	Solid surface, flat edge ^{(3) (4)}								
	GSBOT1620SF	16 x 20 x 1.25	17	0.8	\$1606	N/A	\$100	\$206	N/A
	GSBOT1622SF	16 x 22 x 1.25	19	0.8	\$1629	N/A	\$106	\$206	N/A
	Solid surface, knife edge ^{(3) (4)}								
	GSBOT1620SK	16 x 20 x 1.25	17	0.8	\$1929	N/A	\$123	\$206	N/A
	GSBOT1622SK	16 x 22 x 1.25	19	0.8	\$1965	N/A	\$141	\$206	N/A
	Only applicable bases to use with above tops: GSOB13H25 square base with OFFSET column.								
	Tops feature metal inserts for ease of assembly to base. One base required.								

Required specifications	Optional specifications	Applicable base
Top finish	HP laminate ⁽¹⁾	GSOB13H25 - square
Edge finish ⁽¹⁾	Knife edge ⁽²⁾	
	Grade 2 solid surface ⁽³⁾	
	3" radiused corners ⁽⁴⁾	

LAPTOP TABLE BASES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
 14" Round Centered Base  12.5" Square Centered Base  12.5" Square Offset Base		W x D x H					
	GRB14H25	14 x - x 24.6	27	3.26	\$633	\$87	\$172
	GSB13H25	12.5 x 12.5 x 24.6	26	3.26	\$653	\$87	\$186
	GSOB13H25	12.5 x 12.5 x 24.6	26	3.26	\$653	\$87	\$186
1.5" diameter column. Weighted base for balance includes top plate, 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 326. Upcharge applies on plated finishes.							

Required specifications	Optional specifications
Finish	Plated finish

ROUND TOPS, 24" - 36"W

MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE HP ADD GRADE 2 R3 ADD KS ADD

W x D x H

Thermally fused laminate, flat edge ⁽¹⁾

GRBTP24	24 x - x 1	16	1	\$206	\$91	N/A	N/A	N/A
GRBTP30	30 x - x 1	25	1.5	\$239	\$108	N/A	N/A	N/A
GRBTP36	36 x - x 1	36	2	\$303	\$136	N/A	N/A	N/A

High pressure laminate, knife edge

GRBTP24LK	24 x - x 1.19	19	2	\$904	N/A	N/A	N/A	N/A
GRBTP30LK	30 x - x 1.19	30	3	\$1111	N/A	N/A	N/A	N/A
GRBTP36LK	36 x - x 1.19	43	4	\$1314	N/A	N/A	N/A	N/A

Veneer ⁽²⁾

GRBTP24V	24 x - x 1.19	19	2	\$1079	N/A	N/A	N/A	\$77
GRBTP30V	30 x - x 1.19	30	3	\$1286	N/A	N/A	N/A	\$77
GRBTP36V	36 x - x 1.19	43	4	\$1505	N/A	N/A	N/A	\$77

Solid surface, flat edge ⁽³⁾

GRBTP24SF	24 x - x 1.25	24	1.2	\$2130	N/A	\$171	N/A	N/A
GRBTP30SF	29.8 x - x 1.25	37	1.8	\$2323	N/A	\$235	N/A	N/A
GRBTP36SF	36 x - x 1.25	53	2.5	\$2970	N/A	\$353	N/A	N/A

Solid surface, knife edge ⁽³⁾

GRBTP24SK	24 x - x 1.25	24	1.2	\$2188	N/A	\$183	N/A	N/A
GRBTP30SK	29.8 x - x 1.25	37	1.8	\$2411	N/A	\$253	N/A	N/A
GRBTP36SK	36 x - x 1.25	53	2.5	\$3147	N/A	\$376	N/A	N/A

Applicable bases to use with above tops: GRB22Hxx round base or GSB19Hxx square base (15", 21", 26", 28" 35" or 40.5"H). Tops feature metal inserts for ease of assembly to base. One base required.

SQUARE TOPS, 24" - 36"W

Thermally fused laminate, flat edge ⁽¹⁾⁽⁴⁾

GSBTP24	24 x 24 x 1	20	1	\$206	\$91	N/A	\$20.60	N/A
GSBTP30	30 x 30 x 1	30	1.5	\$239	\$108	N/A	\$23.90	N/A
GSBTP36	36 x 36 x 1	44	2	\$303	\$136	N/A	\$30.30	N/A

High pressure laminate, knife edge

GSBTP24LK	24 x 24 x 1.19	24	2	\$822	N/A	N/A	N/A	N/A
GSBTP30LK	30 x 30 x 1.19	36	3	\$892	N/A	N/A	N/A	N/A
GSBTP36LK	36 x 36 x 1.19	53	4	\$958	N/A	N/A	N/A	N/A

Veneer ⁽²⁾

GSBTP24V	24 x 24 x 1.19	24	2	\$1111	N/A	N/A	N/A	\$72
GSBTP30V	30 x 30 x 1.19	36	3	\$1177	N/A	N/A	N/A	\$72
GSBTP36V	36 x 36 x 1.19	53	4	\$1248	N/A	N/A	N/A	\$72

Solid surface, flat edge ⁽³⁾⁽⁴⁾

GSBTP24SF	24 x 24 x 1.25	30	1.2	\$1882	N/A	\$176	\$206	N/A
GSBTP30SF	29.8 x 29.8 x 1.25	47	1.8	\$2323	N/A	\$235	\$206	N/A
GSBTP36SF	36 x 36 x 1.25	68	2.5	\$3024	N/A	\$288	\$206	N/A

Solid surface, knife edge ⁽¹⁾⁽⁴⁾

GSBTP24SK	24 x 24 x 1.25	30	1.2	\$1942	N/A	\$188	\$206	N/A
GSBTP30SK	29.8 x 29.8 x 1.25	47	1.8	\$2912	N/A	\$265	\$206	N/A
GSBTP36SK	36 x 36 x 1.25	68	2.5	\$3606	N/A	\$329	\$206	N/A

Applicable bases to use with above tops: GRB22Hxx round base or GSB19Hxx square base (15", 21", 26", 28" 35" or 40.5"H). Tops feature metal inserts for ease of assembly to base. One base required.

Required specifications

Top finish
Edge finish ⁽¹⁾

Optional specifications

HP laminate ⁽¹⁾ Knife edge ⁽²⁾
Grade 2 solid surface ⁽³⁾
3" radiused corners ⁽⁴⁾
Q2 cut-out for single port module

Applicable bases


Round bases: GRB22H15, GRB22H21,
GRB22H26, GRB22, GRB22H35, GRB22H41
Square bases: GSB19H15, GSB19H21,
GSB19H26, GSB19, GSB19H35, GSB19H41

Accessories


Single port modules



Round Tops



Square Tops

RECTANGULAR TOPS, SMALL	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADD
 Rectangular Tops	W x D x H								
	Thermally fused laminate, flat edge ⁽¹⁾⁽⁴⁾								
	GSBTP2430	30 x 24 x 1	20	0.91	\$235	\$103	N/A	\$23.50	N/A
	GSBTP2436	36 x 24 x 1	24	1.08	\$271	\$117	N/A	\$27.10	N/A
	GSBTP3036	36 x 30 x 1	31	1.34	\$297	\$128	N/A	\$29.70	N/A
	High pressure laminate, knife edge								
	GSBTP2430LK	30 x 24 x 1.19	24	2.5	\$822	N/A	N/A	N/A	N/A
	GSBTP2436LK	36 x 24 x 1.19	29	3	\$958	N/A	N/A	N/A	N/A
	GSBTP3036LK	36 x 30 x 1.19	37	3.5	\$1008	N/A	N/A	N/A	N/A
	Veneer ⁽²⁾								
	GSBTP2430V	30 x 24 x 1.19	24	2.5	\$1111	N/A	N/A	N/A	\$72
	GSBTP2436V	36 x 24 x 1.19	29	3	\$1177	N/A	N/A	N/A	\$72
	GSBTP3036V	36 x 30 x 1.19	37	3.5	\$1248	N/A	N/A	N/A	\$72
	Solid surface, flat edge ⁽³⁾⁽⁴⁾								
	GSBTP2430SF	24 x 29.8 x 1.25	38	1.8	\$2035	N/A	\$176	\$206	N/A
	GSBTP2436SF	24 x 36 x 1.25	45	2.1	\$2295	N/A	\$223	\$206	N/A
	GSBTP3036SF	29.8 x 36 x 1.25	57	2.1	\$2606	N/A	\$248	\$206	N/A
	Solid surface, knife edge ⁽³⁾⁽⁴⁾								
	GSBTP2430SK	24 x 29.8 x 1.25	38	1.8	\$2453	N/A	\$218	\$206	N/A
	GSBTP2436SK	24 x 36 x 1.25	45	2.1	\$2664	N/A	\$271	\$206	N/A
	GSBTP3036SK	29.8 x 36 x 1.25	57	2.1	\$3006	N/A	\$300	\$206	N/A
Applicable bases to use with above tops: GRB22Hxx round base or GSB19Hxx square base (15", 21", 26", 28" 35" or 40.5"H). Tops feature metal inserts for ease of assembly to base. One base required.									

Required specifications

Top finish
Edge finish ⁽¹⁾

Optional specifications

HP laminate ⁽¹⁾ Knife edge ⁽²⁾
Grade 2 solid surface ⁽³⁾
3" radiused corners ⁽⁴⁾
Q2 cut-out for single port module

Applicable bases


Round bases: GRB22H15, GRB22H21,
GRB22H26, GRB22, GRB22H35, GRB22H41
Square bases: GSB19H15, GSB19H21,
GSB19H26, GSB19, GSB19H35, GSB19H41

Accessories


Single port modules

S SWAP™ TABLES


BASES FOR TOPS 24" - 36"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
---------------------------	---------	------------	--------	-----------	------------	-----------	-----------



22" Dia Round Bases ⁽¹⁾



18.5" Square Bases ⁽¹⁾



Single Port Module w/USB-A + USB-C



Single Port Module w/one Simplex

W x D x H						
BASE VALID FOR TOPS ON PAGES 336-337:						
GRB22H15	22 x - x 15	47.6	4.69	\$793	\$147	\$211
GRB22H21	22 x - x 21	48.6	6.45	\$793	\$147	\$211
GRB22H26	22 x - x 26	55	8.63	\$793	\$147	\$221
GRB22	22 x - x 27.5	55	9.33	\$793	\$147	\$221
GRB22H35	22 x - x 35	57.1	12	\$831	\$164	\$253
GRB22H41	22 x - x 40.5	58.3	14	\$844	\$171	\$259
GRB22H15 - coffee table height GRB22H21 - end table height		GRB22H26 - lounge height GRB22 - seated height		GRB22H35 - counter height GRB22H41 - bar height		
GSB19H15	18.5 x 18.5 x 15	43.7	3.52	\$857	\$136	\$204
GSB19H21	18.5 x 18.5 x 21	44.8	4.84	\$857	\$136	\$204
GSB19H26	18.5 x 18.5 x 26	50	5.94	\$857	\$136	\$212
GSB19	18.5 x 18.5 x 27.5	50	6.06	\$857	\$136	\$212
GSB19H35	18.5 x 18.5 x 35	51.8	7.52	\$906	\$151	\$262
GSB19H41	18.5 x 18.5 x 40.5	53.2	8.77	\$937	\$166	\$267
GSB19H15 - coffee table height GSB19H21 - end table height		GSB19H26 - lounge height GSB19 - seated height		GSB1935 - counter height GSB19H41 - bar height		
Base comes fully assembled and features 0.5” adjustable glides to level on uneven surfaces. Screws included with attaching to appropriate top(s). Base top plate and base plate include pass-through for single port power or USB module (sold separately). Available in paint and plated finishes as listed on page 326. Upcharge applies on plated finishes.						
White						
SPUSBACRW72	2.25 x - x 2.75	0.19	0.05	\$375	N/A	N/A
Black						
SPUSBACRB72	2.25 x - x 2.75	0.19	0.05	\$375	N/A	N/A
Single port module with USB-A and USB-C charging ports. Round module with 72” cord. Specify top with Q2 cut-out to accomodate.						
White						
SPTRSMXRW72	2.25 x - x 2.75	0.2	0.09	\$145	N/A	N/A
Black						
SPTRSMXRB72	2.25 x - x 2.75	0.2	0.09	\$145	N/A	N/A
Single port module with one tamper resistant simplex. Round module with 72” cord. Specify top with Q2 cut-out to accomodate.						
Required specifications		Optional specifications				
Finish		Plated finish ⁽¹⁾				

ROUND TOPS, 42" - 48"W

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADD
---------	------------	--------	-----------	------------	--------	---------	--------	--------

W x D x H

Thermally fused laminate, flat edge ⁽¹⁾

GRBTP42	42 x - x 1	44	2.5	\$424	\$174	N/A	N/A	N/A
GRBTP48	48 x - x 1	56	3	\$452	\$188	N/A	N/A	N/A

High pressure laminate, knife edge

GRBTP42LK	42 x - x 1.19	53	5	\$1532	N/A	N/A	N/A	N/A
GRBTP48LK	48 x - x 1.19	67	6.5	\$1752	N/A	N/A	N/A	N/A

Veneer ⁽²⁾

GRBTP42V	42 x - x 1.19	53	5	\$1838	N/A	N/A	N/A	\$72
GRBTP48V	48 x - x 1.19	67	6.5	\$2103	N/A	N/A	N/A	\$81

Solid surface, flat edge ⁽³⁾

GRBTP42SF	42 x - x 1.25	73	3.4	\$4029	N/A	\$453	N/A	N/A
GRBTP48SF	48 x - x 1.25	95	4.3	\$4588	N/A	\$576	N/A	N/A

Solid surface, knife edge ⁽³⁾

GRBTP42SK	42 x - x 1.25	73	3.4	\$4242	N/A	\$506	N/A	N/A
GRBTP48SK	48 x - x 1.25	95	4.3	\$5117	N/A	\$641	N/A	N/A



Round Tops

Applicable bases to use with above tops: GRB28 round base or GSB23 square base (28"H). Tops feature metal inserts for ease of assembly to base. One base required.

SQUARE/RECTANGULAR TOPS, 42"W

Thermally fused laminate, flat edge ⁽¹⁾⁽⁴⁾

GSBTP3042	42 x 30 x 1	36	1.55	\$392	\$169	N/A	\$39.20	N/A
GSBTP3642	42 x 36 x 1	43	1.86	\$421	\$182	N/A	\$42.10	N/A
GSBTP42	42 x 42 x 1	58	2.5	\$424	\$174	N/A	\$42.40	N/A

High pressure laminate, knife edge

GSBTP3042LK	42 x 30 x 1.19	43	4	\$1084	N/A	N/A	N/A	N/A
GSBTP3642LK	42 x 36 x 1.19	52	4.5	\$1150	N/A	N/A	N/A	N/A
GSBTP42LK	42 x 42 x 1.19	70	5	\$1198	N/A	N/A	N/A	N/A

Veneer ⁽²⁾


GSBTP3042V	42 x 30 x 1.19	43	4	\$1363	N/A	N/A	N/A	\$56
GSBTP3642V	42 x 36 x 1.19	52	4.5	\$1423	N/A	N/A	N/A	\$66
GSBTP42V	42 x 42 x 1.19	70	5	\$1669	N/A	N/A	N/A	\$72

Solid surface, flat edge ⁽³⁾⁽⁴⁾


GSBTP3042SF	29.8 x 42 x 1.25	66	2.9	\$2736	N/A	\$300	\$206	N/A
GSBTP3642SF	36 x 42 x 1.25	79	2.9	\$3511	N/A	\$400	\$206	N/A
GSBTP42SF	42 x 42 x 1.25	92	3.4	\$3659	N/A	\$436	\$206	N/A

Solid surface, knife edge ⁽³⁾⁽⁴⁾

GSBTP3042SK	29.8 x 42 x 1.25	66	2.9	\$3205	N/A	\$353	\$206	N/A
GSBTP3642SK	36 x 42 x 1.25	79	2.9	\$4052	N/A	\$476	\$206	N/A
GSBTP42SK	42 x 42 x 1.25	92	3.4	\$4242	N/A	\$529	\$206	N/A



Rectangular Tops



Square Tops

Applicable bases to use with above tops: GRB28 round base or GSB23 square base (28"H). Tops feature metal inserts for ease of assembly to base. One base required.

Required specifications

Top finish
Edge finish ⁽¹⁾


Optional specifications

HP laminate ⁽¹⁾
Knife edge ⁽²⁾
Grade 2 solid surface ⁽³⁾
3" radiused corners ⁽⁴⁾


Applicable bases

GRB28 - round
GSB23 - square

BASES FOR TOPS 42" - 48"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
---------------------------	---------	------------	--------	-----------	------------	-----------	-----------



28" Dia Round Base



23" Square Base

W x D x H							
BASES VALID FOR TOPS ON PAGE 339:							
GRB28	28 x - x 27.5	100	15.63	\$1250	\$147	\$372	
seated height							
GSB23	22.5 x 22.5 x 27.5	82	9.33	\$1146	\$136	\$235	
seated height							



Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 326. Upcharge applies on plated finishes.

Required Specifications	Optional Specifications
Finish	Plated finish

ROUND TOPS, 54" - 60"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADD
	W x D x H								
	Thermally fused laminate, flat edge ⁽¹⁾								
	GRBTP54	54 x - x 1	73	4.5	\$603	\$271	N/A	N/A	N/A
	GRBTP60	60 x - x 1	92	5	\$627	\$282	N/A	N/A	N/A
	High pressure laminate, knife edge								
	GRBTP54LK	54 x - x 1.19	88	8	\$1976	N/A	N/A	N/A	N/A
	GRBTP60LK	60 x - x 1.19	110	10	\$2435	N/A	N/A	N/A	N/A
	Veneer ⁽²⁾								
	GRBTP54V	54 x - x 1.19	88	8	\$2682	N/A	N/A	N/A	\$97
	GRBTP60V	60 x - x 1.19	110	10	\$3311	N/A	N/A	N/A	\$102
	Solid surface, flat edge ⁽³⁾								
	GRBTP54SF	54 x - x 1.25	120	5.4	\$4971	N/A	\$706	N/A	N/A
	GRBTP60SF	60 x - x 1.25	148	6.7	\$6530	N/A	\$882	N/A	N/A
	Solid surface, knife edge ⁽³⁾								
	GRBTP54SK	54 x - x 1.25	120	5.4	\$5876	N/A	\$888	N/A	N/A
	GRBTP60SK	60 x - x 1.25	148	6.7	\$7189	N/A	\$1077	N/A	N/A

Round Tops

Applicable bases to use with above tops: GRB34 round base or GSB28 square base (28"H). Tops feature metal inserts for ease of assembly to base. One base required.

BASES FOR TOPS 54" - 60"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
 34" Dia Round Base  28" Square Base	W x D x H						
	BASES VALID FOR TOPS ABOVE:						
	Order the quantity of bases as indicated by each top size.						
	GRB34	34 x - x 27.5	135	20.56	\$1538	\$147	\$449
	seated height						
	GSB28	28.5 x 28.5 x 27.5	125	15.63	\$1432	\$136	\$242
	seated height						
	Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 326. Upcharge applies on plated finishes.						

Required specifications

Top finish
Edge finish ⁽¹⁾
Base finish

Optional specifications

HP laminate ⁽¹⁾
Knife edge ⁽²⁾
Grade 2 solid surface ⁽³⁾
Base plated finish

Applicable bases

GRB34 - round
GSB28 - square

RECTANGULAR LOUNGE TOPS, 24"D	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADD
-------------------------------	---------	------------	--------	-----------	------------	--------	---------	--------	--------

W x D x H

Thermally fused laminate, flat edge ^{(1) (4)}

GRT5STP	60 x 24 x 1	41	1.79	\$406	\$173	N/A	\$40.60	N/A
GRT5HSTP	66 x 24 x 1	46	1.97	\$474	\$173	N/A	\$47.40	N/A
GRT6STP	72 x 24 x 1	49	2.14	\$494	\$184	N/A	\$49.40	N/A
GRT7STP	84 x 24 x 1	57	2.49	\$573	\$219	N/A	\$49.40	N/A
GRT8STP	96 x 24 x 1	66	2.84	\$615	\$240	N/A	\$61.50	N/A

High pressure laminate, knife edge

GRT5STPLK	60 x 24 x 1.19	49	4	\$1177	N/A	N/A	N/A	N/A
GRT5HSTPLK	66 x 24 x 1.19	55	4.5	\$1248	N/A	N/A	N/A	N/A
GRT6STPLK	72 x 24 x 1.19	59	5	\$1314	N/A	N/A	N/A	N/A
GRT7STPLK	84 x 24 x 1.19	68	5.5	\$1451	N/A	N/A	N/A	N/A
GRT8STPLK	96 x 24 x 1.19	79	6.5	\$1642	N/A	N/A	N/A	N/A

Veneer ⁽²⁾

GRT5STPV	60 x 24 x 1.19	49	4	\$1451	N/A	N/A	N/A	\$66
GRT5HSTPV	66 x 24 x 1.19	55	4.5	\$1522	N/A	N/A	N/A	\$66
GRT6STPV	72 x 24 x 1.19	59	5	\$1659	N/A	N/A	N/A	\$66
GRT7STPV	84 x 24 x 1.19	68	5.5	\$1932	N/A	N/A	N/A	\$66
GRT8STPV	96 x 24 x 1.19	79	6.5	\$2205	N/A	N/A	N/A	\$66


Solid surface, flat edge ^{(3) (4)}

GRT5STPSF	60 x 24 x 1.25	75	2.8	\$3941	N/A	\$441	\$206	N/A
GRT5HSTPSF	66 x 24 x 1.25	83	3.1	\$4117	N/A	\$453	\$206	N/A
GRT6STPSF	71.8 x 24 x 1.25	90	3.3	\$4341	N/A	\$464	\$206	N/A
GRT7STPSF	84 x 24 x 1.25	105	3.9	\$4824	N/A	\$606	\$206	N/A
GRT8STPSF	96 x 24 x 1.25	120	4.4	\$5294	N/A	\$617	\$206	N/A

Solid surface, knife edge ^{(3) (4)}

GRT5STPSK	60 x 24 x 1.25	75	2.8	\$4441	N/A	\$471	\$206	N/A
GRT5HSTPSK	66 x 24 x 1.25	83	3.1	\$4618	N/A	\$494	\$206	N/A
GRT6STPSK	71.8 x 24 x 1.25	90	3.3	\$4841	N/A	\$518	\$206	N/A
GRT7STPSK	84 x 24 x 1.25	105	3.9	\$5518	N/A	\$671	\$206	N/A
GRT8STPSK	96 x 24 x 1.25	120	4.4	\$6006	N/A	\$694	\$206	N/A

Applicable bases to use with above tops - **two bases required: GRB22Hxx round bases or GSB19Hxx square bases (26", 35" or 40.5"H).** Tops feature metal inserts for ease of assembly to base. 24"D tops not recommended with 28"H bases.



Rectangular Tops

Required specifications Top finish Edge finish ⁽¹⁾	Optional specifications HP laminate ⁽¹⁾ Grade 2 solid surface ⁽³⁾ 3" radiused corners ⁽⁴⁾ Grommet position or power block cut-out	Applicable bases (two required) Round bases: GRB22H26, GRB22H35, GRB22H41 Square bases: GSB19H26, GSB19H35, GSB19H41	Accessories Power block
--	---	---	-----------------------------------

RACETRACK LOUNGE TOPS, 24"D	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	KS ADD
-----------------------------	---------	------------	--------	-----------	------------	--------	--------

W x D x H

Thermally fused laminate, flat edge ⁽¹⁾


GRC5STP	60 x 24 x 1	41	1.79	\$406	\$173	N/A
GRC5HSTP	66 x 24 x 1	46	1.97	\$474	\$173	N/A
GRC6STP	72 x 24 x 1	49	2.14	\$494	\$185	N/A
GRC7STP	84 x 24 x 1	57	2.49	\$573	\$222	N/A
GRC8STP	96 x 24 x 1	66	2.84	\$615	\$244	N/A

High pressure laminate, knife edge

GRC5STPLK	60 x 24 x 1.19	49	4	\$1451	N/A	N/A
GRC5HSTPLK	66 x 24 x 1.19	55	4.5	\$1588	N/A	N/A
GRC6STPLK	72 x 24 x 1.19	59	5	\$1725	N/A	N/A
GRC7STPLK	84 x 24 x 1.19	68	5.5	\$1861	N/A	N/A
GRC8STPLK	96 x 24 x 1.19	79	6.5	\$1999	N/A	N/A

Veneer ⁽²⁾

GRC5STPV	60 x 24 x 1.19	49	4	\$1725	N/A	\$230
GRC5HSTPV	66 x 24 x 1.19	55	4.5	\$1890	N/A	\$256
GRC6STPV	72 x 24 x 1.19	59	5	\$2052	N/A	\$275
GRC7STPV	84 x 24 x 1.19	68	5.5	\$2381	N/A	\$275
GRC8STPV	96 x 24 x 1.19	79	6.5	\$2709	N/A	\$275


Racetrack Tops

Applicable bases to use with above tops - two bases required: GRB22Hxx round bases or GSB19Hxx square bases (26", 35" or 40.5"H). Tops feature metal inserts for ease of assembly to base. 24"D tops not recommended with 28"H bases.

Required specifications

Top finish
Edge finish ⁽¹⁾

Optional specifications

HP laminate ⁽¹⁾
Knife edge ⁽²⁾
Grommet position or power block cut-out

Applicable bases (two required)

Round bases:
GRB22H26, GRB22H35, GRB22H41
Square bases:
GSB19H26, GSB19H35, GSB19H41

Accessories

Power block

RECTANGULAR TOPS, 60" - 96"W

MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE HP ADD GRADE 2 R3 ADD KS ADD

W x D x H

Thermally fused laminate, flat edge ⁽¹⁾⁽⁴⁾

GRT5NTP	60 x 30 x 1	46	2.5	\$414	\$173	N/A	\$41.40	N/A
GRT5NHTP	66 x 30 x 1	56	2.44	\$443	\$184	N/A	\$44.30	N/A
GRT6NTP	72 x 30 x 1	62	3	\$449	\$194	N/A	\$44.90	N/A
GRT7NTP	84 x 30 x 1	72	7.5	\$536	\$231	N/A	\$53.60	N/A
GRT8NTP	96 x 30 x 1	80	8.5	\$592	\$241	N/A	\$59.20	N/A
GRT5TP	60 x 36 x 1	70	6.6	\$472	\$188	N/A	\$47.20	N/A
GRT5HTP	66 x 36 x 1	79	7.21	\$481	\$195	N/A	\$48.10	N/A
GRT6TP	72 x 36 x 1	72	8	\$481	\$195	N/A	\$48.10	N/A
GRT7TP	84 x 36 x 1	85	8.75	\$591	\$241	N/A	\$59.10	N/A
GRT8TP	96 x 36 x 1	94	9	\$648	\$275	N/A	\$64.80	N/A

High pressure laminate, knife edge

GRT5NTPLK	60 x 30 x 1.19	55	5	\$1303	N/A	N/A	N/A	N/A
GRT5NHTPLK	66 x 30 x 1.19	67	5.5	\$1423	N/A	N/A	N/A	N/A
GRT6NTPLK	72 x 30 x 1.19	74	6	\$1549	N/A	N/A	N/A	N/A
GRT7NTPLK	84 x 30 x 1.19	86	7	\$1785	N/A	N/A	N/A	N/A
GRT8NTPLK	96 x 30 x 1.19	96	8	\$2031	N/A	N/A	N/A	N/A
GRT5TPLK	60 x 36 x 1.19	84	6	\$1549	N/A	N/A	N/A	N/A
GRT5HTPLK	66 x 36 x 1.19	95	6.5	\$1692	N/A	N/A	N/A	N/A
GRT6TPLK	72 x 36 x 1.19	86	7	\$1839	N/A	N/A	N/A	N/A
GRT7TPLK	84 x 36 x 1.19	102	8	\$2129	N/A	N/A	N/A	N/A
GRT8TPLK	96 x 36 x 1.19	113	9	\$2425	N/A	N/A	N/A	N/A

Veneer ⁽²⁾

GRT5NTPV	60 x 30 x 1.19	55	5	\$1779	N/A	N/A	N/A	\$77
GRT5NHTPV	66 x 30 x 1.19	67	5.5	\$1894	N/A	N/A	N/A	\$77
GRT6NTPV	72 x 30 x 1.19	74	6	\$2031	N/A	N/A	N/A	\$97
GRT7NTPV	84 x 30 x 1.19	86	7	\$2358	N/A	N/A	N/A	\$112
GRT8NTPV	96 x 30 x 1.19	96	8	\$2682	N/A	N/A	N/A	\$128
GRT5TPV	60 x 36 x 1.19	84	6	\$2031	N/A	N/A	N/A	\$97
GRT5HTPV	66 x 36 x 1.19	95	6.5	\$2217	N/A	N/A	N/A	\$128
GRT6TPV	72 x 36 x 1.19	86	7	\$2409	N/A	N/A	N/A	\$143
GRT7TPV	84 x 36 x 1.19	102	8	\$2797	N/A	N/A	N/A	\$164
GRT8TPV	96 x 36 x 1.19	113	9	\$3191	N/A	N/A	N/A	\$179


Solid surface, flat edge ⁽³⁾⁽⁴⁾

GRT5NTPSF	60 x 29.8 x 1.25	94	3.4	\$4106	N/A	\$436	\$206	N/A
GRT5NHTPSF	66 x 29.8 x 1.25	104	3.8	\$4406	N/A	\$506	\$206	N/A
GRT6NTPSF	71.8 x 29.8 x 1.25	113	4.1	\$5029	N/A	\$706	\$206	N/A
GRT7NTPSF	84 x 29.8 x 1.25	132	4.8	\$5836	N/A	\$694	\$206	N/A
GRT8NTPSF	96 x 29.8 x 1.25	150	5.4	\$6423	N/A	\$900	\$206	N/A
GRT5TPSF	60 x 36 x 1.25	113	4.1	\$5465	N/A	\$647	\$206	N/A
GRT5HTPSF	66 x 36 x 1.25	124	4.5	\$5641	N/A	\$647	\$206	N/A
GRT6TPSF	71.8 x 36 x 1.25	135	4.9	\$6229	N/A	\$706	\$206	N/A
GRT7TPSF	84 x 36 x 1.25	158	5.7	\$6776	N/A	\$853	\$206	N/A
GRT8TPSF	96 x 36 x 1.25	180	6.5	\$7271	N/A	\$894	\$206	N/A

Solid surface, knife edge ⁽³⁾⁽⁴⁾

GRT5NTPSK	60 x 29.8 x 1.25	94	3.4	\$4494	N/A	\$494	\$206	N/A
GRT5NHTPSK	66 x 29.8 x 1.25	104	3.8	\$4853	N/A	\$576	\$206	N/A
GRT6NTPSK	71.8 x 29.8 x 1.25	113	4.1	\$5470	N/A	\$789	\$206	N/A
GRT7NTPSK	84 x 29.8 x 1.25	132	4.8	\$6277	N/A	\$789	\$206	N/A
GRT8NTPSK	96 x 29.8 x 1.25	150	5.4	\$6971	N/A	\$1005	\$206	N/A
GRT5TPSK	60 x 36 x 1.25	113	4.1	\$6053	N/A	\$729	\$206	N/A
GRT5HTPSK	66 x 36 x 1.25	124	4.5	\$6206	N/A	\$741	\$206	N/A
GRT6TPSK	71.8 x 36 x 1.25	135	4.9	\$6876	N/A	\$812	\$206	N/A
GRT7TPSK	84 x 36 x 1.25	158	5.7	\$7429	N/A	\$970	\$206	N/A
GRT8TPSK	96 x 36 x 1.25	180	6.5	\$7911	N/A	\$1023	\$206	N/A

Applicable bases to use with above tops - two bases required: GRB22H26, GRB22, GRB22H35, GRB22H41 round bases or GSB19H26, GSB19, GSB19H35, GSB19H41 square bases. Tops feature metal inserts for ease of assembly to base.



Rectangular Tops

Required specifications

Top finish
Edge finish ⁽¹⁾

Optional specifications

HP laminate ⁽¹⁾ Knife edge ⁽²⁾
Grade 2 solid surface ⁽³⁾
3" radiused corners ⁽⁴⁾
Grommet position or power block cut-out

Applicable bases (two required)

Round bases:
GRB22H26, GRB22, GRB22H35, GRB22H41
Square bases:
GSB19H26, GSB19, GSB19H35, GSB19H41

Accessories

Power block

RACETRACK TOPS, 60" - 96"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	KS ADD
----------------------------	---------	------------	--------	-----------	------------	--------	--------

W x D x H

Thermally fused laminate, flat edge ⁽¹⁾


GRC5NTP	60 x 30 x 1	46	2.5	\$422	\$178	N/A
GRC5NHTP	66 x 30 x 1	56	2.44	\$457	\$187	N/A
GRC6NTP	72 x 30 x 1	62	3	\$459	\$195	N/A
GRC7NTP	84 x 30 x 1	72	7.5	\$548	\$233	N/A
GRC8NTP	96 x 30 x 1	80	8.5	\$601	\$244	N/A
GRC5TP	60 x 36 x 1	70	6.6	\$483	\$195	N/A
GRC5HTP	66 x 36 x 1	79	7.21	\$488	\$199	N/A
GRC6TP	72 x 36 x 1	72	7.5	\$488	\$199	N/A
GRC7TP	84 x 36 x 1	85	8.75	\$600	\$244	N/A
GRC8TP	96 x 36 x 1	94	9	\$659	\$275	N/A

High pressure laminate, knife edge

GRC5NTPLK	60 x 30 x 1.19	55	5	\$1790	N/A	N/A
GRC5NHTPLK	66 x 30 x 1.19	67	5.5	\$1954	N/A	N/A
GRC6NTPLK	72 x 30 x 1.19	74	6	\$2129	N/A	N/A
GRC7NTPLK	84 x 30 x 1.19	86	7	\$2282	N/A	N/A
GRC8NTPLK	96 x 30 x 1.19	96	8	\$2447	N/A	N/A
GRC5TPLK	60 x 36 x 1.19	84	6	\$1954	N/A	N/A
GRC5HTPLK	66 x 36 x 1.19	95	6.5	\$2119	N/A	N/A
GRC6TPLK	72 x 36 x 1.19	86	7	\$2294	N/A	N/A
GRC7TPLK	84 x 36 x 1.19	102	8	\$2623	N/A	N/A
GRC8TPLK	96 x 36 x 1.19	113	9	\$2951	N/A	N/A

Veneer ⁽²⁾

GRC5NTPV	60 x 30 x 1.19	55	5	\$2014	N/A	\$271
GRC5NHTPV	66 x 30 x 1.19	67	5.5	\$2168	N/A	\$292
GRC6NTPV	72 x 30 x 1.19	74	6	\$2327	N/A	\$312
GRC7NTPV	84 x 30 x 1.19	86	7	\$2704	N/A	\$363
GRC8NTPV	96 x 30 x 1.19	96	8	\$3071	N/A	\$415
GRC5TPV	60 x 36 x 1.19	84	6	\$2327	N/A	\$312
GRC5HTPV	66 x 36 x 1.19	95	6.5	\$2540	N/A	\$343
GRC6TPV	72 x 36 x 1.19	86	7	\$2758	N/A	\$373
GRC7TPV	84 x 36 x 1.19	102	8	\$3208	N/A	\$435
GRC8TPV	96 x 36 x 1.19	113	9	\$3656	N/A	\$496



Racetrack Tops

Applicable bases to use with above tops - two bases required: GRB22H26, GRB22, GRB22H35, GRB22H41 round bases or GSB19H26, GSB19, GSB19H35, GSB19H41 square bases. Tops feature metal inserts for ease of assembly to base.

Required specifications

Top finish
Edge finish ⁽¹⁾

Optional specifications

HP laminate ⁽¹⁾
Knife edge ⁽²⁾
Grommet position or power block cut-out

Applicable bases (two required)

Round bases:
GRB22H26, GRB22, GRB22H35, GRB22H41
Square bases:
GSB19H26, GSB19, GSB19H35, GSB19H41

Accessories

Power block

BOAT SHAPE TOPS, 60" - 96"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	KS ADD
-----------------------------	---------	------------	--------	-----------	------------	--------	--------

W x D x H

Thermally fused laminate, flat edge ⁽¹⁾

GBT5NTP	60 x 30 x 1	46	2.5	\$422	\$178	N/A
GBT5NHTP	66 x 30 x 1	56	2.44	\$457	\$187	N/A
GBT6NTP	72 x 30 x 1	62	3	\$459	\$195	N/A
GBT7NTP	84 x 30 x 1	72	7.5	\$548	\$233	N/A
GBT8NTP	96 x 30 x 1	80	8.5	\$601	\$244	N/A
GBT5TP	60 x 36 x 1	70	6.6	\$483	\$195	N/A
GBT5HTP	66 x 36 x 1	79	7.21	\$488	\$199	N/A
GBT6TP	72 x 36 x 1	72	7.5	\$488	\$199	N/A
GBT7TP	84 x 36 x 1	85	8.75	\$600	\$244	N/A
GBT8TP	96 x 36 x 1	94	9	\$659	\$275	N/A

High pressure laminate, knife edge


GBT5NTPLK	60 x 30 x 1.19	55	5	\$1790	N/A	N/A
GBT5NHTPLK	66 x 30 x 1.19	67	5.5	\$1954	N/A	N/A
GBT6NTPLK	72 x 30 x 1.19	74	6	\$2129	N/A	N/A
GBT7NTPLK	84 x 30 x 1.19	86	7	\$2282	N/A	N/A
GBT8NTPLK	96 x 30 x 1.19	96	8	\$2447	N/A	N/A
GBT5TPLK	60 x 36 x 1.19	84	6	\$1954	N/A	N/A
GBT5HTPLK	66 x 36 x 1.19	95	6.5	\$2119	N/A	N/A
GBT6TPLK	72 x 36 x 1.19	86	7	\$2294	N/A	N/A
GBT7TPLK	84 x 36 x 1.19	102	8	\$2623	N/A	N/A
GBT8TPLK	96 x 36 x 1.19	113	9	\$2951	N/A	N/A

Veneer ⁽²⁾

GBT5NTPV	60 x 30 x 1.19	55	5	\$2014	N/A	\$271
GBT5NHTPV	66 x 30 x 1.19	67	5.5	\$2168	N/A	\$292
GBT6NTPV	72 x 30 x 1.19	74	6	\$2327	N/A	\$312
GBT7NTPV	84 x 30 x 1.19	86	7	\$2704	N/A	\$363
GBT8NTPV	96 x 30 x 1.19	96	8	\$3071	N/A	\$415
GBT5TPV	60 x 36 x 1.19	84	6	\$2327	N/A	\$312
GBT5HTPV	66 x 36 x 1.19	95	6.5	\$2540	N/A	\$343
GBT6TPV	72 x 36 x 1.19	86	7	\$2758	N/A	\$373
GBT7TPV	84 x 36 x 1.19	102	8	\$3208	N/A	\$435
GBT8TPV	96 x 36 x 1.19	113	9	\$3656	N/A	\$496

Applicable bases to use with above tops - two bases required: GRB22H26, GRB22, GRB22H35, GRB22H41 round bases or GSB19H26, GSB19, GSB19H35, GSB19H41 square bases. Tops feature metal inserts for ease of assembly to base.

- GBTxNTP/GBTxNHTP: 30"D across center and 24"D at ends.
- GBTxTP/GBTxHTP: 36"D across center and 28"D at ends.



Boat Shape Tops

Required specifications

Top finish
Edge finish ⁽¹⁾

Optional specifications

HP laminate ⁽¹⁾
Knife edge ⁽²⁾
Grommet position or power block cut-out

Applicable bases (two required)

Round bases:
GRB22H26, GRB22, GRB22H35, GRB22H41
Square bases:
GSB19H26, GSB19, GSB19H35, GSB19H41

Accessories

Power block

BASES FOR TOPS 60" - 96"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
---------------------------	---------	------------	--------	-----------	------------	-----------	-----------

W x D x H

Order the quantity of bases as indicated by each top size.


GRB22H26	22 x - x 26	55	8.63	\$793	\$147	\$221
GRB22	22 x - x 27.5	55	9.33	\$793	\$147	\$221
GRB22H35	22 x - x 35	57.1	12	\$831	\$164	\$253
GRB22H41	22 x - x 40.5	58.3	14	\$844	\$171	\$259

GRB22H26 - lounge height **GRB22** - seated height **GRB22H35** - counter height **GRB22H41** - bar height


GSB19H26	18.5 x 18.5 x 26	50	5.94	\$857	\$136	\$212
GSB19	18.5 x 18.5 x 27.5	50	6.06	\$857	\$136	\$212
GSB19H35	18.5 x 18.5 x 35	51.8	7.52	\$906	\$151	\$262
GSB19H41	18.5 x 18.5 x 40.5	53.2	8.77	\$937	\$166	\$267

GSB19H26 - lounge height **GSB19** - seated height **GSB19H35** - counter height **GSB19H41** - bar height

Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 326. Upcharge applies on plated finishes.





22" Dia Round Bases



18.5" Square Bases

Required Specifications	Optional Specifications
Finish	Plated finish

RECTANGULAR TOPS, 96" - 144"W		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	R3 ADD	KS ADD
		W x D x H							
		Thermally fused laminate, flat edge (1 piece top - 2 bases required) ⁽¹⁾⁽⁴⁾							
		GRT8MTP	96 x 42 x 1	128	11.84	\$1221	\$504	\$122.10	N/A
		GRT8WTP	96 x 48 x 1	190	14	\$1221	\$512	\$122.10	N/A
		Thermally fused laminate, flat edge (2 piece tops - 3 bases required) ⁽¹⁾⁽⁴⁾							
		GRT10WTP	120 x 48 x 1	220	17	\$1537	\$636	\$153.70	N/A
		GRT12WTP	144 x 48 x 1	262	21	\$1791	\$739	\$179.10	N/A
		High pressure laminate, knife edge (1 piece top - 2 bases required)							
		GRT8MTPLK	96 x 42 x 1.19	154	11	\$3284	N/A	N/A	N/A
		GRT8WTPLK	96 x 48 x 1.19	228	12	\$3672	N/A	N/A	N/A
		High pressure laminate, knife edge (2 piece tops - 3 bases required)							
		GRT10WTPLK	120 x 48 x 1.19	264	15	\$4954	N/A	N/A	N/A
		GRT12WTPLK	144 x 48 x 1.19	314	18	\$5911	N/A	N/A	N/A
		Veneer (1 piece top - 2 bases required) ⁽²⁾							
		GRT8MTPV	96 x 42 x 1.19	154	11	\$4176	N/A	N/A	\$378
		GRT8WTPV	96 x 48 x 1.19	228	12	\$4696	N/A	N/A	\$430
		Veneer (2 piece tops - 3 bases required) ⁽²⁾							
		GRT10WTPV	120 x 48 x 1.19	264	15	\$6228	N/A	N/A	\$573
		GRT12WTPV	144 x 48 x 1.19	314	18	\$7439	N/A	N/A	\$685
		Applicable bases to use with above tops: GRB28 round base or GSB23 square base (28"H). <u>Two</u> bases required for 96"W tops or <u>three</u> bases required for 120" and 144"W tops. Tops feature metal inserts for ease of assembly to base.							

RACETRACK TOPS, 96" - 144"W		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	R3 ADD	KS ADD
		Thermally fused laminate, flat edge (1 piece top - 2 bases required) ⁽¹⁾							
		GRC8MTP	96 x 42 x 1	128	11.84	\$1240	\$504	N/A	N/A
		GRC8WTP	96 x 48 x 1	190	14	\$1240	\$512	N/A	N/A
		Thermally fused laminate, flat edge (2 piece tops - 3 bases required) ⁽¹⁾							
		GRC10WTP	120 x 48 x 1	220	17	\$1560	\$636	N/A	N/A
		GRC12WTP	144 x 48 x 1	262	21	\$1818	\$739	N/A	N/A
		High pressure laminate, knife edge (1 piece top - 2 bases required)							
		GRC8MTPLK	96 x 42 x 1.19	154	11	\$3914	N/A	N/A	N/A
		GRC8WTPLK	96 x 48 x 1.19	228	12	\$4461	N/A	N/A	N/A
		High pressure laminate, knife edge (2 piece tops - 3 bases required)							
		GRC10WTPLK	120 x 48 x 1.19	264	15	\$5555	N/A	N/A	N/A
		GRC12WTPLK	144 x 48 x 1.19	314	18	\$6650	N/A	N/A	N/A
		Veneer (1 piece top - 2 bases required) ⁽²⁾							
		GRC8MTPV	96 x 42 x 1.19	154	11	\$4954	N/A	N/A	\$455
		GRC8WTPV	96 x 48 x 1.19	228	12	\$5501	N/A	N/A	\$506
		Veneer (2 piece tops - 3 bases required) ⁽²⁾							
		GRC10WTPV	120 x 48 x 1.19	264	15	\$7198	N/A	N/A	\$666
		GRC12WTPV	144 x 48 x 1.19	314	18	\$8511	N/A	N/A	\$788
		Applicable bases to use with above tops: GRB28 round base or GSB23 square base (28"H). <u>Two</u> bases required for 96"W tops or <u>three</u> bases required for 120" and 144"W tops. Tops feature metal inserts for ease of assembly to base.							

Required specifications	Optional specifications	Applicable bases (two or three required)	Accessories
Top finish	HP laminate ⁽¹⁾	GRB28 - round	Power block
Edge finish ⁽¹⁾	Knife edge ⁽²⁾	GSB23 - square	
	3" radiused corners ⁽⁴⁾		
	Grommet position or power block cut-out		

RECTANGULAR TOPS FOR DUAL COLUMN BASE

MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE HP ADD R3 ADD KS ADD

W x D x H

Thermally fused laminate, flat edge ⁽¹⁾⁽⁴⁾

GRTD5TP	60 x 36 x 1	60	6.6	\$472	\$188	\$47.20	N/A
GRTD5HTP	66 x 36 x 1	69	7.21	\$481	\$195	\$48.10	N/A
GRTD6TP	72 x 36 x 1	75	7.82	\$481	\$195	\$48.10	N/A
GRTD5MTP	60 x 42 x 1	73	7.62	\$633	\$273	\$63.30	N/A
GRTD5HMTP	66 x 42 x 1	81	8.32	\$675	\$294	\$67.50	N/A
GRTD6MTP	72 x 42 x 1	89	9.02	\$694	\$300	\$69.40	N/A

High pressure laminate, knife edge

GRTD5TPLK	60 x 36 x 1.19	72	6	\$1549	N/A	N/A	N/A
GRTD5HTPLK	66 x 36 x 1.19	83	6.5	\$1692	N/A	N/A	N/A
GRTD6TPLK	72 x 36 x 1.19	90	7	\$1839	N/A	N/A	N/A
GRTD5MTPLK	60 x 42 x 1.19	88	7	\$1785	N/A	N/A	N/A
GRTD5HMTPLK	66 x 42 x 1.19	97	7.5	\$1960	N/A	N/A	N/A
GRTD6MTPLK	72 x 42 x 1.19	107	8	\$2129	N/A	N/A	N/A

Veneer ⁽²⁾

GRTD5TPV	60 x 36 x 1.19	72	6	\$2031	N/A	N/A	\$184
GRTD5HTPV	66 x 36 x 1.19	83	6.5	\$2217	N/A	N/A	\$199
GRTD6TPV	72 x 36 x 1.19	90	7	\$2409	N/A	N/A	\$215
GRTD5MTPV	60 x 42 x 1.19	88	7	\$2349	N/A	N/A	\$210
GRTD5HMTPV	66 x 42 x 1.19	97	7.5	\$2573	N/A	N/A	\$230
GRTD6MTPV	72 x 42 x 1.19	107	8	\$2797	N/A	N/A	\$256



Rectangular Tops

Tops feature metal inserts for ease of assembly to base. One dual column base (**GDCB36H28**) required.
Limited cut-out options available for power modules, include E2 or FOG2 only. Power modules corresponding to applicable cut-out codes ordered separately.

RACETRACK TOPS FOR DUAL COLUMN BASE

Thermally fused laminate, flat edge ⁽¹⁾


GRCD5TP	60 x 36 x 1	60	6.6	\$483	\$195	N/A	N/A
GRCD5HTP	66 x 36 x 1	69	7.21	\$488	\$199	N/A	N/A
GRCD6TP	72 x 36 x 1	75	7.82	\$488	\$199	N/A	N/A
GRCD5MTP	60 x 42 x 1	73	7.62	\$633	\$273	N/A	N/A
GRCD5HMTP	66 x 42 x 1	81	8.32	\$675	\$294	N/A	N/A
GRCD6MTP	72 x 42 x 1	89	9.02	\$694	\$300	N/A	N/A

High pressure laminate, knife edge

GRCD5TPLK	60 x 36 x 1.19	72	6	\$2135	N/A	N/A	N/A
GRCD5HTPLK	66 x 36 x 1.19	83	6.5	\$2272	N/A	N/A	N/A
GRCD6TPLK	72 x 36 x 1.19	90	7	\$2409	N/A	N/A	N/A
GRCD5MTPLK	60 x 42 x 1.19	88	7	\$2546	N/A	N/A	N/A
GRCD5HMTPLK	66 x 42 x 1.19	97	7.5	\$2682	N/A	N/A	N/A
GRCD6MTPLK	72 x 42 x 1.19	107	8	\$2819	N/A	N/A	N/A

Veneer ⁽²⁾

GRCD5TPV	60 x 36 x 1.19	72	6	\$2546	N/A	N/A	\$230
GRCD5HTPV	66 x 36 x 1.19	83	6.5	\$2682	N/A	N/A	\$241
GRCD6TPV	72 x 36 x 1.19	90	7	\$2819	N/A	N/A	\$256
GRCD5MTPV	60 x 42 x 1.19	88	7	\$2955	N/A	N/A	\$271
GRCD5HMTPV	66 x 42 x 1.19	97	7.5	\$3093	N/A	N/A	\$282
GRCD6MTPV	72 x 42 x 1.19	107	8	\$3229	N/A	N/A	\$292



Racetrack Tops

Tops feature metal inserts for ease of assembly to base. One dual column base (**GDCB36H28**) required.
Limited cut-out options available for power modules, include E2 or FOG2 only. Power modules corresponding to applicable cut-out codes ordered separately.

Required specifications

Top finish
Edge finish ⁽¹⁾

Optional specifications


HP laminate ⁽¹⁾
Knife edge ⁽²⁾
3" radiused corners ⁽⁴⁾
Grommet position or power block cut-out


Applicable bases

GDCB36H28

Accessories

Power block

BOAT SHAPE TOPS FOR DUAL COLUMN BASE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	KS ADD
 Boat Shape Tops	W x D x H						
	Thermally fused laminate, flat edge ⁽¹⁾						
	GBTD5TP	60 x 36 x 1	60	6.6	\$483	\$195	N/A
	GBTD5HTP	66 x 36 x 1	69	7.21	\$488	\$199	N/A
	GBTD6TP	72 x 36 x 1	75	7.82	\$488	\$199	N/A
	GBTD5MTP	60 x 42 x 1	73	7.62	\$633	\$273	N/A
	GBTD5HMTP	66 x 42 x 1	81	8.32	\$675	\$294	N/A
	GBTD6MTP	72 x 42 x 1	89	9.02	\$694	\$300	N/A
	High pressure laminate, knife edge						
	GBTD5TPLK	60 x 36 x 1.19	72	6	\$2135	N/A	N/A
	GBTD5HTPLK	66 x 36 x 1.19	83	6.5	\$2272	N/A	N/A
	GBTD6TPLK	72 x 36 x 1.19	90	7	\$2409	N/A	N/A
	GBTD5MTPLK	60 x 42 x 1.19	88	7	\$2546	N/A	N/A
	GBTD5HMTPLK	66 x 42 x 1.19	97	7.5	\$2682	N/A	N/A
	GBTD6MTPLK	72 x 42 x 1.19	107	8	\$2819	N/A	N/A
	Veneer ⁽²⁾						
	GBTD5TPV	60 x 36 x 1.19	72	6	\$2546	N/A	\$230
	GBTD5HTPV	66 x 36 x 1.19	83	6.5	\$2682	N/A	\$241
	GBTD6TPV	72 x 36 x 1.19	90	7	\$2819	N/A	\$256
	GBTD5MTPV	60 x 42 x 1.19	88	7	\$2955	N/A	\$271
	GBTD5HMTPV	66 x 42 x 1.19	97	7.5	\$3093	N/A	\$282
	GBTD6MTPV	72 x 42 x 1.19	107	8	\$3229	N/A	\$292
Tops feature metal inserts for ease of assembly to base. One dual column base (GDCB36H28) required. Limited cut-out options available for power modules, include E2 or FOG2 only. Power modules corresponding to applicable cut-out codes ordered separately. • GBTDxTP/GBTDxHTP: 36"D at center and 28"D at ends • GBTDxMTP/GBTDxHMTP: 42"D at center and 33"D at ends.							

DUAL COLUMN BASE FOR GxTDxxx TOPS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
	W x D x H						
	BASE VALID FOR TOPS ON PAGES 350-351:						
	GDCB36H28	19 x 36 x 28	116.23	12.16	\$2103	\$582	\$768
	seated height						
	Base ships knocked-down; assembly required. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 326. Upcharge applies on plated finishes.						

Required specifications

Top finish
Edge finish ⁽¹⁾
Base finish

Optional specifications

HP laminate ⁽¹⁾
Knife edge ⁽²⁾
Grommet position or power block cut-out
Base plated finish

Applicable bases

GDCB36H28

Accessories



Power block

HUDDLE TABLES OVERVIEW

Bring teams together to huddle, share and collaborate.
Three heights available - seated desk height: 29", counter height: 36", bar height: 41.5" with D top, wedge, rectangular or soft ellipse shaped tops.


Laminate kits (consisting of laminate top and U-base) are sold separately from metal bases for huddle tables. Tops include metal inserts for ease of assembly to metal base. All tops are standard with an edge scoop to help manage cables from wall mounted flat screen monitors and/or edge mounting power module (PS3525057/PS3525002 as an example). Support channels are included with tops over 60" wide.

Metal bases ship fully assembled and include 0.5" adjustable glides and metal screws for attaching to the top. Be sure to specify bases specific to huddle tables GRHB22Hxx or GSB19Hxx.

D-TOP HUDDLE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
	W x D x H					
	GDH364829	36 x 48 x 29	77.05	3.94	\$952	\$188
	GDH366029	36 x 60 x 29	86.95	4.46	\$1162	\$188
	GDH367229	36 x 72 x 29	97	4.99	\$1295	\$195
	GDH426029	42 x 60 x 29	99.82	5.18	\$1301	\$273
	GDH427229	42 x 72 x 29	111.5	5.79	\$1459	\$300
	GDH428429	42 x 84 x 29	123.1	11.98	\$1616	\$477
	GDH429629	42 x 96 x 29	134.74	13.31	\$1746	\$504
	GDH486029	48 x 60 x 29	112.6	5.89	\$1453	\$374
	GDH487229	48 x 72 x 29	126	6.58	\$1626	\$443
	GDH488429	48 x 84 x 29	139.24	13.5	\$1738	\$469
	GDH489629	48 x 96 x 29	152.56	15	\$1880	\$512
	Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only (except for model GDH364829 - cut-out position available in position 1 only).					
	• Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only, requires one base.					
	GDH364836	36 x 48 x 36	85.95	4.31	\$980	\$188
	GDH366036	36 x 60 x 36	95.85	4.84	\$1189	\$188
	GDH367236	36 x 72 x 36	105.9	5.37	\$1323	\$195
	GDH426036	42 x 60 x 36	109.82	5.61	\$1332	\$273
	GDH427236	42 x 72 x 36	121.5	6.22	\$1491	\$300
	GDH428436	42 x 84 x 36	133.1	12.4	\$1646	\$477
	GDH429636	42 x 96 x 36	144.74	13.75	\$1777	\$504
	GDH486036	48 x 60 x 36	123.6	6.38	\$1488	\$374
	GDH487236	48 x 72 x 36	137	7.08	\$1661	\$443
	GDH488436	48 x 84 x 36	150.24	14	\$1773	\$469
	GDH489636	48 x 96 x 36	163.56	15.5	\$1916	\$512
	Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only (except for model GDH364836 - cut-out position available in position 1 only).					
	• Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only, requires one base.					

Required Specifications	Optional Specifications	Accessories
Top finish Base finish	HP laminate Grommet position or power block cut-out	Power block

D-TOP HUDDLE TABLES MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE HP ADD



41.5"H D-Top Huddle

W x D x H						
GDH364841	36 x 48 x 41.5	92.65	4.58	\$1032	\$188	
GDH366041	36 x 60 x 41.5	102.55	5.11	\$1241	\$188	
GDH367241	36 x 72 x 41.5	112.6	5.63	\$1375	\$195	
GDH426041	42 x 60 x 41.5	117.32	5.92	\$1392	\$273	
GDH427241	42 x 72 x 41.5	129	6.53	\$1549	\$300	
GDH428441	42 x 84 x 41.5	140.6	12.72	\$1706	\$477	
GDH429641	42 x 96 x 41.5	152.24	14.06	\$1837	\$504	
GDH486041	48 x 60 x 41.5	130.1	6.74	\$1552	\$374	
GDH487241	48 x 72 x 41.5	143.5	7.43	\$1726	\$443	
GDH488441	48 x 84 x 41.5	156.74	14.53	\$1839	\$469	
GDH489641	48 x 96 x 41.5	170.06	15.85	\$1980	\$512	


Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only (except for model GDH364841 - cut-out position available in position 1 only).**

- Metal bases sold separately. Compatible with **GRHB22H41** or **GSHB19H41** only, requires one base.


Required Specifications	Optional Specifications	Accessories
Top finish Base finish	HP laminate Grommet position or power block cut-out	Power block

S SWAP™ TABLES


WEDGE HUDDLE TABLES



29"H Wedge Huddle



36"H Wedge Huddle



41.5"H Wedge Huddle

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
W x D x H					
GWH486029	48 x 60 x 29	112.6	5.89	\$1448	\$374
GWH487229	48 x 72 x 29	126	6.58	\$1626	\$443
GWH488429	48 x 84 x 29	139.24	13.5	\$1738	\$469
GWH489629	48 x 96 x 29	152.56	15	\$1880	\$512

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only.**

- Metal bases sold separately. Compatible with **GRHB22H28** or **GSHB19H28** only, requires one base.

GWH486036	48 x 60 x 36	123.6	6.38	\$1483	\$374
GWH487236	48 x 72 x 36	137	7.08	\$1661	\$443
GWH488436	48 x 84 x 36	150.24	14	\$1773	\$469
GWH489636	48 x 96 x 36	163.56	15.5	\$1916	\$512

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only.**

- Metal bases sold separately. Compatible with **GRHB22H35** or **GSHB19H35** only, requires one base.

GWH486041	48 x 60 x 41.5	130.1	6.74	\$1548	\$374
GWH487241	48 x 72 x 41.5	143.5	7.43	\$1726	\$443
GWH488441	48 x 84 x 41.5	156.74	14.35	\$1839	\$469
GWH489641	48 x 96 x 41.5	170.06	15.85	\$1980	\$512

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only.**

- Metal bases sold separately. Compatible with **GRHB22H41** or **GSHB19H41** only, requires one base.

Required Specifications

Top finish
Base finish

Optional Specifications

HP laminate
Grommet position or power block cut-out

Accessories

Power block

RECTANGULAR HUDDLE TABLES

MODEL

DIMENSIONS

WT/LB.

CUBIC FT.

LIST PRICE


HP ADD

W x D x H

GRH364829	36 x 48 x 29	77.05	3.94	\$952	\$188
GRH366029	36 x 60 x 29	86.95	4.46	\$1161	\$188
GRH367229	36 x 72 x 29	97	4.99	\$1295	\$195

GRH426029	42 x 60 x 29	99.82	5.18	\$1301	\$273
GRH427229	42 x 72 x 29	111.5	5.79	\$1459	\$300
GRH428429	42 x 84 x 29	123.1	11.98	\$1616	\$477
GRH429629	42 x 96 x 29	134.74	13.31	\$1746	\$504

GRH486029	48 x 60 x 29	112.6	5.89	\$1453	\$374
GRH487229	48 x 72 x 29	126	6.58	\$1626	\$443
GRH488429	48 x 84 x 29	139.24	13.5	\$1738	\$469
GRH489629	48 x 96 x 29	152.56	15	\$1880	\$512



29"H Rectangular Huddle


Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only (except for model GRH364829 - cut-out position available in position 1 only).**

- Metal bases sold separately. Compatible with **GRHB22H28** or **GSHB19H28** only, requires one base.

GRH364836	36 x 48 x 36	85.95	4.31	\$980	\$188
GRH366036	36 x 60 x 36	95.85	4.84	\$1189	\$188
GRH367236	36 x 72 x 36	105.9	5.37	\$1323	\$195

GRH426036	42 x 60 x 36	109.82	5.61	\$1332	\$273
GRH427236	42 x 72 x 36	121.5	6.22	\$1491	\$300
GRH428436	42 x 84 x 36	133.1	12.41	\$1646	\$477
GRH429636	42 x 96 x 36	144.74	13.75	\$1777	\$504

GRH486036	48 x 60 x 36	123.6	6.38	\$1488	\$374
GRH487236	48 x 72 x 36	137	7.08	\$1661	\$443
GRH488436	48 x 84 x 36	150.24	14	\$1773	\$469
GRH489636	48 x 96 x 36	163.56	15.5	\$1916	\$512



36"H Rectangular Huddle

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only (except for model GRH364836 - cut-out position available in position 1 only).**

- Metal bases sold separately. Compatible with **GRHB22H35** or **GSHB19H35** only, requires one base.

Required Specifications

Top finish
Base finish


Optional Specifications

HP laminate
Grommet position or power block cut-out

Accessories

Power block

RECTANGULAR HUDDLE TABLES



41.5"H Rectangular Huddle

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
W x D x H					
GRH364841	36 x 48 x 41.5	92.65	4.58	\$1032	\$188
GRH366041	36 x 60 x 41.5	102.55	5.11	\$1241	\$188
GRH367241	36 x 72 x 41.5	112.6	5.63	\$1375	\$195
GRH426041	42 x 60 x 41.5	117.32	5.92	\$1392	\$374
GRH427241	42 x 72 x 41.5	129	6.53	\$1549	\$300
GRH428441	42 x 84 x 41.5	140.6	12.72	\$1706	\$477
GRH429641	42 x 96 x 41.5	152.24	14.06	\$1837	\$504
GRH486041	48 x 60 x 41.5	130.1	6.74	\$1552	\$374
GRH487241	48 x 72 x 41.5	143.5	7.43	\$1726	\$443
GRH488441	48 x 84 x 41.5	156.74	14.35	\$1839	\$469
GRH489641	48 x 96 x 41.5	170.06	15.85	\$1980	\$512

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only (except for model GRH364841 - cut-out position available in position 1 only).**

- Metal bases sold separately. Compatible with **GRHB22H41** or **GSHB19H41** only, requires one base.

Required Specifications

Top finish
Base finish


Optional Specifications

HP laminate
Grommet position or power block cut-out

Accessories

Power block

SOFT ELLIPSE HUDDLE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
----------------------------	---------	------------	--------	-----------	------------	--------




29"H Soft Ellipse Huddle

		W x D x H				
GSEH364829	36 x 48 x 29	77.05	3.94	\$952	\$188	
GSEH366029	36 x 60 x 29	86.95	4.46	\$1161	\$188	
GSEH367229	36 x 72 x 29	97	4.99	\$1295	\$195	
GSEH426029	42 x 60 x 29	99.82	5.18	\$1301	\$273	
GSEH427229	42 x 72 x 29	111.5	5.79	\$1459	\$300	
GSEH428429	42 x 84 x 29	123.1	11.98	\$1616	\$477	
GSEH429629	42 x 96 x 29	134.7	13.31	\$1746	\$504	
GSEH486029	48 x 60 x 29	112.6	5.89	\$1453	\$374	
GSEH487229	48 x 72 x 29	126	6.58	\$1626	\$443	
GSEH488429	48 x 84 x 29	139.2	13.5	\$1738	\$469	
GSEH489629	48 x 96 x 29	152.6	15	\$1880	\$512	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only (except for model GSEH364829 - cut-out position available in position 1 only).**

- Metal bases sold separately. Compatible with **GRHB22H28** or **GSHB19H28** only, requires one base.



36"H Soft Ellipse Huddle

GSEH364836	36 x 48 x 36	86	4.31	\$980	\$188	
GSEH366036	36 x 60 x 36	95.9	4.84	\$1189	\$188	
GSEH367236	36 x 72 x 36	105.9	5.37	\$1323	\$195	
GSEH426036	42 x 60 x 36	109.8	5.61	\$1332	\$273	
GSEH427236	42 x 72 x 36	121.5	6.22	\$1491	\$300	
GSEH428436	42 x 84 x 36	133.1	12.41	\$1646	\$477	
GSEH429636	42 x 96 x 36	144.74	13.75	\$1777	\$504	
GSEH486036	48 x 60 x 36	123.6	6.38	\$1488	\$374	
GSEH487236	48 x 72 x 36	137	7.08	\$1661	\$443	
GSEH488436	48 x 84 x 36	150.24	14	\$1773	\$469	
GSEH489636	48 x 96 x 36	163.56	15.5	\$1916	\$512	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only (except for model GSEH364836 - cut-out position available in position 1 only).**

- Metal bases sold separately. Compatible with **GRHB22H35** or **GSHB19H35** only, requires one base.

Required Specifications

Top finish
Base finish


Optional Specifications

HP laminate
Grommet position or power block cut-out

Accessories

Power block

SOFT ELLIPSE HUDDLE TABLES



41.5"H Soft Ellipse Huddle

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
W x D x H					
GSEH364841	36 x 48 x 41.5	92.65	4.58	\$1032	\$188
GSEH366041	36 x 60 x 41.5	102.55	5.11	\$1241	\$188
GSEH367241	36 x 72 x 41.5	112.6	5.63	\$1375	\$195
GSEH426041	42 x 60 x 41.5	117.32	5.92	\$1392	\$273
GSEH427241	42 x 72 x 41.5	129	6.53	\$1549	\$300
GSEH428441	42 x 84 x 41.5	140.6	12.72	\$1706	\$477
GSEH429641	42 x 96 x 41.5	152.24	14.06	\$1837	\$504
GSEH486041	48 x 60 x 41.5	130.1	6.74	\$1552	\$374
GSEH487241	48 x 72 x 41.5	143.5	7.43	\$1726	\$443
GSEH488441	48 x 84 x 41.5	156.74	14.35	\$1839	\$469
GSEH489641	48 x 96 x 41.5	170.06	15.85	\$1980	\$512

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only (except for model GSEH364841 - cut-out position available in position 1 only).**

- Metal bases sold separately. Compatible with **GRHB22H41** or **GSHB19H41** only, requires one base.

Required Specifications

Top finish
Base finish

Optional Specifications

HP laminate
Grommet position or power block cut-out

Accessories

Power block

HUDDLE BASES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	BCH / CHM	ACO / SBR
--------------	---------	------------	--------	-----------	------------	--------	-----------	-----------

W x D x H

SELECT BASE COMPATIBLE WITH TOP HEIGHT:

GRHB22H28	22 x - x 28	60	10	\$898	N/A	\$147	\$249
GRHB22H35	22 x - x 35	62	12.7	\$933	N/A	\$164	\$268
GRHB22H41	22 x - x 40.5	63	14.2	\$949	N/A	\$171	\$270

GRHB22H35 - counter height GRHB22H28 - seated height GRHB22H41 - bar height

Metal base ships fully assembled. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate huddle table laminate pieces. See page 326 for available finishes.
Be sure to double check huddle table laminate units and metal bases are the same corresponding heights.


- Plated finishes are available at an upcharge.

GSHB19H28	18.5 x 18.5 x 28	55	6.94	\$966	N/A	\$136	\$250
GSHB19H35	18.5 x 18.5 x 35	57	8.8	\$1022	N/A	\$151	\$287
GSHB19H41	18.5 x 18.5 x 40.5	58	9.84	\$1056	N/A	\$166	\$287


GSHB19H35 - counter height GSHB19H28 - seated height GSHB19H41 - bar height

Metal base ships fully assembled. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate huddle table laminate pieces. See page 326 for available finishes.
Be sure to double check huddle table laminate units and metal bases are the same corresponding heights.

- Plated finishes are available at an upcharge.



22" Round Huddle Base



18.5" Square Huddle Base

Required Specifications	Optional Specifications
Finish	